



| Plus Plan |

Mutual of Omaha Rx (PDP) 2019 Formulary (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID Number: 19165, Version 17

This formulary was updated on 11/26/2019. For more recent information or other questions, please contact **Mutual of Omaha RxSM** (PDP) Customer Service at **1.855.864.6797** or, for TTY users, **1.800.716.3231**, 24 hours a day, 7 days a week, or visit **MutualofOmahaRx.com**.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Omaha Health Insurance Company. When it refers to “plan” or “our plan,” it means Mutual of Omaha Rx.

This document includes a list of the drugs (formulary) for our plan, which is current as of November 26, 2019. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al **1.855.864.6797** (TTY: **1.800.716.3231**).

What is the Mutual of Omaha Rx Formulary?

A formulary is a list of covered drugs selected by Mutual of Omaha Rx in consultation with a team of healthcare providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Mutual of Omaha Rx will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Mutual of Omaha Rx network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

Can the formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on the steps you may take to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Mutual of Omaha Rx Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

The enclosed formulary is current as of November 26, 2019. To get updated information about the drugs covered by Mutual of Omaha Rx, please contact us. Our contact information appears on the front and back cover pages. If there are additional changes made to the formulary that affect you and are not

mentioned above, you will be notified in writing of these changes within a reasonable period of time from when the changes are made.

How do I use the formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category “Cardiovascular, Hypertension/Lipids.” If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 85. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Mutual of Omaha Rx covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Mutual of Omaha Rx requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Mutual of Omaha Rx before you fill your prescriptions. If you don't get approval, Mutual of Omaha Rx may not cover the drug.
- **Quantity Limits:** For certain drugs, Mutual of Omaha Rx limits the amount of the drug that Mutual of Omaha Rx will cover. For example, Mutual of Omaha Rx provides two inhalers (17 grams) for a 1-month supply per prescription for PROAIR® HFA. This may be in addition to a standard 1-month or 3-month supply.
- **Step Therapy:** In some cases, Mutual of Omaha Rx requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Mutual of Omaha Rx may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Mutual of Omaha Rx will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and

step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Mutual of Omaha Rx to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section “How do I request an exception to the Mutual of Omaha Rx Formulary?” on page iii for information about how to request an exception.

What if my drug is not on the formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that Mutual of Omaha Rx does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by Mutual of Omaha Rx. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Mutual of Omaha Rx.
- You can ask Mutual of Omaha Rx to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Mutual of Omaha Rx Formulary?

You can ask Mutual of Omaha Rx to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Mutual of Omaha Rx limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Mutual of Omaha Rx will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can request an expedited (fast) exception if you or your doctor believes that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary, or if your ability to get your drugs is limited but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Other times when we will cover a temporary 30-day transition supply (or less, if you have a prescription written for fewer days) include:

- When you leave a long-term care facility
- When you are discharged from a hospital
- When you leave a skilled nursing facility
- When you cancel hospice care
- When you are discharged from a psychiatric hospital with a medication regimen that is highly individualized

If you are entering a long-term care facility, we will cover a 31-day transition supply.

The plan will send you a letter within 3 business days of your filling a temporary transition supply, notifying you that this was a temporary supply and explaining your options.

For more information

For more detailed information about your Mutual of Omaha Rx prescription drug coverage, please review your *Evidence of Coverage* and other plan materials.

If you have questions about Mutual of Omaha Rx, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1.800.MEDICARE (1.800.633.4227), 24 hours a day, 7 days a week. TTY users should call 1.877.486.2048. Or, visit <http://www.medicare.gov>.

Mutual of Omaha Rx's Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by Mutual of Omaha Rx. If you have trouble finding your drug in the list, turn to the Index that begins on page 85.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., JANUMET®) and generic drugs are listed in lowercase italics (e.g., *omeprazole*).

The information in the Requirements/Limits column tells you if Mutual of Omaha Rx has any special requirements for coverage of your drug.

B/D PA: Part B or Part D Prior Authorization. This drug may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, consult your *Pharmacy Directory* or call Customer Service at **1.855.864.6797**, 24 hours a day, 7 days a week. TTY users, call **1.800.716.3231**.

MO: Mail-Order Drug. This prescription drug is available through our home delivery pharmacy service, as well as through our retail network pharmacies. Consider using mail order for your long-term medications (the kind you take regularly, such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

PA: Prior Authorization. The plan requires you or your doctor to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescription. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the plan requires you to first try a certain drug to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

Your costs

The amount you pay for a covered drug will depend on:

- **Your coverage stage.** Mutual of Omaha Rx has different stages of coverage. In each stage, the amount you pay for a drug may change.
- **The drug tier for your drug.** Each covered drug is in one of five drug tiers. Each tier may have a different copayment or coinsurance amount. The "Drug Tiers" chart on the following page explains what types of drugs are included in each tier and shows how costs may change with each tier.

The *Evidence of Coverage* has more information about the plan's coverage stages and lists the copayment and coinsurance amounts for each tier.

If you qualify for Extra Help

If you qualify for Extra Help for your prescription drugs, your copayments and coinsurance may be lower. Please refer to the “*Evidence of Coverage Rider for People Who Get Extra Help Paying for Prescription Drugs (LIS Rider)*” to find out what your costs are or you may contact Customer Service for more information.

Drug Tiers

Tier	Description
Tier 1: Preferred Generic Drugs	This tier includes commonly prescribed generic drugs. Use Tier 1 drugs for the lowest copayments.
Tier 2: Generic Drugs	This tier includes generic drugs. Use Tier 2 drugs to keep your copayments low.
Tier 3: Preferred Brand Drugs	This tier includes preferred brand-name drugs as well as some generic drugs. Drugs in this tier will generally have lower copayments than non-preferred drugs.
Tier 4: Non-Preferred Drugs	This tier includes non-preferred brand-name drugs as well as some generic drugs. There may be lower-cost alternatives for you. Ask your doctor if switching to a lower-cost generic or preferred brand drug may be right for you. Drugs in this tier are limited to up to a 30-day supply from either your local retail network pharmacy or from our network home delivery service.
Tier 5: Specialty Tier Drugs	This tier includes very high-cost brand-name and generic drugs. To learn more about medications in this tier, you may contact a pharmacist at the numbers listed on the front and back covers of this document. Drugs in this tier are limited to up to a 30-day supply from either your local retail network pharmacy or from our network home delivery service.

Key

The abbreviations listed below may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug. You can find information on what the symbols and abbreviations on these tables mean by going to page v.

B/D PA: Part B or Part D Prior Authorization
LA: Limited Availability
MO: Mail-Order Drug
PA: Prior Authorization
QL: Quantity Limit
ST: Step Therapy

Drug Name	Drug Tier	Requirements/Limits
ANTI - INFECTIVES		
ANTIFUNGAL AGENTS		
ABELCET	5	B/D PA; MO
AMBISOME	5	B/D PA; MO
<i>amphotericin b</i>	4	B/D PA; MO
<i>caspofungin</i>	5	B/D PA
<i>clotrimazole mucous membrane</i>	2	MO
CRESEMBIA INTRAVENOUS	5	
CRESEMBIA ORAL	5	MO
<i>fluconazole</i>	2	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	4	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	4	
<i>flucytosine</i>	5	MO
<i>griseofulvin microsize</i>	4	MO
<i>griseofulvin ultramicrosize</i>	4	MO
<i>itraconazole oral capsule</i>	2	MO; QL (120 per 30 days)
<i>itraconazole oral solution</i>	2	MO
<i>ketoconazole oral</i>	2	MO
MYCAMINE	5	MO

Drug Name	Drug Tier	Requirements/Limits
NOXAFIL ORAL SUSPENSION	5	MO; QL (840 per 30 days)
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC)	5	MO; QL (93 per 28 days)
<i>nystatin oral suspension</i>	2	MO
<i>nystatin oral tablet</i>	2	MO
<i>posaconazole oral tablet,delayed release (dr/ec)</i>	5	MO; QL (93 per 28 days)
SPORANOX ORAL SOLUTION	3	MO
<i>terbinafine hcl oral</i>	2	MO
<i>voriconazole intravenous</i>	4	MO
<i>voriconazole oral</i>	5	MO
ANTIVIRALS		
<i>abacavir oral solution</i>	2	MO; QL (900 per 30 days)
<i>abacavir oral tablet</i>	2	MO; QL (60 per 30 days)
<i>abacavir-lamivudine</i>	5	MO; QL (30 per 30 days)
<i>abacavir-lamivudine-zidovudine</i>	5	MO; QL (60 per 30 days)
<i>acyclovir oral capsule</i>	2	MO
<i>acyclovir oral suspension 200 mg/5 ml</i>	2	MO
<i>acyclovir oral tablet</i>	2	MO
<i>acyclovir sodium intravenous solution</i>	4	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>adefovir</i>	5	MO	DESCOVY	5	MO; QL (30 per 30 days)
<i>amantadine hcl oral capsule</i>	4	MO	<i>didanosine oral capsule, delayed release (dr/ec) 200 mg</i>	2	QL (30 per 30 days)
<i>amantadine hcl oral solution</i>	2	MO	<i>didanosine oral capsule, delayed release (dr/ec) 250 mg, 400 mg</i>	2	MO; QL (30 per 30 days)
<i>amantadine hcl oral tablet</i>	4	MO	DOVATO	5	MO
APTIVUS ORAL CAPSULE	5	MO; QL (120 per 30 days)	EDURANT	5	MO; QL (60 per 30 days)
APTIVUS ORAL SOLUTION	5	QL (300 per 30 days)	<i>efavirenz oral capsule 200 mg</i>	5	MO; QL (120 per 30 days)
<i>atazanavir oral capsule 150 mg</i>	2	MO; QL (30 per 30 days)	<i>efavirenz oral capsule 50 mg</i>	2	MO; QL (180 per 30 days)
<i>atazanavir oral capsule 200 mg</i>	2	MO; QL (60 per 30 days)	<i>efavirenz oral tablet</i>	5	MO; QL (30 per 30 days)
<i>atazanavir oral capsule 300 mg</i>	5	MO; QL (30 per 30 days)	EMTRIVA ORAL CAPSULE	3	MO; QL (30 per 30 days)
ATRIPLA	5	MO; QL (30 per 30 days)	EMTRIVA ORAL SOLUTION	3	MO; QL (720 per 30 days)
BARACLUDE ORAL SOLUTION	5	MO; QL (600 per 30 days)	<i>entecavir</i>	5	MO; QL (30 per 30 days)
BIKTARVY	5	MO	EPCLUSIA	5	PA; MO; QL (28 per 28 days)
<i>cidofovir</i>	5	B/D PA; MO	EPIVIR HBV ORAL SOLUTION	3	MO
CIMDUO	5	MO	EVOTAZ	5	MO; QL (30 per 30 days)
COMPLERA	5	MO; QL (30 per 30 days)			
CRIXIVAN ORAL CAPSULE 200 MG	3	MO; QL (90 per 30 days)			
CRIXIVAN ORAL CAPSULE 400 MG	3	MO; QL (180 per 30 days)			
DELSTRIGO	5	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>famciclovir oral tablet 125 mg, 250 mg</i>	4	MO; QL (60 per 30 days)
<i>famciclovir oral tablet 500 mg</i>	4	MO; QL (21 per 30 days)
<i>fosamprenavir</i>	5	MO; QL (120 per 30 days)
FUZEON SUBCUTANEOUS RECON SOLN	5	MO; QL (60 per 30 days)
<i>ganciclovir sodium</i>	2	B/D PA; MO
GENVOYA	5	MO; QL (30 per 30 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; MO
HARVONI ORAL TABLET 90-400 MG	5	PA; MO; QL (28 per 28 days)
INTELENCE ORAL TABLET 100 MG	5	MO; QL (120 per 30 days)
INTELENCE ORAL TABLET 200 MG	5	MO; QL (60 per 30 days)
INTELENCE ORAL TABLET 25 MG	3	MO; QL (180 per 30 days)
INVIRASE ORAL TABLET	5	MO; QL (120 per 30 days)
ISENTRESS HD	5	MO
ISENTRESS ORAL POWDER IN PACKET	5	MO; QL (60 per 30 days)
ISENTRESS ORAL TABLET	5	MO; QL (120 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	MO; QL (180 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	MO; QL (180 per 30 days)
JULUCA	5	MO
KALETRA ORAL TABLET 100-25 MG	3	MO; QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	5	MO; QL (180 per 30 days)
<i>lamivudine oral solution</i>	2	MO; QL (900 per 30 days)
<i>lamivudine oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>lamivudine oral tablet 150 mg</i>	2	MO; QL (60 per 30 days)
<i>lamivudine oral tablet 300 mg</i>	2	MO; QL (30 per 30 days)
<i>lamivudine-zidovudine</i>	2	MO; QL (60 per 30 days)
LEXIVA ORAL SUSPENSION	3	MO; QL (1680 per 30 days)
<i>lopinavir-ritonavir</i>	2	MO
<i>nevirapine oral suspension</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet</i>	2	MO; QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	4	MO; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	4	MO; QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET	3	MO
NORVIR ORAL SOLUTION	3	MO; QL (450 per 30 days)
ODEFSEY	5	MO; QL (30 per 30 days)
<i>oseltamivir oral capsule 30 mg</i>	2	MO; QL (168 per 365 days)
<i>oseltamivir oral capsule 45 mg, 75 mg</i>	2	MO; QL (84 per 365 days)
<i>oseltamivir oral suspension for reconstitution</i>	2	MO; QL (1080 per 365 days)
PIFELTRO	5	MO
PREVYMIS INTRAVENOUS	5	
PREVYMIS ORAL	5	MO; QL (30 per 30 days)
PREZCOBIX	5	MO; QL (30 per 30 days)
PREZISTA ORAL SUSPENSION	5	MO; QL (360 per 30 days)
PREZISTA ORAL TABLET 150 MG	3	MO; QL (120 per 30 days)
PREZISTA ORAL TABLET 600 MG	5	MO; QL (60 per 30 days)
PREZISTA ORAL TABLET 75 MG	3	MO; QL (480 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
PREZISTA ORAL TABLET 800 MG	5	MO; QL (30 per 30 days)
RELENZA DISKHALER	3	MO; QL (60 per 180 days)
SCRIPTOR ORAL TABLET	3	MO; QL (180 per 30 days)
RETROVIR INTRAVENOUS	3	MO
REYATAZ ORAL POWDER IN PACKET	5	MO; QL (240 per 30 days)
<i>ribasphere oral capsule</i>	2	MO
<i>ribasphere oral tablet 600 mg</i>	5	MO
<i>ribasphere ribapak oral tablets,dose pack 600 mg (7)-400 mg (7), 600 mg (7)- 600 mg (7)</i>	5	
<i>ribasphere ribapak oral tablets,dose pack 600-400 mg (28)-mg (28), 600-600 mg (28)-mg (28)</i>	5	MO
<i>ribavirin oral capsule</i>	2	MO
<i>ribavirin oral tablet 200 mg</i>	2	MO
<i>rimantadine</i>	4	MO
<i>ritonavir</i>	2	MO; QL (360 per 30 days)
SELZENTRY ORAL SOLUTION	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL TABLET 150 MG, 75 MG	3	MO; QL (60 per 30 days)
SELZENTRY ORAL TABLET 25 MG, 300 MG	3	MO; QL (120 per 30 days)
<i>stavudine oral capsule</i>	4	MO; QL (60 per 30 days)
STRIBILD	5	MO; QL (30 per 30 days)
SYMFI	5	MO
SYMFI LO	5	MO
SYMTUZA	5	MO
SYNAGIS	5	MO; LA
<i>tenofovir disoproxil fumarate</i>	5	MO; QL (30 per 30 days)
TIVICAY ORAL TABLET 10 MG	3	MO; QL (60 per 30 days)
TIVICAY ORAL TABLET 25 MG, 50 MG	5	MO; QL (60 per 30 days)
TRIUMEQ	5	MO; QL (30 per 30 days)
TROGARZO	5	MO; LA
TRUVADA	5	MO; QL (30 per 30 days)
<i>valacyclovir oral tablet 1 gram</i>	4	MO; QL (120 per 30 days)
<i>valacyclovir oral tablet 500 mg</i>	4	MO; QL (60 per 30 days)
<i>valganciclovir</i>	5	MO
VEMLIDY	5	MO

Drug Name	Drug Tier	Requirements/Limits
VIDEX 2 GRAM PEDIATRIC	3	MO; QL (1200 per 30 days)
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	4	MO; QL (90 per 30 days)
VIRACEPT ORAL TABLET 250 MG	5	MO; QL (270 per 30 days)
VIRACEPT ORAL TABLET 625 MG	5	MO; QL (120 per 30 days)
VIRAMUNE ORAL SUSPENSION	4	MO; QL (1200 per 30 days)
VIREAD ORAL POWDER	5	MO; QL (225 per 30 days)
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	MO; QL (30 per 30 days)
XOFLUZA	3	MO
<i>zidovudine oral capsule</i>	2	MO; QL (180 per 30 days)
<i>zidovudine oral syrup</i>	2	MO; QL (1800 per 30 days)
<i>zidovudine oral tablet</i>	2	MO; QL (60 per 30 days)
CEPHALOSPORINS		
<i>cefaclor oral capsule</i>	2	MO
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr</i>	2	MO
<i>cefadroxil oral capsule</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	4	MO
<i>cefadroxil oral tablet</i>	4	MO
<i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml</i>	4	MO
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	2	MO
<i>cefazolin injection recon soln 1 gram, 500 mg</i>	4	MO
<i>cefazolin injection recon soln 10 gram, 100 gram, 20 gram, 300 g</i>	4	
<i>cefazolin intravenous</i>	4	
<i>cefdinir</i>	2	MO
CEFEPIME IN DEXTROSE 5 %	4	MO
<i>cefepeime in dextrose, iso-osm intravenous piggyback 1 gram/50 ml</i>	4	

Drug Name	Drug Tier	Requirements/Limits
<i>cefepeime in dextrose, iso-osm intravenous piggyback 2 gram/100 ml</i>	4	MO
<i>cefepeime injection</i>	4	MO
<i>cefixime oral capsule</i>	2	MO
<i>cefixime oral suspension for reconstitution</i>	4	MO
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	4	
<i>cefotetan</i>	2	
CEFOTETAN IN DEXTROSE, ISO-OSM	2	
<i>cefoxitin in dextrose, iso-osm</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>	4	MO
<i>cefoxitin intravenous recon soln 10 gram</i>	4	
<i>cefpodoxime</i>	2	MO
<i>cesprozil</i>	2	MO
CEFTAZIDIME IN D5W	4	
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	4	MO
<i>ceftazidime injection recon soln 6 gram</i>	4	
<i>ceftriaxone in dextrose, iso-os</i>	4	MO
<i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>ceftriaxone injection recon soln 10 gram</i>	4		<i>azithromycin intravenous</i>	4	MO
CEFTRIAXONE INJECTION RECON SOLN 100 GRAM	4		<i>azithromycin oral packet</i>	2	MO
<i>ceftriaxone intravenous</i>	4	MO	<i>azithromycin oral suspension for reconstitution</i>	4	MO
<i>cefuroxime axetil oral tablet</i>	2	MO	<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 600 mg</i>	2	MO
<i>cefuroxime sodium injection recon soln 750 mg</i>	4	MO	<i>azithromycin oral tablet 500 mg (3 pack)</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	4	MO	<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml</i>	2	MO
<i>cefuroxime sodium intravenous recon soln 7.5 gram</i>	4		<i>clarithromycin oral suspension for reconstitution 250 mg/5 ml</i>	4	MO
<i>cephalexin</i>	2	MO	<i>clarithromycin oral tablet</i>	4	MO
SUPRAX ORAL CAPSULE	4	MO	<i>clarithromycin oral tablet extended release 24 hr</i>	4	MO
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	4		<i>e.e.s. 400 oral tablet</i>	2	MO
SUPRAX ORAL TABLET,CHEWABLE	4	MO	<i>ery-tab oral tablet,delayed release (dr/ec) 250 mg, 333 mg</i>	2	MO
<i>tazicef injection recon soln 1 gram</i>	4		ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG	3	MO
<i>tazicef injection recon soln 2 gram, 6 gram</i>	4	MO	<i>erythrocin (as stearate) oral tablet 250 mg</i>	4	MO
<i>tazicef intravenous</i>	4				
TEFLARO	5	MO			
ERYTHROMYCINS / OTHER MACROLIDES					

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	3	MO	BENZNIDAZOLE	3	
<i>erythromycin ethylsuccinate oral suspension for reconstitution</i>	4	MO	BETHKIS	5	B/D PA; MO; QL (224 per 28 days)
<i>erythromycin ethylsuccinate oral tablet</i>	4	MO	BILTRICIDE	5	MO
<i>erythromycin oral</i>	2	MO	CAPASTAT	4	
MISCELLANEOUS ANTIINFECTIVES			CAYSTON	5	PA; MO; LA; QL (84 per 28 days)
<i>albendazole</i>	5	MO; QL (120 per 30 days)	<i>chloramphenicol sod succinate</i>	2	
ALBENZA	5	MO; QL (120 per 30 days)	<i>chloroquine phosphate oral tablet 250 mg</i>	2	MO
ALINIA ORAL SUSPENSION FOR RECONSTITUTION	3	MO; QL (360 per 30 days)	<i>chloroquine phosphate oral tablet 500 mg</i>	4	MO
ALINIA ORAL TABLET	5	MO; QL (14 per 30 days)	<i>clindamycin hcl</i>	2	MO
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	4	MO	CLINDAMYCIN IN 0.9 % SOD CHLOR	4	
ARIKAYCE	5	PA; MO; LA	<i>clindamycin in 5 % dextrose</i>	4	MO
<i>atovaquone</i>	5	MO	<i>clindamycin palmitate hcl</i>	2	MO
<i>atovaquone-proguanil</i>	2	MO	<i>clindamycin pediatric</i>	2	MO
<i>aztreonam</i>	2	MO	<i>clindamycin phosphate injection</i>	4	MO
<i>bacitracin intramuscular</i>	2	MO	<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	4	MO
			COARTEM	3	MO; QL (24 per 30 days)
			<i>colistin (colistimethate na)</i>	4	MO
			<i>dapsone oral</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG	3	MO
<i>daptomycin intravenous recon soln 500 mg</i>	5	MO
DARAPRIM	5	PA
EMVERM	5	MO
<i>ertapenem</i>	2	MO
<i>ethambutol oral tablet 100 mg</i>	2	MO
<i>ethambutol oral tablet 400 mg</i>	4	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml</i>	4	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 60 mg/50 ml, 80 mg/50 ml</i>	2	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/100 ml</i>	2	MO
gentamicin injection	2	MO
gentamicin sulfate (ped) (pf)	2	MO
hydroxychloroquine	2	MO
imipenem-cilastatin	4	MO
IMPAVIDO	5	MO; QL (84 per 30 days)
INVANZ INJECTION	4	MO
isoniazid injection	2	

Drug Name	Drug Tier	Requirements/Limits
<i>isoniazid oral solution</i>	4	MO
<i>isoniazid oral tablet</i>	2	MO
<i>ivermectin oral</i>	2	MO
<i>lincomycin</i>	2	
<i>linezolid in dextrose 5%</i>	5	
<i>linezolid oral suspension for reconstitution</i>	5	MO; QL (1800 per 30 days)
<i>linezolid oral tablet</i>	5	MO; QL (60 per 30 days)
<i>linezolid-0.9% sodium chloride</i>	5	
<i>mefloquine</i>	2	MO
<i>meropenem</i>	4	MO
MEROOPENEM-0.9% SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 1 GRAM/50 ML	4	MO
MEROOPENEM-0.9% SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 500 MG/50 ML	4	
metro i.v.	2	MO
<i>metronidazole in nacl (iso-os)</i>	2	MO
<i>metronidazole oral</i>	2	MO
NEBUPENT	3	B/D PA; MO; QL (1 per 28 days)
<i>neomycin</i>	2	MO
<i>paromomycin</i>	4	MO
PASER	3	MO
PENTAM	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>pentamidine injection</i>	2	
<i>polymyxin b sulfate</i>	2	MO
<i>praziquantel</i>	2	MO
PRIFTIN	3	MO
<i>primaquine</i>	2	MO
<i>pyrazinamide</i>	4	MO
<i>quinine sulfate</i>	2	PA; MO; QL (42 per 30 days)
<i>rifabutin</i>	4	MO
<i>rifampin intravenous</i>	2	MO
<i>rifampin oral</i>	4	MO
SIRTURO	5	PA; MO; LA
STREPTOMYCIN	3	MO
SYNERCID	5	
<i>tigecycline</i>	5	
<i>tinidazole</i>	2	MO
<i>tobramycin in 0.225 % nacl</i>	5	B/D PA; MO; QL (280 per 28 days)
<i>tobramycin sulfate injection recon soln</i>	4	
<i>tobramycin sulfate injection solution 10 mg/ml</i>	2	MO
<i>tobramycin sulfate injection solution 40 mg/ml</i>	4	MO
TRECATOR	3	MO
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK	3	
VANCOMYCIN INJECTION	4	

Drug Name	Drug Tier	Requirements/Limits
<i>vancomycin intravenous recon soln 1,000 mg</i>	2	MO
<i>vancomycin intravenous recon soln 10 gram, 5 gram, 500 mg, 750 mg</i>	4	MO
<i>vancomycin oral capsule 125 mg</i>	2	MO; QL (120 per 30 days)
<i>vancomycin oral capsule 250 mg</i>	5	MO; QL (240 per 30 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; MO; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; MO; QL (90 per 30 days)
PENICILLINS		
<i>amoxicillin oral capsule</i>	2	MO
<i>amoxicillin oral suspension for reconstitution</i>	2	MO
<i>amoxicillin oral tablet</i>	2	MO
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	MO
<i>amoxicillin-pot clavulanate oral suspension for reconstitution</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
amoxicillin-pot clavulanate oral tablet, chewable	2	MO
ampicillin oral capsule 500 mg	2	MO
ampicillin sodium injection	4	MO
ampicillin sodium intravenous	4	
ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram	4	MO
ampicillin-sulbactam injection recon soln 15 gram	4	
ampicillin-sulbactam intravenous recon soln 1.5 gram	4	
ampicillin-sulbactam intravenous recon soln 3 gram	4	MO
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	3	MO
BICILLIN C-R	3	MO
BICILLIN L-A	3	MO
dicloxacillin	2	MO
nafcillin in dextrose iso-osm intravenous piggyback 1 gram/50 ml	2	
nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml	2	MO

Drug Name	Drug Tier	Requirements/Limits
nafcillin injection recon soln 1 gram, 2 gram	2	MO
nafcillin injection recon soln 10 gram	5	MO
nafcillin intravenous	2	MO
oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml	2	
oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml	2	MO
oxacillin injection recon soln 1 gram	2	
oxacillin injection recon soln 10 gram	5	
oxacillin injection recon soln 2 gram	2	MO
penicillin g potassium	4	MO
penicillin g procaine intramuscular syringe 1.2 million unit/2 ml	2	MO
penicillin g procaine intramuscular syringe 600,000 unit/ml	2	
penicillin g sodium	4	MO
penicillin v potassium	2	MO
pfizerpen-g	4	
PIPERACILLIN-TAZOBACTAM INTRAVENOUS RECON SOLN 13.5 GRAM	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram	2	MO
piperacillin-tazobactam intravenous recon soln 4.5 gram, 40.5 gram	4	MO
QUINOLONES		
ciprofloxacin	4	
ciprofloxacin hcl oral	2	MO
ciprofloxacin in 5 % dextrose	4	MO
levofloxacin in d5w intravenous piggyback 250 mg/50 ml	4	
levofloxacin in d5w intravenous piggyback 500 mg/100 ml	4	MO
levofloxacin in d5w intravenous piggyback 750 mg/150 ml	2	MO
levofloxacin intravenous	4	MO
levofloxacin oral solution	4	MO
levofloxacin oral tablet	2	MO
moxifloxacin oral	2	MO
MOXIFLOXACIN -SOD.ACE,SUL-WATER	2	
moxifloxacin-sod.chloride(iso)	2	

Drug Name	Drug Tier	Requirements/Limits
ofloxacin oral tablet 300 mg	2	
ofloxacin oral tablet 400 mg	2	MO
SULFA'S / RELATED AGENTS		
sulfadiazine	4	MO
sulfamethoxazole-trimethoprim	2	MO
sulfatrim	2	MO
TETRACYCLINES		
demeclacycline	4	MO
doxy-100	4	MO
doxycycline hyclate intravenous	4	
doxycycline hyclate oral capsule	2	MO
doxycycline hyclate oral tablet	2	MO
doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg	4	MO
doxycycline monohydrate oral capsule 150 mg	2	MO
doxycycline monohydrate oral suspension for reconstitution	4	MO
doxycycline monohydrate oral tablet	4	MO
minocycline oral capsule	2	MO
minocycline oral tablet	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>monodoxine nl oral capsule 100 mg, 75 mg</i>	4	MO
<i>morgidox</i>	2	MO
<i>okebo oral capsule 75 mg</i>	4	MO
<i>tetracycline</i>	2	MO
URINARY TRACT AGENTS		
<i>methenamine hippurate</i>	4	MO
<i>methenamine mandelate</i>	2	MO
<i>nitrofurantoin</i>	2	MO
<i>nitrofurantoin macrocrystal</i>	2	MO
<i>nitrofurantoin monohyd/m-cryst</i>	2	MO
<i>trimethoprim</i>	2	MO
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
ADJUNCTIVE AGENTS		
<i>dexrazoxane hcl intravenous recon soln 250 mg</i>	5	B/D PA
<i>dexrazoxane hcl intravenous recon soln 500 mg</i>	5	B/D PA; MO
<i>ELITEK</i>	5	MO
<i>KEPIVANCE</i>	5	MO
<i>KHAPZORY</i>	5	B/D PA

Drug Name	Drug Tier	Requirements/Limits
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i>	2	B/D PA; MO
<i>leucovorin calcium injection recon soln 500 mg</i>	2	B/D PA
<i>leucovorin calcium oral</i>	2	MO
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	5	B/D PA
<i>levoleucovorin calcium intravenous solution</i>	5	B/D PA
<i>mesna</i>	2	B/D PA; MO
MESNEX ORAL	5	MO
VISTOGARD	5	MO
XGEVA	5	B/D PA; MO; QL (1.7 per 28 days)

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
<i>abiraterone</i>	5	PA; MO; QL (120 per 30 days)
ABRAXANE	5	B/D PA; MO
<i>adriamycin intravenous recon soln 10 mg</i>	2	B/D PA; MO
ADRIAMYCIN INTRAVENOUS RECON SOLN 50 MG	2	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>adriamycin intravenous solution</i>	2	B/D PA	ALUNBRIG ORAL TABLETS,DOSE PACK	5	PA; MO; QL (30 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	2	B/D PA	<i>anastrozole</i>	2	MO
<i>adrucil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i>	2	B/D PA; MO	ARRANON	5	B/D PA
AFINITOR	5	PA; MO; QL (30 per 30 days)	ARSENIC TRIOXIDE INTRAVENOUS SOLUTION 1 MG/ML	4	B/D PA
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG	5	PA; MO; QL (150 per 30 days)	ARZERRA	5	B/D PA; MO
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 3 MG	5	PA; MO; QL (90 per 30 days)	AVASTIN	5	B/D PA; MO
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 5 MG	5	PA; MO; QL (60 per 30 days)	<i>azacitidine</i>	5	B/D PA; MO
ALECENSA	5	PA; MO; QL (240 per 30 days)	<i>azathioprine</i>	2	B/D PA; MO
ALIMTA	5	B/D PA; MO	<i>azathioprine sodium</i>	2	B/D PA
ALIQOPA	5	B/D PA; MO; LA	BALVERSA	5	PA; MO; LA
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA; MO; QL (30 per 30 days)	BAVENCIO	5	B/D PA; MO; LA
ALUNBRIG ORAL TABLET 30 MG	5	PA; MO; QL (60 per 30 days)	BELEODAQ	5	B/D PA; MO
			BENDEKA	5	B/D PA; MO
			BESONSA	5	B/D PA; MO; LA
			<i>bexarotene</i>	5	PA; MO
			<i>bicalutamide</i>	2	MO
			BICNU	5	B/D PA; MO
			<i>bleomycin</i>	2	B/D PA; MO
			BLINCYTO INTRAVENOUS KIT	5	B/D PA; MO
			BORTEZOMIB	5	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
BOSULIF ORAL TABLET 100 MG	5	PA; MO; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; MO; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	PA; MO; LA; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA; MO; LA; QL (180 per 30 days)
<i>busulfan</i>	5	B/D PA
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA; MO; LA; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA; MO; LA; QL (60 per 30 days)
CALQUENCE	5	PA; MO; LA; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA; LA; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA; MO; LA; QL (30 per 30 days)
<i>carboplatin intravenous solution</i>	2	B/D PA; MO
<i>carmustine</i>	5	B/D PA; MO
<i>cisplatin intravenous solution</i>	2	B/D PA; MO
<i>cladribine</i>	5	B/D PA; MO
<i>clofarabine</i>	5	B/D PA

Drug Name	Drug Tier	Requirements/Limits
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	5	PA; MO; QL (56 per 28 days)
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA; MO; QL (112 per 28 days)
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	5	PA; MO; QL (84 per 28 days)
COPIKTRA	5	PA; MO; LA
COSMEGEN	5	B/D PA; MO
COTELLIC	5	PA; MO; LA; QL (63 per 28 days)
<i>cyclophosphamide intravenous</i>	2	B/D PA; MO
<i>cyclophosphamide oral capsule</i>	2	B/D PA; MO
<i>cyclosporine intravenous</i>	2	B/D PA
<i>cyclosporine modified</i>	2	B/D PA; MO
<i>cyclosporine oral capsule</i>	2	B/D PA; MO
CYRAMZA	5	B/D PA; MO
<i>cytarabine</i>	2	B/D PA; MO
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>cytarabine (pf) injection solution 20 mg/ml</i>	2	B/D PA	<i>epirubicin intravenous solution</i>	2	B/D PA; MO
<i>dacarbazine</i>	2	B/D PA; MO	ERBITUX	5	B/D PA; MO
<i>dactinomycin</i>	2	B/D PA	ERIVEDGE	5	PA; MO; QL (30 per 30 days)
DARZALEX	5	B/D PA; MO; LA	ERLEADA	5	PA; MO
<i>daunorubicin intravenous solution</i>	2	B/D PA	<i>erlotinib oral tablet 100 mg, 150 mg</i>	5	PA; MO; QL (30 per 30 days)
DAURISMO	5	PA; MO	<i>erlotinib oral tablet 25 mg</i>	5	PA; MO; QL (60 per 30 days)
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i>	5	B/D PA	ERWINAZE	5	B/D PA; MO
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	B/D PA; MO	ETOPOPHOS	4	B/D PA; MO
DOCETAXEL INTRAVENOUS SOLUTION 20 MG/ML	5	B/D PA	<i>etoposide intravenous</i>	2	B/D PA; MO
<i>doxorubicin intravenous recon soln 50 mg</i>	2	B/D PA; MO	<i>exemestane</i>	2	MO
<i>doxorubicin intravenous solution</i>	2	B/D PA; MO	FARESTON	5	MO
<i>doxorubicin, peg-liposomal</i>	5	B/D PA; MO	FARYDAK ORAL CAPSULE 10 MG	5	PA; MO; QL (12 per 21 days)
DROXIA	3	MO	FARYDAK ORAL CAPSULE 15 MG, 20 MG	5	PA; MO; QL (6 per 21 days)
EMCYT	5	MO	FASLODEX	5	B/D PA; MO
EMPLICITI	5	B/D PA; MO	FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	B/D PA; MO
			FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>flouxuridine</i>	2	B/D PA
<i>fludarabine intravenous recon soln</i>	2	B/D PA; MO
<i>fludarabine intravenous solution</i>	2	B/D PA
<i>fluorouracil intravenous</i>	2	B/D PA; MO
<i>flutamide</i>	4	MO
FOLOTYN	5	B/D PA; MO
GAZYVA	5	B/D PA; MO
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	2	B/D PA; MO
<i>gemcitabine intravenous recon soln 2 gram</i>	2	B/D PA
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	B/D PA; MO
GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML	3	B/D PA
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	2	B/D PA
<i>gengraf oral capsule 100 mg, 25 mg</i>	4	B/D PA; MO
<i>gengraf oral solution</i>	4	B/D PA; MO
GIOTRIF	5	PA; MO; QL (30 per 30 days)
GLEOSTINE	3	MO

Drug Name	Drug Tier	Requirements/Limits
HALAVEN	5	B/D PA; MO
HERCEPTIN HYLECTA	5	B/D PA; MO
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	B/D PA; MO
<i>hydroxyurea</i>	2	MO
IBRANCE	5	PA; MO; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA; MO; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA; MO; QL (30 per 30 days)
<i>idarubicin</i>	2	B/D PA
IDHIFA	5	PA; MO; LA; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 1 gram/20 ml</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 3 gram/60 ml</i>	2	B/D PA
<i>imatinib oral tablet 100 mg</i>	5	PA; MO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i>	5	PA; MO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA; MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
IMBRUVIDA ORAL CAPSULE 70 MG	5	PA; MO; QL (240 per 30 days)	IXEMPRA	5	B/D PA; MO
IMBRUVIDA ORAL TABLET 140 MG	5	PA; MO; QL (120 per 30 days)	JAKAFI	5	PA; MO; QL (60 per 30 days)
IMBRUVIDA ORAL TABLET 280 MG	5	PA; MO; QL (60 per 30 days)	JEVTANA	5	B/D PA; MO
IMBRUVIDA ORAL TABLET 420 MG	5	PA; MO; QL (40 per 30 days)	KADCYLA	5	PA; MO
IMBRUVIDA ORAL TABLET 560 MG	5	PA; MO; QL (30 per 30 days)	KEYTRUDA INTRAVENOUS SOLUTION	5	PA; MO
IMFINZI	5	B/D PA; MO; LA	KISQALI FEMARA CO- PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA; MO; QL (49 per 28 days)
INFUGEM	5	B/D PA	KISQALI FEMARA CO- PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA; MO; QL (70 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA; MO; QL (180 per 30 days)	KISQALI FEMARA CO- PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA; MO; QL (91 per 28 days)
INLYTA ORAL TABLET 5 MG	5	PA; MO; QL (120 per 30 days)	KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA; MO; QL (21 per 28 days)
INREBIC	5	PA; MO; LA; QL (120 per 30 days)	KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA; MO; QL (42 per 28 days)
IRESSA	5	PA; MO; QL (30 per 30 days)	KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA; MO; QL (63 per 28 days)
<i>irinotecan intravenous solution 100 mg/5 ml</i>	2	B/D PA; MO	KYPROLIS	5	B/D PA; MO
<i>irinotecan intravenous solution 40 mg/2 ml</i>	5	B/D PA; MO			
<i>irinotecan intravenous solution 500 mg/25 ml</i>	5	B/D PA			
ISTODAX	5	B/D PA; MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 4 MG	5	PA; MO; QL (30 per 30 days)	LUPRON DEPOT-PED (3 MONTH)	5	PA; MO
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2)	5	PA; MO; QL (60 per 30 days)	LYNPARZA ORAL TABLET	5	PA; MO; QL (120 per 30 days)
LENVIMA ORAL CAPSULE 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1)	5	PA; MO; QL (90 per 30 days)	LYSODREN	3	MO
<i>letrozole</i>	2	MO	MARQIBO	3	B/D PA; MO
LEUKERAN	3	MO	MATULANE	5	MO
<i>leuprolide subcutaneous kit</i>	5	MO	<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml</i>	4	PA; MO
LIBTAYO	5	PA; MO; LA	<i>megestrol oral tablet</i>	4	PA; MO
LONSURF ORAL TABLET 15-6.14 MG	5	PA; MO; QL (100 per 28 days)	MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; QL (90 per 30 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA; MO; QL (80 per 28 days)	MEKINIST ORAL TABLET 2 MG	5	PA; MO; QL (30 per 30 days)
LORBRENA	5	PA; MO	MEKTOVI	5	PA; MO; LA; QL (180 per 30 days)
LUMOXITI	5	PA; MO; LA	<i>melphalan</i>	2	B/D PA; MO
LUPRON DEPOT	5	PA; MO	<i>melphalan hcl</i>	5	B/D PA
LUPRON DEPOT (3 MONTH)	5	PA; MO	<i>mercaptopurine</i>	2	MO
LUPRON DEPOT (4 MONTH)	5	PA; MO	<i>methotrexate sodium</i>	2	B/D PA; MO
LUPRON DEPOT (6 MONTH)	5	PA; MO	<i>methotrexate sodium (pf) injection recon soln</i>	2	B/D PA
LUPRON DEPOT-PED	5	PA; MO	<i>methotrexate sodium (pf) injection solution</i>	2	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
mitomycin intravenous recon soln 20 mg, 5 mg	2	B/D PA; MO
mitomycin intravenous recon soln 40 mg	5	B/D PA; MO
mitoxantrone	2	B/D PA; MO
mycophenolate mofetil hcl	2	B/D PA
mycophenolate mofetil oral capsule	2	B/D PA; MO
mycophenolate mofetil oral suspension for reconstitution	5	B/D PA; MO
mycophenolate mofetil oral tablet	2	B/D PA; MO
mycophenolate sodium	2	B/D PA; MO
MYLOTARG	5	B/D PA; MO; LA
NERLYNX	5	PA; MO; LA
NEXAVAR	5	PA; MO; LA; QL (120 per 30 days)
nilutamide	5	MO
NINLARO ORAL CAPSULE 2.3 MG	5	PA; MO; QL (6 per 28 days)
NINLARO ORAL CAPSULE 3 MG	5	PA; MO; QL (4 per 28 days)
NINLARO ORAL CAPSULE 4 MG	5	PA; MO; QL (3 per 28 days)
NUBEQA	5	PA; MO; LA

Drug Name	Drug Tier	Requirements/Limits
NULOJIX	5	B/D PA; MO
octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml	5	PA; MO
octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml	2	PA; MO
octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)	2	PA; MO
octreotide acetate injection syringe 500 mcg/ml (1 ml)	5	PA; MO
ODOMZO	5	PA; MO; LA; QL (30 per 30 days)
ONCASPAR	5	B/D PA; MO
ONIVYDE	5	B/D PA; MO
OPDIVO	5	PA; MO
oxaliplatin intravenous recon soln 100 mg	2	B/D PA; MO
oxaliplatin intravenous recon soln 50 mg	2	B/D PA
oxaliplatin intravenous solution	2	B/D PA; MO
paclitaxel	2	B/D PA; MO
PERJETA	5	B/D PA; MO
PIQRAY	5	PA; MO
POLIVY	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
POMALYST	5	PA; MO; LA; QL (21 per 28 days)	SANDOSTATIN LAR DEPOT INTRAMUSCUL AR SUSPENSION,EX TENDED REL RECON	5	MO
PORTRAZZA	5	B/D PA; MO	SIGNIFOR	5	PA; MO
POTELIGEO	5	PA; MO	SIKLOS	5	MO
PROGRAF INTRAVENOUS	3	B/D PA; MO	SIMULECT INTRAVENOUS RECON SOLN 10 MG	3	B/D PA
PROGRAF ORAL GRANULES IN PACKET	3	B/D PA; MO	SIMULECT INTRAVENOUS RECON SOLN 20 MG	3	B/D PA; MO
PURIXAN	5		<i>sirolimus oral</i> <i>solution</i>	5	B/D PA; MO
RAPAMUNE ORAL SOLUTION	5	B/D PA; MO	<i>sirolimus oral tablet</i> <i>0.5 mg, 1 mg</i>	2	B/D PA; MO
REVLIMID	5	PA; MO; LA; QL (28 per 28 days)	<i>sirolimus oral tablet</i> <i>2 mg</i>	5	B/D PA; MO
RITUXAN	5	PA; MO	SOLTAMOX	3	MO
RITUXAN HYCELA	5	PA; MO	SOMATULINE DEPOT	5	PA; MO
ROMIDEPSIN	5	B/D PA	SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG	5	PA; MO; QL (30 per 30 days)
ROZLYTREK	5	PA; MO	SPRYCEL ORAL TABLET 20 MG	5	PA; MO; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 300 MG	5	PA; MO; LA; QL (120 per 30 days)	SPRYCEL ORAL TABLET 70 MG	5	PA; MO; QL (60 per 30 days)
RUBRACA ORAL TABLET 250 MG	5	PA; MO; LA; QL (150 per 30 days)	STIVARGA	5	PA; MO; QL (84 per 28 days)
RYDAPT	5	PA; MO; QL (240 per 30 days)	SUTENT	5	PA; MO; QL (30 per 30 days)
SANDIMMUNE ORAL SOLUTION	3	B/D PA; MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
SYLVANT	5	B/D PA; MO	<i>thiotepa</i>	5	B/D PA; MO
SYNRIBO	5	B/D PA; MO	TIBSOVO	5	PA; MO
TABLOID	3	MO	<i>toposar</i>	2	B/D PA; MO
<i>tacrolimus oral</i>	2	B/D PA; MO	<i>topotecan intravenous recon soln</i>	5	B/D PA
TAFINLAR	5	PA; MO; QL (120 per 30 days)	<i>topotecan intravenous solution</i>	5	B/D PA; MO
TAGRISSO	5	PA; MO; LA; QL (30 per 30 days)	<i>toremifene</i>	5	MO
TALZENNA	5	PA; MO	TORISEL	5	B/D PA; MO
<i>tamoxifen</i>	2	MO	TREANDA INTRAVENOUS RECON SOLN	5	B/D PA; MO
TARCEVA ORAL TABLET 100 MG, 150 MG	5	PA; MO; QL (30 per 30 days)	TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	5	B/D PA; MO
TARCEVA ORAL TABLET 25 MG	5	PA; MO; QL (60 per 30 days)	<i>tretinooin (chemotherapy)</i>	5	MO
TARGETIN TOPICAL	5	PA; MO	TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	5	B/D PA; MO
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; QL (112 per 28 days)	TYKERB	5	PA; MO; LA; QL (180 per 30 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA; MO	UNITUXIN	5	B/D PA; MO
TECENTRIQ	5	B/D PA; MO; LA	<i>valrubicin</i>	5	B/D PA; MO
TEMODAR INTRAVENOUS	5	B/D PA; MO	VALSTAR	5	B/D PA; MO
<i>temsirolimus</i>	5	B/D PA; MO	VANTAS	4	B/D PA; MO
THALOMID ORAL CAPSULE 100 MG, 50 MG	5	PA; MO; QL (30 per 30 days)			
THALOMID ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; QL (60 per 30 days)			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
VECTIBIX	5	B/D PA; MO	XERMELO	5	PA; MO; LA; QL (90 per 30 days)
VELCADE	5	B/D PA; MO	XOSPATA	5	PA; MO; LA
VENCLEXTA ORAL TABLET 10 MG	3	PA; MO; LA; QL (60 per 30 days)	XPOVIO	5	PA; MO; LA
VENCLEXTA ORAL TABLET 100 MG	5	PA; MO; LA; QL (120 per 30 days)	XTANDI	5	PA; MO; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA; MO; LA; QL (30 per 30 days)	YERVOY	5	B/D PA; MO
VENCLEXTA STARTING PACK	5	PA; MO; LA; QL (42 per 180 days)	YONDELIS	5	B/D PA; MO
VERZENIO	5	PA; MO; LA; QL (60 per 30 days)	YONSA	5	PA; MO; QL (120 per 30 days)
<i>vinblastine intravenous solution</i>	2	B/D PA; MO	ZALTRAP	5	B/D PA; MO
<i>vincristine</i>	2	B/D PA; MO	ZANOSAR	4	B/D PA; MO
<i>vinorelbine</i>	2	B/D PA; MO	ZEJULA	5	PA; MO; LA; QL (90 per 30 days)
VITRAKVI	5	PA; MO; LA	ZELBORAF	5	PA; MO; QL (240 per 30 days)
VIZIMPRO	5	PA; MO; QL (30 per 30 days)	ZOLADEX	4	B/D PA; MO
VOTRIENT	5	PA; MO; QL (120 per 30 days)	ZOLINZA	5	MO; QL (120 per 30 days)
VYXEOS	5	B/D PA; MO	ZORTRESS ORAL TABLET 0.25 MG, 0.75 MG	5	B/D PA; MO; QL (60 per 30 days)
XALKORI	5	PA; MO; QL (60 per 30 days)	ZORTRESS ORAL TABLET 0.5 MG	5	B/D PA; MO; QL (120 per 30 days)
XATMEP	5	B/D PA; MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
ZORTRESS ORAL TABLET 1 MG	5	B/D PA; MO
ZYDELIG	5	PA; MO; QL (60 per 30 days)
ZYKADIA	5	PA; MO; QL (150 per 30 days)
ZYTIGA ORAL TABLET 250 MG	5	PA; MO; QL (120 per 30 days)
ZYTIGA ORAL TABLET 500 MG	5	PA; MO; QL (60 per 30 days)
AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH		
ANTICONVULSANTS		
APTIOM ORAL TABLET 200 MG	4	MO; QL (180 per 30 days)
APTIOM ORAL TABLET 400 MG	4	MO; QL (90 per 30 days)
APTIOM ORAL TABLET 600 MG	5	MO; QL (60 per 30 days)
APTIOM ORAL TABLET 800 MG	4	MO; QL (60 per 30 days)
BANZEL	5	PA; MO
BRIVIACT INTRAVENOUS	4	
BRIVIACT ORAL SOLUTION	5	MO; QL (600 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
BRIVIACT ORAL TABLET	5	MO; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr</i>	4	MO
<i>carbamazepine oral suspension 100 mg/5 ml</i>	4	MO
<i>carbamazepine oral tablet</i>	4	MO
<i>carbamazepine oral tablet extended release 12 hr</i>	4	MO
<i>carbamazepine oral tablet, chewable</i>	2	MO
CELONTIN ORAL CAPSULE 300 MG	3	MO
<i>clobazam oral suspension</i>	2	PA; MO; QL (480 per 30 days)
<i>clobazam oral tablet</i>	2	PA; MO; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	2	PA; MO; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	PA; MO; QL (300 per 30 days)
DIASTAT	4	MO
DIASTAT ACUDIAL	4	MO
<i>diazepam rectal</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
DILANTIN 30 MG	3	MO
<i>divalproex oral capsule, delayed release sprinkle</i>	4	MO
<i>divalproex oral tablet extended release 24 hr</i>	4	MO
<i>divalproex oral tablet, delayed release (dr/ec)</i>	2	MO
EPIDIOLEX	5	PA; MO; LA
<i>epitol</i>	2	MO
<i>ethosuximide</i>	4	MO
<i>felbamate oral suspension</i>	5	MO
<i>felbamate oral tablet</i>	4	MO
<i>fosphenytoin</i>	2	MO
FYCOMPA ORAL SUSPENSION	5	PA; MO; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	3	PA; MO; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	3	PA; MO; QL (180 per 30 days)
FYCOMPA ORAL TABLET 4 MG	3	PA; MO; QL (90 per 30 days)
FYCOMPA ORAL TABLET 6 MG	3	PA; MO; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg</i>	2	PA; MO; QL (1080 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
<i>gabapentin oral capsule 300 mg</i>	2	PA; MO; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i>	2	PA; MO; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	4	PA; MO; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	2	PA; MO; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	2	PA; MO; QL (120 per 30 days)
<i>lamotrigine oral tablet</i>	2	MO
<i>lamotrigine oral tablet extended release 24hr</i>	4	MO
<i>lamotrigine oral tablet, chewable dispersible</i>	2	MO
<i>lamotrigine oral tablet,disintegrating</i>	4	MO
<i>lamotrigine oral tablets,dose pack</i>	2	MO
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml</i>	2	
<i>levetiracetam in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	MO
<i>levetiracetam intravenous</i>	2	MO
<i>levetiracetam oral solution 100 mg/ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i>	2	
<i>levetiracetam oral tablet</i>	2	MO
<i>levetiracetam oral tablet extended release 24 hr</i>	2	MO
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG	3	PA; MO; QL (90 per 30 days)
LYRICA ORAL CAPSULE 225 MG, 300 MG	3	PA; MO; QL (60 per 30 days)
LYRICA ORAL SOLUTION	3	PA; MO; QL (900 per 30 days)
ONFI ORAL SUSPENSION	5	PA; MO; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	5	PA; MO; QL (60 per 30 days)
<i>oxcarbazepine</i>	2	MO
PEGANONE	3	MO
<i>phenobarbital oral elixir</i>	2	PA; MO; QL (1500 per 30 days)
<i>phenobarbital oral tablet</i>	2	PA; MO; QL (120 per 30 days)
<i>phenobarbital sodium injection solution 130 mg/ml</i>	2	MO
<i>phenobarbital sodium injection solution 65 mg/ml</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
<i>phenytoin oral tablet, chewable</i>	2	MO
<i>phenytoin sodium extended</i>	2	MO
<i>phenytoin sodium intravenous solution</i>	2	MO
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	2	PA; MO; QL (60 per 30 days)
<i>pregabalin oral solution</i>	2	PA; MO; QL (900 per 30 days)
<i>primidone</i>	2	MO
<i>roweepra</i>	2	MO
<i>roweepra xr</i>	2	MO
SABRIL ORAL TABLET	5	PA; MO; LA; QL (180 per 30 days)
SPRITAM	4	MO
<i>subvenite</i>	2	MO
<i>subvenite starter (blue) kit</i>	2	MO
<i>subvenite starter (green) kit</i>	2	MO
<i>subvenite starter (orange) kit</i>	2	MO
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA; MO; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA; MO; QL (60 per 30 days)
<i>tiagabine</i>	4	MO
<i>topiramate oral capsule, sprinkle</i>	2	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>topiramate oral tablet</i>	2	PA; MO
<i>valproate sodium</i>	2	MO
<i>valproic acid</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	MO
<i>vigabatrin</i>	5	PA; MO; LA; QL (180 per 30 days)
<i>vigadron</i>	5	PA; MO; LA; QL (180 per 30 days)
VIMPAT INTRAVENOUS	3	MO
VIMPAT ORAL SOLUTION	3	MO; QL (1200 per 30 days)
VIMPAT ORAL TABLET	3	MO; QL (60 per 30 days)
<i>zonisamide</i>	2	PA; MO
ANTIPARKINS ONISM AGENTS		
<i>APOKYN</i>	5	PA; MO; LA; QL (60 per 30 days)
<i>benztropine injection</i>	2	MO
<i>benztropine oral</i>	2	PA; MO
<i>bromocriptine</i>	4	MO
<i>carbidopa</i>	2	MO
<i>carbidopa-levodopa oral tablet</i>	2	MO
<i>carbidopa-levodopa oral tablet extended release</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa oral tablet,disintegrating</i>	4	MO
<i>entacapone</i>	2	MO
NEUPRO	4	MO
<i>pramipexole</i>	2	MO
<i>rasagiline</i>	2	MO
<i>ropinirole</i>	2	MO
<i>selegiline hcl</i>	2	MO
<i>tolcapone</i>	5	MO
MIGRAINE / CLUSTER HEADACHE THERAPY		
<i>dihydroergotamine injection</i>	2	MO
<i>dihydroergotamine nasal</i>	2	MO; QL (8 per 28 days)
<i>eletriptan</i>	2	MO; QL (18 per 28 days)
<i>ergotamine-caffeine</i>	2	MO
<i>migergot</i>	4	MO
<i>naratriptan</i>	2	MO; QL (18 per 28 days)
<i>rizatriptan</i>	4	MO; QL (36 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	4	MO; QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	4	MO; QL (36 per 28 days)
<i>sumatriptan succinate oral</i>	2	MO; QL (18 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan succinate subcutaneous cartridge</i>	2	MO; QL (8 per 28 days)	<i>donepezil oral tablet,disintegrating 10 mg</i>	2	MO; QL (69 per 30 days)
<i>sumatriptan succinate subcutaneous pen injector</i>	2	MO; QL (8 per 28 days)	<i>donepezil oral tablet,disintegrating 5 mg</i>	2	MO; QL (30 per 30 days)
<i>sumatriptan succinate subcutaneous solution</i>	2	MO; QL (8 per 28 days)	FIRDAPSE	5	PA; MO; LA
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	MO; QL (8 per 28 days)	<i>galantamine oral capsule,ext rel. pellets 24 hr</i>	2	MO; QL (30 per 30 days)
<i>sumatriptan-naproxen</i>	2	MO; QL (18 per 28 days)	<i>galantamine oral solution</i>	4	MO; QL (200 per 30 days)
<i>zolmitriptan</i>	2	MO; QL (18 per 28 days)	<i>galantamine oral tablet</i>	4	MO; QL (60 per 30 days)
MISCELLANEOUS NEUROLOGICAL THERAPY					
AMPYRA	5	PA; MO; LA; QL (60 per 30 days)	GILENYA ORAL CAPSULE 0.5 MG	5	PA; MO
<i>dalfampridine</i>	5	PA; MO; QL (60 per 30 days)	<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; MO; QL (30 per 30 days)
<i>donepezil oral tablet 10 mg</i>	2	MO; QL (69 per 30 days)	<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; MO; QL (12 per 28 days)
<i>donepezil oral tablet 23 mg</i>	4	MO	<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; MO; QL (30 per 30 days)
<i>donepezil oral tablet 5 mg</i>	2	MO; QL (30 per 30 days)	LEMTRADA	5	PA; MO
			<i>memantine oral capsule,sprinkle,er 24hr</i>	2	PA; MO
			<i>memantine oral solution</i>	2	PA; MO; QL (300 per 30 days)
			<i>memantine oral tablet</i>	2	PA; MO; QL (60 per 30 days)
			NAMZARIC	3	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
NUEDEXTA	3	PA; MO
OCREVUS	5	PA; MO; LA
RADICAVA	5	PA; MO
<i>rivastigmine</i>	2	MO
<i>rivastigmine tartrate</i>	4	MO; QL (60 per 30 days)
TECFIDERA	5	PA; MO; LA
<i>tetrabenazine oral tablet 12.5 mg</i>	5	PA; MO; QL (240 per 30 days)
<i>tetrabenazine oral tablet 25 mg</i>	5	PA; MO; QL (120 per 30 days)
TYSABRI	5	PA; MO; LA

MUSCLE RELAXANTS / ANTISPASMODIC THERAPY

<i>baclofen oral tablet 10 mg, 20 mg</i>	2	MO
<i>cyclobenzaprine oral tablet</i>	4	PA; MO
<i>dantrolene oral</i>	4	MO
LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML	3	B/D PA; MO
LIORESAL INTRATHECAL SOLUTION 50 MCG/ML	3	B/D PA
MESTINON ORAL SYRUP	5	MO

Drug Name	Drug Tier	Requirements/Limits
<i>neostigmine methylsulfate intravenous solution 0.5 mg/ml</i>	2	MO
<i>neostigmine methylsulfate intravenous solution 1 mg/ml</i>	2	
<i>pyridostigmine bromide oral syrup</i>	5	MO
<i>pyridostigmine bromide oral tablet 60 mg</i>	2	MO
<i>pyridostigmine bromide oral tablet extended release</i>	2	MO
<i>regonol</i>	2	
<i>revonto</i>	2	
<i>tizanidine</i>	2	MO
NARCOTIC ANALGESICS		
<i>acetaminophen-caff-dihydrocod oral capsule</i>	2	MO; QL (300 per 30 days)
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	MO; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	MO; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	MO; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i>	2	MO
<i>buprenorphine hcl injection syringe</i>	2	
<i>buprenorphine hcl sublingual</i>	2	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour	2	PA; MO; QL (4 per 28 days)	hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg	4	MO; QL (360 per 30 days)
duramorph (pf) injection solution 0.5 mg/ml	4	MO; QL (4000 per 30 days)	hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg	2	MO; QL (50 per 30 days)
duramorph (pf) injection solution 1 mg/ml	4	QL (2000 per 30 days)	hydrocodone-ibuprofen oral tablet 7.5-200 mg	4	MO; QL (50 per 30 days)
endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg	4	MO; QL (360 per 30 days)	hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	4	MO; QL (240 per 30 days)
fentanyl	2	PA; MO; QL (10 per 30 days)	hydromorphone (pf) injection solution 2 mg/ml	4	QL (1200 per 30 days)
fentanyl citrate (pf) injection solution	2	MO; QL (400 per 30 days)	hydromorphone injection solution 1 mg/ml	4	QL (2400 per 30 days)
FENTANYL CITRATE (PF) INTRAVENOUS SYRINGE 100 MCG/2 ML (50 MCG/ML)	4	QL (400 per 30 days)	hydromorphone injection solution 2 mg/ml	4	MO; QL (1200 per 30 days)
fentanyl citrate buccal lozenge on a handle	5	PA; MO; QL (120 per 30 days)	hydromorphone injection solution 4 mg/ml	4	MO; QL (600 per 30 days)
hydrocodone-acetaminophen oral solution 10-325 mg/15 ml(15 ml)	4	QL (5550 per 30 days)	hydromorphone injection syringe 1 mg/ml	4	MO; QL (2400 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	4	MO; QL (5550 per 30 days)	hydromorphone injection syringe 2 mg/ml	4	QL (1200 per 30 days)
hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg	4	MO; QL (390 per 30 days)	hydromorphone injection syringe 4 mg/ml	4	MO; QL (600 per 30 days)
			hydromorphone oral liquid	2	MO; QL (2400 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
hydromorphone oral tablet	4	MO; QL (180 per 30 days)
hydromorphone oral tablet extended release 24 hr 12 mg, 8 mg	2	PA; MO; QL (60 per 30 days)
hydromorphone oral tablet extended release 24 hr 16 mg, 32 mg	5	PA; MO; QL (60 per 30 days)
ibuprofen-oxycodone	2	MO; QL (28 per 30 days)
levorphanol tartrate oral tablet 2 mg	2	MO; QL (120 per 30 days)
lorcet (hydrocodone)	4	MO; QL (360 per 30 days)
lorcet hd	4	MO; QL (360 per 30 days)
lorcet plus oral tablet 7.5-325 mg	4	MO; QL (360 per 30 days)
methadone injection solution	2	QL (150 per 30 days)
methadone intensol	2	PA; MO; QL (90 per 30 days)
methadone oral concentrate	2	PA; MO; QL (90 per 30 days)
methadone oral solution 10 mg/5 ml	4	PA; MO; QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	4	PA; MO; QL (1200 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
methadone oral tablet 10 mg	2	PA; MO; QL (120 per 30 days)
methadone oral tablet 5 mg	2	PA; MO; QL (240 per 30 days)
methadose oral concentrate	2	PA; MO; QL (90 per 30 days)
morphine (pf) injection solution 0.5 mg/ml	2	QL (4000 per 30 days)
morphine (pf) injection solution 1 mg/ml	2	MO; QL (2000 per 30 days)
morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml	2	B/D PA; MO; QL (400 per 30 days)
morphine (pf) intravenous patient control.analgesia soln 30 mg/30 ml	2	B/D PA; QL (2000 per 30 days)
morphine concentrate oral solution	4	MO; QL (900 per 30 days)
morphine injection solution 8 mg/ml	2	QL (250 per 30 days)
morphine injection syringe 2 mg/ml	4	MO; QL (1000 per 30 days)
morphine injection syringe 4 mg/ml	4	MO; QL (500 per 30 days)
morphine injection syringe 5 mg/ml	2	QL (400 per 30 days)
morphine intravenous solution 10 mg/ml	2	MO; QL (200 per 30 days)
morphine intravenous syringe 10 mg/ml	2	QL (200 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
morphine intravenous syringe 2 mg/ml	4	QL (1000 per 30 days)
morphine intravenous syringe 4 mg/ml	4	QL (500 per 30 days)
morphine oral capsule, er multiphase 24 hr	2	PA; MO; QL (60 per 30 days)
morphine oral capsule, extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 80 mg	2	PA; MO; QL (90 per 30 days)
morphine oral capsule, extend.release pellets 60 mg	2	PA; MO; QL (60 per 30 days)
morphine oral solution	4	MO; QL (900 per 30 days)
morphine oral tablet	2	MO; QL (180 per 30 days)
morphine oral tablet extended release	2	PA; MO; QL (120 per 30 days)
oxycodone oral capsule	4	MO; QL (360 per 30 days)
oxycodone oral concentrate	4	MO; QL (180 per 30 days)
oxycodone oral solution	4	MO; QL (1200 per 30 days)
oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg	4	MO; QL (180 per 30 days)
oxycodone oral tablet 5 mg	4	MO; QL (360 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg	2	MO; QL (360 per 30 days)
oxycodone-aspirin	4	MO; QL (360 per 30 days)
oxymorphone oral tablet 10 mg	2	MO; QL (360 per 30 days)
oxymorphone oral tablet 5 mg	2	MO; QL (180 per 30 days)
vicodin es	4	MO; QL (390 per 30 days)
vicodin hp	4	MO; QL (390 per 30 days)

NON-NARCOTIC ANALGESICS

buprenorphine-naloxone sublingual film 12-3 mg	2	MO; QL (60 per 30 days)
buprenorphine-naloxone sublingual film 2-0.5 mg	2	MO; QL (360 per 30 days)
buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg	2	MO; QL (90 per 30 days)
buprenorphine-naloxone sublingual tablet 2-0.5 mg	2	MO; QL (360 per 30 days)
buprenorphine-naloxone sublingual tablet 8-2 mg	2	MO; QL (90 per 30 days)
butorphanol tartrate injection solution 1 mg/ml	2	MO; QL (857 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>butorphanol tartrate injection solution 2 mg/ml</i>	2	MO; QL (428 per 30 days)
<i>butorphanol tartrate nasal</i>	2	MO; QL (10 per 28 days)
<i>celecoxib</i>	4	MO; QL (60 per 30 days)
<i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i>	2	
<i>diclofenac potassium</i>	2	MO
<i>diclofenac sodium oral</i>	2	MO
<i>diclofenac sodium topical drops</i>	2	MO; QL (300 per 28 days)
<i>diclofenac sodium topical gel 1 %</i>	2	MO; QL (1000 per 28 days)
<i>diclofenac-misoprostol</i>	2	MO
<i>diflunisal</i>	4	MO
<i>ec-naproxen</i>	2	
<i>fenoprofen oral tablet</i>	2	MO
<i>flurbiprofen</i>	2	MO
<i>ibu</i>	2	MO
<i>ibuprofen oral suspension</i>	2	MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	2	MO
<i>ketoprofen oral capsule 25 mg</i>	2	MO
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	MO
<i>meclofenamate</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
<i>mefenamic acid</i>	2	MO
<i>meloxicam oral tablet</i>	1	MO; QL (30 per 30 days)
<i>nabumetone</i>	2	MO
<i>nalbuphine injection solution 10 mg/ml</i>	2	MO; QL (200 per 30 days)
<i>nalbuphine injection solution 20 mg/ml</i>	2	MO; QL (100 per 30 days)
<i>naloxone</i>	2	MO
<i>naltrexone</i>	2	MO
<i>naproxen oral suspension</i>	2	MO
<i>naproxen oral tablet</i>	1	MO
<i>naproxen oral tablet, delayed release (dr/ec)</i>	2	MO
<i>NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION</i>	3	MO
<i>oxaprozin</i>	2	MO
<i>piroxicam</i>	2	MO
<i>salsalate</i>	1	MO
<i>SUBOXONE SUBLINGUAL FILM 12-3 MG</i>	3	MO; QL (60 per 30 days)
<i>SUBOXONE SUBLINGUAL FILM 2-0.5 MG</i>	3	MO; QL (360 per 30 days)
<i>SUBOXONE SUBLINGUAL FILM 4-1 MG, 8-2 MG</i>	3	MO; QL (90 per 30 days)
<i>sulindac</i>	2	MO
<i>tolmetin</i>	2	MO
<i>tramadol oral tablet</i>	2	MO; QL (240 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>tramadol-acetaminophen</i>	2	MO; QL (240 per 30 days)	ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE SYRINGE 662 MG/2.4 ML	5	MO; QL (2.4 per 28 days)
VIVITROL	5	MO	ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE SYRINGE 882 MG/3.2 ML	5	MO; QL (3.2 per 28 days)
PSYCHOTHERAPEUTIC DRUGS					
ABILIFY MAINTENA	5	MO; QL (1 per 28 days)	armodafinil	4	PA; MO
ADASUVE	3	LA	atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg	2	MO; QL (60 per 30 days)
<i>amitriptyline</i>	2	PA; MO	atomoxetine oral capsule 100 mg, 60 mg, 80 mg	2	MO; QL (30 per 30 days)
<i>amoxapine</i>	2	MO	bupropion hcl oral tablet	2	MO; QL (180 per 30 days)
<i>ariPIPRAZOLE oral solution</i>	5	PA; MO	bupropion hcl oral tablet extended release 24 hr 150 mg	2	MO; QL (90 per 30 days)
<i>ariPIPRAZOLE oral tablet</i>	2	PA; MO; QL (30 per 30 days)	bupropion hcl oral tablet extended release 24 hr 300 mg	2	MO; QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating</i>	5	PA; MO; QL (60 per 30 days)	bupropion hcl oral tablet sustained-release 12 hr	2	MO; QL (60 per 30 days)
ARISTADA INITIO	5	MO	buspirone	2	MO
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE SYRINGE 1,064 MG/3.9 ML	5	MO; QL (3.9 per 28 days)	chlorpromazine injection	2	MO
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE SYRINGE 441 MG/1.6 ML	5	MO; QL (1.6 per 28 days)	chlorpromazine oral	4	MO
			citalopram oral solution	2	MO
			citalopram oral tablet	1	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>clomipramine</i>	4	PA; MO
<i>clonidine hcl oral tablet extended release 12 hr</i>	2	MO
<i>clorazepate dipotassium oral tablet 15 mg</i>	4	PA; MO; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	4	PA; MO; QL (90 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i>	4	PA; MO; QL (360 per 30 days)
<i>clozapine oral tablet</i>	2	MO
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	4	
<i>desipramine</i>	4	MO
<i>desvenlafaxine succinate</i>	2	MO; QL (30 per 30 days)
<i>dextroamphetamine oral solution</i>	2	MO
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg</i>	2	MO; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg, 5 mg</i>	2	MO; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet</i>	2	MO
<i>diazepam injection solution</i>	2	PA
<i>diazepam injection syringe</i>	2	PA; MO

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam intensol</i>	2	PA; MO; QL (240 per 30 days)
<i>diazepam oral concentrate</i>	2	PA; MO; QL (240 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	PA; MO; QL (1200 per 30 days)
<i>diazepam oral tablet</i>	2	PA; MO; QL (120 per 30 days)
<i>doxepin oral</i>	4	PA; MO
<i>duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	2	MO; QL (60 per 30 days)
<i>duloxetine oral capsule,delayed release(dr/ec) 40 mg</i>	2	MO; QL (90 per 30 days)
<i>EMSAM</i>	5	MO; QL (30 per 30 days)
<i>ergoloid</i>	4	MO
<i>escitalopram oxalate oral solution</i>	4	MO; QL (600 per 30 days)
<i>escitalopram oxalate oral tablet</i>	2	MO; QL (30 per 30 days)
<i>eszopiclone</i>	4	ST; MO; QL (30 per 30 days)
<i>FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG</i>	4	PA; MO; QL (60 per 30 days)
<i>FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG</i>	5	PA; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
FANAPT ORAL TABLETS,DOSE PACK	4	PA; MO; QL (8 per 28 days)
FAZACLO ORAL TABLET,DISINT EGRATING 150 MG, 200 MG	4	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK	4	MO; QL (28 per 28 days)
FETZIMA ORAL CAPSULE,EXTE NDED RELEASE 24 HR	4	MO; QL (30 per 30 days)
<i>flumazenil</i>	2	MO
<i>fluoxetine oral capsule 10 mg</i>	1	MO; QL (30 per 30 days)
<i>fluoxetine oral capsule 20 mg</i>	1	MO
<i>fluoxetine oral capsule 40 mg</i>	1	MO; QL (60 per 30 days)
<i>fluoxetine oral capsule,delayed release(dr/ec)</i>	2	MO; QL (4 per 28 days)
<i>fluoxetine oral solution</i>	2	MO
<i>fluoxetine oral tablet 10 mg</i>	2	MO; QL (30 per 30 days)
<i>fluoxetine oral tablet 20 mg, 60 mg</i>	2	MO
<i>fluphenazine decanoate</i>	4	MO
<i>fluphenazine hcl injection</i>	4	MO
<i>fluphenazine hcl oral concentrate</i>	2	MO
<i>fluphenazine hcl oral elixir</i>	4	MO

Drug Name	Drug Tier	Requirements/Limits
<i>fluphenazine hcl oral tablet</i>	2	MO
<i>fluvoxamine oral capsule,extended release 24hr</i>	4	MO; QL (60 per 30 days)
<i>fluvoxamine oral tablet 100 mg</i>	4	MO; QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>	4	MO; QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>	4	MO; QL (60 per 30 days)
GEODON INTRAMUSCULAR	4	MO; QL (60 per 30 days)
<i>guanidine</i>	2	MO
<i>haloperidol</i>	2	MO
<i>haloperidol decanoate</i>	4	MO
<i>haloperidol lactate injection</i>	2	MO
<i>haloperidol lactate intramuscular</i>	2	
<i>haloperidol lactate oral</i>	2	MO
HETLIOZ	5	PA; MO; QL (30 per 30 days)
<i>imipramine hcl</i>	4	PA; MO
<i>imipramine pamoate</i>	4	PA; MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	MO; QL (0.75 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	MO; QL (1 per 28 days)	KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG	4	MO; QL (120 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	MO; QL (1.5 per 28 days)	KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 50 MG	4	MO; QL (30 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	MO; QL (0.25 per 28 days)	LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	5	PA; MO; QL (30 per 30 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	MO; QL (0.5 per 28 days)	LATUDA ORAL TABLET 80 MG	5	PA; MO; QL (60 per 30 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	MO; QL (0.88 per 28 days)	<i>lithium carbonate</i>	2	MO
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	MO; QL (1.32 per 28 days)	<i>lithium citrate oral solution 8 meq/5 ml</i>	2	MO
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	MO; QL (1.76 per 28 days)	<i>lorazepam injection solution</i>	2	PA; MO
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	MO; QL (2.63 per 28 days)	<i>lorazepam injection syringe</i>	2	PA
			<i>lorazepam intensol</i>	2	PA; MO; QL (150 per 30 days)
			<i>lorazepam oral concentrate</i>	2	PA; MO; QL (150 per 30 days)
			<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
			<i>lorazepam oral tablet 2 mg</i>	2	PA; MO; QL (150 per 30 days)
			<i>loxapine succinate</i>	2	MO
			<i>maprotiline</i>	2	MO
			MARPLAN	3	MO; QL (180 per 30 days)
			<i>metadate er</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral capsule,er biphasic 50-50</i>	4	MO	<i>olanzapine oral tablet,disintegrating</i>	4	PA; MO; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml</i>	4	MO; QL (900 per 30 days)	<i>olanzapine-fluoxetine</i>	2	MO
<i>methylphenidate hcl oral solution 5 mg/5 ml</i>	4	MO; QL (1800 per 30 days)	<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i>	2	PA; MO; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet</i>	2	MO; QL (90 per 30 days)	<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	PA; MO; QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release</i>	2	MO	<i>paliperidone oral tablet extended release 24hr 9 mg</i>	5	PA; MO; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet,chewable</i>	2	MO	<i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i>	1	MO; QL (30 per 30 days)
<i>mirtazapine</i>	2	MO; QL (30 per 30 days)	<i>paroxetine hcl oral tablet 30 mg</i>	1	MO; QL (60 per 30 days)
<i>modafinil oral tablet 100 mg</i>	2	PA; MO; QL (30 per 30 days)	<i>paroxetine hcl oral tablet extended release 24 hr</i>	2	MO; QL (60 per 30 days)
<i>modafinil oral tablet 200 mg</i>	2	PA; MO; QL (60 per 30 days)	<i>paroxetine mesylate(menop.sy m)</i>	2	MO; QL (30 per 30 days)
<i>molindone</i>	2	MO	PAXIL ORAL SUSPENSION	4	MO; QL (900 per 30 days)
<i>nefazodone</i>	4	MO	<i>perphenazine</i>	4	MO
<i>nortriptyline</i>	2	MO	PERSERIS	5	MO; QL (1 per 28 days)
NUPLAZID ORAL CAPSULE	5	PA; MO; QL (30 per 30 days)	<i>phenelzine</i>	4	MO
NUPLAZID ORAL TABLET 10 MG	5	PA; MO; QL (30 per 30 days)	<i>pimozide</i>	4	MO
<i>olanzapine intramuscular</i>	4	MO; QL (30 per 30 days)	<i>procentra</i>	2	MO
<i>olanzapine oral tablet</i>	2	PA; MO; QL (30 per 30 days)	<i>protriptyline</i>	4	MO
			<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	PA; MO; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
quetiapine oral tablet 300 mg, 400 mg	2	PA; MO; QL (60 per 30 days)	risperidone oral tablet,disintegrating 4 mg	4	PA; MO; QL (120 per 30 days)
quetiapine oral tablet extended release 24 hr 150 mg, 200 mg	4	PA; MO; QL (30 per 30 days)	ROZEREM	3	MO; QL (30 per 30 days)
quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg	4	PA; MO; QL (60 per 30 days)	SAPHRIS	4	PA; MO; QL (60 per 30 days)
ramelteon	2	MO; QL (30 per 30 days)	sertraline oral concentrate	4	MO
REXULTI	5	PA; MO; QL (30 per 30 days)	sertraline oral tablet 100 mg, 50 mg	1	MO; QL (60 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	3	MO; QL (2 per 28 days)	sertraline oral tablet 25 mg	1	MO; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	MO; QL (2 per 28 days)	thioridazine	4	MO
risperidone oral solution	4	MO	thiothixene	4	MO
risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg	2	PA; MO; QL (60 per 30 days)	tranylcypromine	4	MO
risperidone oral tablet 4 mg	2	PA; MO; QL (120 per 30 days)	trazodone	2	MO
risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg	4	PA; MO; QL (60 per 30 days)	trifluoperazine	2	MO
			trimipramine	4	PA; MO
			TRINTELLIX	3	MO; QL (30 per 30 days)
			venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg	2	MO; QL (30 per 30 days)
			venlafaxine oral capsule,extended release 24hr 75 mg	2	MO; QL (90 per 30 days)
			venlafaxine oral tablet	2	MO; QL (90 per 30 days)
			VERSACLOZ	5	
			VIIBRYD ORAL TABLET	3	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)-20 MG (23)	3	MO; QL (30 per 180 days)	ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	5	PA; MO; QL (2 per 28 days)
VRAYLAR ORAL CAPSULE	5	PA; MO; QL (30 per 30 days)	CARDIOVASCULAR, HYPERTENSION / LIPIDS		
VRAYLAR ORAL CAPSULE,DOSE PACK	4	PA; MO; QL (7 per 30 days)	ANTIARRHYTHMIC AGENTS		
XYREM	5	PA; MO; LA; QL (540 per 30 days)	adenosine	2	
<i>zaleplon oral capsule 10 mg</i>	2	ST; MO; QL (60 per 30 days)	<i>amiodarone intravenous solution</i>	2	B/D PA; MO
<i>zaleplon oral capsule 5 mg</i>	2	ST; MO; QL (30 per 30 days)	<i>amiodarone intravenous syringe</i>	2	B/D PA
<i>ziprasidone hcl</i>	4	PA; MO; QL (60 per 30 days)	<i>amiodarone oral tablet 100 mg, 200 mg</i>	2	MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	3	PA; MO; QL (2 per 28 days)	<i>amiodarone oral tablet 400 mg</i>	4	MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	PA; MO; QL (2 per 28 days)	<i>dofetilide</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
pacerone oral tablet 100 mg	4	MO	amiloride-hydrochlorothiazide	2	MO
pacerone oral tablet 200 mg, 400 mg	2	MO	amlodipine	1	MO
procainamide injection solution 100 mg/ml	2	MO	atenolol	1	MO
procainamide injection solution 500 mg/ml	2		benazepril	1	MO
propafenone oral capsule, extended release 12 hr	4	MO	bisoprolol fumarate	2	MO
propafenone oral tablet 150 mg, 225 mg	2	MO	bisoprolol-hydrochlorothiazide	1	MO
propafenone oral tablet 300 mg	4	MO	bumetanide injection	4	MO
quinidine gluconate oral	4	MO	bumetanide oral	2	MO
quinidine sulfate oral tablet	2	MO	candesartan oral tablet 16 mg, 4 mg, 8 mg	2	MO; QL (60 per 30 days)
sorine oral tablet 120 mg, 160 mg, 80 mg	2	MO	candesartan oral tablet 32 mg	2	MO; QL (30 per 30 days)
sorine oral tablet 240 mg	2		cartia xt	2	MO
sotalol af	2	MO	carvedilol	1	MO
sotalol oral tablet 120 mg, 160 mg, 80 mg	2	MO	carvedilol phosphate	2	MO
sotalol oral tablet 240 mg	4	MO	chlorothiazide	2	MO
SOTYLIZE	3	MO	chlorothiazide sodium	2	MO
ANTIHYPERTENSIVE THERAPY					
acebutolol	2	MO	chlorthalidone oral tablet 25 mg, 50 mg	2	MO
aliskiren	2	MO	clonidine	4	MO; QL (4 per 28 days)
amiloride	2	MO	clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)	2	
			clonidine hcl oral tablet	2	MO
			DEMSER	5	PA; MO
			diltiazem hcl intravenous	2	
			diltiazem hcl oral capsule, extended release 12 hr	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>diltiazem hcl oral capsule, extended release 24 hr</i>	2	MO
<i>diltiazem hcl oral capsule, extended release 24hr</i>	2	MO
<i>diltiazem hcl oral tablet</i>	2	MO
<i>diltiazem hcl oral tablet extended release 24 hr</i>	2	MO
<i>dilt-xr</i>	2	MO
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg</i>	2	MO; QL (30 per 30 days)
<i>doxazosin oral tablet 8 mg</i>	2	MO; QL (60 per 30 days)
<i>enalapril maleate</i>	2	MO
<i>enalaprilat intravenous solution</i>	2	
<i>enalapril-hydrochlorothiazide</i>	2	MO
<i>eplerenone</i>	4	MO
<i>epoprostenol (glycine)</i>	2	B/D PA; MO
<i>eprosartan</i>	2	MO
<i>esmolol intravenous solution</i>	2	
<i>ethacrynat e sodium</i>	5	MO
<i>ethacrynic acid</i>	5	MO
<i>felodipine</i>	4	MO
<i>fosinopril-hydrochlorothiazide</i>	2	MO
<i>furosemide injection</i>	4	MO
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
<i>furosemide oral tablet</i>	1	MO
<i>hydralazine</i>	2	MO
<i>hydrochlorothiazide</i>	1	MO
<i>indapamide</i>	2	MO
<i>isradipine</i>	2	MO
<i>labetalol intravenous solution</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral</i>	2	MO
<i>lisinopril</i>	1	MO
<i>lisinopril-hydrochlorothiazide</i>	1	MO
<i>losartan</i>	2	MO; QL (30 per 30 days)
<i>losartan-hydrochlorothiazide</i>	2	MO; QL (30 per 30 days)
<i>mannitol 20 %</i>	2	
<i>mannitol 25 % intravenous solution</i>	2	MO
<i>matzim la</i>	2	MO
<i>methyclothiazide</i>	4	MO
<i>methyldopa</i>	2	MO
<i>metolazone</i>	2	MO
<i>metoprolol succinate</i>	2	MO
<i>metoprolol tar-hydrochlorothiaz</i>	4	MO
<i>metoprolol tartrate intravenous solution</i>	2	MO
<i>metoprolol tartrate intravenous syringe</i>	2	
<i>metoprolol tartrate oral</i>	1	MO
<i>minoxidil oral</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>nadolol</i>	2	MO
<i>nadolol-bendroflumethiazide oral tablet 40-5 mg</i>	2	
<i>nadolol-bendroflumethiazide oral tablet 80-5 mg</i>	2	MO
<i>nicardipine intravenous solution</i>	2	MO
<i>nicardipine oral</i>	2	MO
<i>nifedipine oral tablet extended release</i>	2	MO
<i>nifedipine oral tablet extended release 24hr</i>	2	MO
<i>nimodipine</i>	4	MO
<i>nisoldipine</i>	2	MO
<i>osmitrol 15 %</i>	2	
<i>osmitrol 20 %</i>	2	
<i>phenoxybenzamine</i>	5	PA; MO
<i>phentolamine injection recon soln</i>	2	
<i>pindolol</i>	4	MO
<i>prazosin</i>	2	MO
<i>propranolol intravenous</i>	2	
<i>propranolol oral capsule, extended release 24 hr</i>	4	MO
<i>propranolol oral solution</i>	2	MO
<i>propranolol oral tablet</i>	2	MO
<i>propranolol-hydrochlorothiazid</i>	4	MO
<i>quinapril-hydrochlorothiazide</i>	2	MO
REMODULIN	5	B/D PA; MO; LA

Drug Name	Drug Tier	Requirements/Limits
<i>spironolactone oral tablet 100 mg, 50 mg</i>	2	MO
<i>spironolactone oral tablet 25 mg</i>	1	MO
<i>spironolactone-hydrochlorothiazide</i>	2	MO
<i>taztia xt</i>	2	MO
<i>TEKTURNA</i>	3	MO
<i>TEKTURNA HCT</i>	3	MO
<i>telmisartan</i>	2	MO
<i>telmisartan-amlodipine</i>	2	MO
<i>telmisartan-hydrochlorothiazide</i>	2	MO
<i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	MO; QL (30 per 30 days)
<i>terazosin oral capsule 10 mg</i>	2	MO; QL (60 per 30 days)
<i>timolol maleate oral</i>	4	MO
<i>torsemide oral</i>	2	MO
<i>trandolapril-verapamil</i>	2	MO
<i>treprostinil sodium</i>	5	B/D PA; MO; LA
<i>triamterene</i>	2	MO
<i>triamterene-hydrochlorothiazide oral capsule 37.5-25 mg</i>	2	MO
<i>triamterene-hydrochlorothiazide oral tablet</i>	2	MO
UPTRAVI	5	PA; MO; LA
<i>valsartan</i>	4	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>valsartan-hydrochlorothiazide</i>	4	MO; QL (30 per 30 days)
<i>veletri</i>	2	B/D PA; MO
<i>verapamil intravenous solution</i>	2	MO
<i>verapamil intravenous syringe</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct</i>	2	MO
<i>verapamil oral capsule, ext rel. pellets 24 hr</i>	2	MO
<i>verapamil oral tablet</i>	1	MO
<i>verapamil oral tablet extended release</i>	2	MO
COAGULATION THERAPY		
<i>AMICAR</i>	3	MO
<i>aminocaproic acid intravenous</i>	2	MO
<i>aminocaproic acid oral tablet 500 mg</i>	2	MO
<i>BRILINTA</i>	3	MO; QL (60 per 30 days)
<i>CABLIVI INJECTION KIT</i>	5	PA; MO; LA
<i>CEPROTIN (BLUE BAR)</i>	3	MO
<i>CEPROTIN (GREEN BAR)</i>	3	MO
<i>cilostazol</i>	2	MO
<i>clopidogrel oral tablet 300 mg</i>	4	MO

Drug Name	Drug Tier	Requirements/Limits
<i>clopidogrel oral tablet 75 mg</i>	2	MO
<i>dipyridamole intravenous</i>	2	PA
<i>dipyridamole oral</i>	4	MO
<i>DOPTELET (10 TAB PACK)</i>	5	PA; MO; LA
<i>DOPTELET (15 TAB PACK)</i>	5	PA; MO; LA
<i>DOPTELET (30 TAB PACK)</i>	5	PA; MO; LA
<i>ELIQUIS</i>	3	MO
<i>enoxaparin subcutaneous solution</i>	2	MO
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>	4	MO; QL (28 per 28 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	4	MO; QL (22.4 per 28 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml, 60 mg/0.6 ml</i>	4	MO; QL (16.8 per 28 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	4	MO; QL (11.2 per 28 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	MO
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)	2		NPLATE	5	MO
heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)	2	MO	pentoxifylline	2	MO
heparin (porcine) in nacl (pf)	2		PRADAXA	4	MO
heparin (porcine) injection cartridge	4	MO	prasugrel	2	MO
heparin (porcine) injection solution	2	MO	PROMACTA ORAL POWDER IN PACKET	5	PA; MO; LA; QL (30 per 30 days)
heparin (porcine) injection syringe 5,000 unit/ml	2	MO	PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG	5	PA; MO; LA; QL (30 per 30 days)
HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML	3		PROMACTA ORAL TABLET 75 MG	5	PA; MO; LA; QL (60 per 30 days)
heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml	2	MO	protamine	2	
heparin, porcine (pf) injection solution	4	MO	warfarin	1	MO
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml	4	MO	XARELTO ORAL TABLET 10 MG	3	MO; QL (35 per 30 days)
jantoven	1	MO	XARELTO ORAL TABLET 15 MG, 2.5 MG	3	MO; QL (60 per 30 days)
MULPLETA	5	PA; MO	XARELTO ORAL TABLET 20 MG	3	MO; QL (30 per 30 days)
LIPID/CHOLESTEROL LOWERING AGENTS					
			atorvastatin	1	MO; QL (30 per 30 days)
			cholestyramine (with sugar)	2	MO
			cholestyramine light	2	MO
			colesevelam	2	MO
			colestipol	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>ezetimibe</i>	2	MO; QL (30 per 30 days)
<i>ezetimibe-simvastatin</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 43 mg</i>	2	MO
<i>fenofibrate micronized oral capsule 134 mg, 200 mg</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 67 mg</i>	2	MO; QL (60 per 30 days)
<i>fenofibrate nanocrystallized oral tablet 145 mg</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate nanocrystallized oral tablet 48 mg</i>	2	MO; QL (60 per 30 days)
<i>fenofibrate oral tablet 120 mg, 40 mg</i>	2	MO
<i>fenofibrate oral tablet 160 mg</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate oral tablet 54 mg</i>	2	MO; QL (60 per 30 days)
<i>fenofibric acid</i>	2	MO
<i>fenofibric acid (choline)</i>	2	MO
<i>gemfibrozil</i>	2	MO; QL (60 per 30 days)
JUXTAPID	5	PA; MO; LA

Drug Name	Drug Tier	Requirements/Limits
<i>niacin oral tablet extended release 24 hr</i>	2	MO
PRALUENT SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; MO; QL (2 per 28 days)
PRALUENT SUBCUTANEOUS PEN INJECTOR 75 MG/ML	5	PA; MO; QL (4 per 28 days)
<i>pravastatin</i>	2	MO; QL (30 per 30 days)
<i>prevalite</i>	2	MO
REPATHA	5	PA; MO; QL (3 per 28 days)
REPATHA PUSHTRONEX	5	PA; MO; QL (3.5 per 28 days)
REPATHA SURECLICK	5	PA; MO; QL (3 per 28 days)
<i>rosuvastatin</i>	2	MO; QL (30 per 30 days)
<i>simvastatin</i>	1	MO; QL (30 per 30 days)
VASCEPA	3	MO
MISCELLANEOUS CARDIOVASCULAR AGENTS		
<i>cardioplegic soln</i>	2	
CORLANOR ORAL SOLUTION	3	PA

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
CORLANOR ORAL TABLET	3	PA; MO; QL (60 per 30 days)	<i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	B/D PA
<i>digitek oral tablet 125 mcg (0.125 mg)</i>	2	MO; QL (30 per 30 days)	<i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i>	2	B/D PA; MO
<i>digox oral tablet 125 mcg (0.125 mg)</i>	2	MO; QL (30 per 30 days)	<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml)</i>	2	B/D PA
<i>digox oral tablet 250 mcg (0.25 mg)</i>	2	MO	<i>dopamine intravenous solution 400 mg/10 ml (40 mg/ml)</i>	2	B/D PA; MO
<i>digoxin oral solution 50 mcg/ml (0.05 mg/ml)</i>	2	MO	ENTRESTO	3	MO; QL (60 per 30 days)
<i>digoxin oral tablet 125 mcg (0.125 mg)</i>	2	MO; QL (30 per 30 days)	LANOXIN ORAL TABLET 187.5 MCG (0.1875 MG), 62.5 MCG (0.0625 MG)	3	MO
<i>digoxin oral tablet 250 mcg (0.25 mg)</i>	2	MO	<i>milrinone</i>	2	B/D PA; MO
<i>dobutamine</i>	2	B/D PA;	<i>milrinone in 5 % dextrose</i>	2	B/D PA; MO
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml)</i>	2	MO	<i>norepinephrine bitartrate</i>	2	
<i>dobutamine in d5w intravenous parenteral solution 500 mg/250 ml (2,000 mcg/ml)</i>	2	B/D PA	RANEXA	3	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
ranolazine	2	MO; QL (60 per 30 days)
sodium nitroprusside	2	
VECAMYL	5	
VYNDAQEL	5	PA; MO
NITRATES		
isosorbide dinitrate oral tablet 10 mg, 20 mg, 5 mg	4	MO
isosorbide dinitrate oral tablet 30 mg	2	MO
isosorbide dinitrate oral tablet extended release	4	
isosorbide mononitrate	2	MO
nitro-bid	2	MO
nitroglycerin in 5% dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 50 mg/250 ml (200 mcg/ml)	2	B/D PA
nitroglycerin in 5% dextrose intravenous solution 25 mg/250 ml (100 mcg/ml)	2	B/D PA; MO
nitroglycerin intravenous	2	B/D PA
nitroglycerin sublingual	2	MO
nitroglycerin transdermal patch 24 hour	2	MO
nitroglycerin translingual spray, non-aerosol	2	MO

Drug Name	Drug Tier	Requirements/Limits
DERMATOLOGICALS/TOPICAL THERAPY		
ANTIPSORIATIC / ANTISEBORRH EIC		
acitretin oral capsule 10 mg	4	MO
acitretin oral capsule 17.5 mg, 25 mg	5	MO
calcipotriene scalp	2	MO; QL (120 per 30 days)
calcipotriene topical cream	4	MO; QL (120 per 30 days)
calcipotriene topical ointment	2	MO; QL (120 per 30 days)
calcipotriene-betamethasone	2	MO; QL (400 per 30 days)
calcitriol topical	4	MO
selenium sulfide topical lotion	2	MO
SKYRIZI SUBCUTANEOUS SYRINGE KIT	5	PA; MO; QL (1 per 28 days)
MISCELLANEOUS DERMATOLOGICALS		
ammonium lactate	2	MO
carbocaine (pf) injection solution 15 mg/ml (1.5%)	2	
chloroprocaine (pf)	2	

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac sodium topical gel 3 %</i>	5	PA; MO; QL (100 per 28 days)	<i>lidocaine topical ointment</i>	4	MO; QL (36 per 30 days)
<i>doxepin topical</i>	5	MO; QL (45 per 30 days)	<i>lidocaine viscous</i>	2	MO
DUPIXENT	5	PA; MO	<i>lidocaine-epinephrine injection solution 0.5 %-1:200,000, 1.5 %-1:200,000, 2 %-1:200,000</i>	2	
<i>fluorouracil topical cream 5 %</i>	4	MO	<i>lidocaine-epinephrine injection solution 1 %-1:100,000, 2 %-1:100,000</i>	2	MO
<i>fluorouracil topical solution</i>	4	MO	<i>lidocaine-prilocaine topical cream</i>	2	MO; QL (30 per 30 days)
<i>glydo</i>	2	MO; QL (60 per 30 days)	<i>methoxsalen</i>	5	MO
<i>imiquimod topical cream in packet</i>	2	MO	PANRETIN	5	MO
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	2	MO	<i>pimecrolimus</i>	2	MO; QL (100 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %)</i>	2		<i>podofilox</i>	4	MO
<i>lidocaine hcl injection solution</i>	2	MO	<i>polocaine injection solution 1 % (10 mg/ml)</i>	2	
<i>lidocaine hcl laryngotracheal</i>	2	MO	<i>polocaine-mpf</i>	2	
<i>lidocaine hcl mucous membrane jelly</i>	2	MO; QL (60 per 30 days)	<i>prodoxin</i>	2	MO; QL (45 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator</i>	2	MO; QL (60 per 30 days)	REGRANEX	5	MO
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	MO	SANTYL	3	MO
<i>lidocaine topical adhesive patch,medicated</i>	2	PA; MO; QL (90 per 30 days)	<i>silver sulfadiazine</i>	2	MO
			<i>ssd</i>	2	MO
			<i>tacrolimus topical</i>	2	PA; MO; QL (100 per 30 days)
			UVADEX	4	B/D PA
			VALCHLOR	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
THERAPY FOR ACNE		
<i>amnesteem</i>	2	MO
<i>claravis</i>	4	MO
<i>clindamycin phosphate topical gel</i>	4	MO
CLINDAMYCIN PHOSPHATE TOPICAL GEL, ONCE DAILY	4	MO
<i>clindamycin phosphate topical lotion</i>	4	MO
<i>clindamycin phosphate topical solution</i>	2	MO
<i>dapsone topical</i>	2	MO
<i>erythromycin with ethanol topical solution</i>	2	MO
<i>isotretinoin</i>	2	MO
<i>metronidazole topical cream</i>	4	MO
<i>metronidazole topical gel 0.75 %</i>	4	MO
<i>metronidazole topical gel 1 %</i>	2	MO
<i>metronidazole topical gel with pump</i>	2	MO
<i>metronidazole topical lotion</i>	4	MO
<i>myorisan</i>	2	MO
<i>rosadan topical cream</i>	4	MO
<i>rosadan topical gel</i>	4	MO
<i>tazarotene</i>	2	PA; MO

Drug Name	Drug Tier	Requirements/Limits
TAZORAC TOPICAL CREAM 0.05 %	3	PA; MO
TAZORAC TOPICAL GEL	3	PA; MO
<i>tretinoiin topical</i>	2	PA; MO
<i>zenatane</i>	4	MO
TOPICAL ANTIBACTERIA LS		
<i>gentamicin topical</i>	2	MO
<i>mafenide acetate</i>	2	MO
<i>mupirocin</i>	2	MO
<i>mupirocin calcium</i>	2	MO
<i>sulfacetamide sodium (acne)</i>	4	MO
SULFAMYLYON TOPICAL CREAM	3	MO
SULFAMYLYON TOPICAL PACKET	5	MO
TOPICAL ANTIFUNGALS		
<i>ciclodan topical solution</i>	4	MO
<i>ciclopirox topical cream</i>	4	MO; QL (90 per 28 days)
<i>ciclopirox topical gel</i>	4	MO; QL (45 per 28 days)
<i>ciclopirox topical shampoo</i>	4	MO; QL (120 per 28 days)
<i>ciclopirox topical solution</i>	2	MO
<i>ciclopirox topical suspension</i>	4	MO; QL (60 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>clotrimazole topical cream</i>	2	MO; QL (45 per 28 days)
<i>clotrimazole topical solution</i>	2	MO; QL (30 per 28 days)
<i>econazole</i>	4	MO; QL (85 per 28 days)
<i>ketoconazole topical cream</i>	2	MO; QL (60 per 28 days)
<i>ketoconazole topical foam</i>	2	MO; QL (100 per 28 days)
<i>ketoconazole topical shampoo</i>	2	MO; QL (120 per 28 days)
<i>nyamyc</i>	4	MO
<i>nystatin topical cream</i>	2	MO; QL (30 per 28 days)
<i>nystatin topical ointment</i>	2	MO; QL (30 per 28 days)
<i>nystatin topical powder</i>	2	MO
<i>nystatin-triamcinolone</i>	4	MO; QL (60 per 28 days)
<i>nystop</i>	4	MO
<i>oxiconazole</i>	2	MO
TOPICAL ANTIVIRALS		
<i>acyclovir topical cream</i>	4	PA; MO; QL (5 per 30 days)
<i>acyclovir topical ointment</i>	4	PA; MO; QL (30 per 30 days)
DENAVIR	3	MO

Drug Name	Drug Tier	Requirements/Limits
ZOVIRAX TOPICAL CREAM	5	PA; MO; QL (5 per 30 days)
TOPICAL CORTICOSTEROIDS		
<i>ala-cort topical cream</i>	2	MO
<i>alclometasone topical cream</i>	4	MO
<i>alclometasone topical ointment</i>	2	MO
<i>betamethasone dipropionate</i>	4	MO
<i>betamethasone valerate topical cream</i>	2	MO
<i>betamethasone valerate topical foam</i>	2	MO
<i>betamethasone valerate topical lotion</i>	4	MO
<i>betamethasone valerate topical ointment</i>	2	MO
<i>betamethasone, augmented topical cream</i>	2	MO
<i>betamethasone, augmented topical gel</i>	4	MO
<i>betamethasone, augmented topical lotion</i>	4	MO
<i>betamethasone, augmented topical ointment</i>	4	MO
<i>clobetasol-emollient topical foam</i>	2	MO; QL (100 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>desonide</i>	4	MO
<i>fluocinolone</i>	4	MO
<i>fluocinolone and shower cap</i>	4	MO
<i>fluocinonide topical cream</i>	2	MO; QL (120 per 30 days)
<i>fluocinonide topical gel</i>	2	MO; QL (120 per 30 days)
<i>fluocinonide topical ointment</i>	2	MO; QL (120 per 30 days)
<i>fluocinonide topical solution</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide-e</i>	2	MO; QL (120 per 30 days)
<i>fluocinonide-emollient</i>	2	MO; QL (120 per 30 days)
<i>halobetasol propionate topical cream</i>	4	MO
<i>halobetasol propionate topical ointment</i>	4	MO
<i>hydrocortisone butyrate topical lotion</i>	2	MO
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	2	MO
<i>hydrocortisone topical lotion 2.5 %</i>	4	MO
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	2	MO
<i>mometasone topical</i>	2	MO
<i>nolix topical cream</i>	2	

Drug Name	Drug Tier	Requirements/Limits
<i>prednicarbate</i>	4	MO
<i>triamcinolone acetonide topical aerosol</i>	2	MO
<i>triamcinolone acetonide topical cream</i>	2	MO
<i>triamcinolone acetonide topical lotion</i>	2	MO
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	MO
<i>trianex</i>	2	MO
<i>triderm topical cream</i>	2	MO

TOPICAL SCABICIDES / PEDICULICIDE S

<i>lindane topical shampoo</i>	4	MO
<i>malathion</i>	4	MO
<i>permethrin topical cream</i>	2	MO

DIAGNOSTIC S / MISCELLANEOUS AGENTS

ANTIDOTES

<i>acetylcysteine intravenous</i>	2	MO
-----------------------------------	---	----

IRRIGATING SOLUTIONS

<i>lactated ringers irrigation</i>	2	MO
------------------------------------	---	----

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin b gu</i>	4	MO
<i>ringer's irrigation</i>	2	MO
MISCELLANEOUS AGENTS		
<i>acamprosate</i>	4	MO
<i>acetic acid irrigation</i>	2	MO
<i>alendronate oral tablet 40 mg</i>	2	MO; QL (30 per 30 days)
<i>anagrelide</i>	2	MO
ARALAST NP	5	MO; LA
<i>caffeine citrate intravenous</i>	2	
<i>caffeine citrate oral</i>	2	MO
CARBAGLU	5	PA; MO; LA
<i>cevimeline</i>	2	MO
CHEMET	3	PA; MO
CLINIMIX 4.25%/D5W SULFIT FREE	3	B/D PA
<i>d10 %-0.45 % sodium chloride</i>	2	
<i>d2.5 %-0.45 % sodium chloride</i>	2	
<i>d5 % and 0.9 % sodium chloride</i>	2	MO
<i>d5 %-0.45 % sodium chloride</i>	2	MO
<i>deferasirox</i>	5	PA; MO
<i>deferoxamine</i>	2	B/D PA; MO
<i>dextrose 10 % and 0.2 % nacl</i>	2	
<i>dextrose 10 % in water (d10w)</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 20 % in water (d20w)</i>	2	
<i>dextrose 25 % in water (d25w)</i>	2	
<i>dextrose 30 % in water (d30w)</i>	2	
<i>dextrose 40 % in water (d40w)</i>	2	
<i>dextrose 5 % in water (d5w)</i>	2	MO
<i>dextrose 5 %-lactated ringers</i>	2	MO
<i>dextrose 5%-0.2 % sod chloride</i>	2	
<i>dextrose 5%-0.3 % sod.chloride</i>	2	
<i>dextrose 50 % in water (d50w)</i>	2	MO
<i>dextrose 70 % in water (d70w)</i>	2	MO
<i>dextrose with sodium chloride</i>	2	
<i>disulfiram</i>	4	MO
<i>etidronate disodium</i>	2	MO
FERRIPROX	5	PA; MO
INCRELEX	5	PA; MO; LA
JADENU	5	PA; MO
JADENU SPRINKLE	5	PA; MO
<i>kionex (with sorbitol)</i>	4	MO
<i>lanthanum</i>	2	MO
<i>levocarnitine (with sugar)</i>	4	MO
<i>levocarnitine oral tablet</i>	4	MO
LOKELMA	3	MO
<i>midodrine oral tablet 10 mg, 5 mg</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
midodrine oral tablet 2.5 mg	2	MO	sodium polystyrene sulfonate rectal enema 30 gram/120 ml	4	
NORTHERA ORAL CAPSULE 100 MG, 200 MG	5	PA; MO; QL (90 per 30 days)	SODIUM POLYSTYRENE SULFONATE RECTAL ENEMA 50 GRAM/200 ML	4	
NORTHERA ORAL CAPSULE 300 MG	5	PA; MO; QL (180 per 30 days)	SOLIRIS	5	PA; MO
ORFADIN	5	MO; LA	sps (with sorbitol) oral	2	MO
pilocarpine hcl oral	2	MO	sps (with sorbitol) rectal	2	
PROLASTIN-C INTRAVENOUS RECON SOLN	5	PA; LA	THIOLA	5	MO
PROLASTIN-C INTRAVENOUS SOLUTION	5	PA; MO; LA	THIOLA EC	5	MO
RAVICTI	5	MO	trientine	5	PA; MO; QL (240 per 30 days)
REVCOVI	5	PA; MO; LA	VELTASSA	3	MO
riluzole	2	MO	water for irrigation, sterile	2	MO
risedronate oral tablet 30 mg	2	MO; QL (30 per 30 days)	XIAFLEX	5	MO
sevelamer carbonate oral powder in packet	5	MO	XURIDEN	5	MO
sevelamer carbonate oral tablet	2	MO; QL (540 per 30 days)	zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml	2	PA; MO
sodium benzoate-sod phenylacet	5		SMOKING DETERRENTS		
sodium chloride 0.9 % intravenous	4	MO	bupropion hcl (smoking deter)	2	MO; QL (60 per 30 days)
sodium chloride irrigation	2	MO	CHANTIX	3	MO
sodium phenylbutyrate	5	MO	CHANTIX CONTINUING MONTH BOX	3	MO
sodium polystyrene sulfonate oral	4	MO	CHANTIX STARTING MONTH BOX	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
NICOTROL	4	MO
NICOTROL NS	4	MO
EAR, NOSE / THROAT MEDICATIONS		
MISCELLANEOUS AGENTS		
<i>azelastine 0.1% (137 mcg) spray</i>	4	MO; QL (60 per 30 days)
<i>azelastine 0.15% nasal spray</i>	2	MO; QL (60 per 30 days)
<i>chlorhexidine gluconate mucous membrane</i>	2	MO
<i>denta 5000 plus</i>	2	MO
<i>dentagel</i>	2	MO
<i>ipratropium bromide nasal</i>	2	MO; QL (30 per 30 days)
<i>olopatadine nasal</i>	2	MO; QL (30.5 per 30 days)
<i>oralone</i>	4	MO
<i>paroex oral rinse</i>	2	MO
<i>periogard</i>	2	MO
<i>sf</i>	2	MO
<i>sf 5000 plus</i>	2	MO
<i>triamcinolone acetonide dental</i>	4	MO
MISCELLANEOUS OTIC PREPARATIONS		
<i>acetic acid otic (ear)</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin hcl otic (ear)</i>	2	MO
<i>fluocinolone acetonide oil</i>	4	MO
<i>hydrocortisone-acetic acid</i>	4	MO
<i>ofloxacin otic (ear)</i>	2	MO
OTIC STEROID / ANTIBIOTIC		
CIPRODEX	3	MO
<i>neomycin-polymyxin-hc otic (ear)</i>	2	MO
ENDOCRINE/ DIABETES		
ADRENAL HORMONES		
<i>betamethasone acet,sod phos</i>	2	MO
<i>cortisone</i>	2	MO
<i>decadron oral tablet</i>	2	
<i>dexamethasone</i>	2	MO
<i>dexamethasone intensol</i>	2	MO
<i>dexamethasone sodium phos (pf) injection solution</i>	2	MO
<i>dexamethasone sodium phosphate injection</i>	2	MO
<i>fludrocortisone</i>	2	MO
<i>hydrocortisone oral</i>	2	MO
<i>methylprednisolone acetate</i>	2	MO
<i>methylprednisolone oral tablet</i>	2	B/D PA; MO
<i>methylprednisolone oral tablets,dose pack</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	2	MO
<i>millipred dp</i>	2	MO
<i>millipred oral tablet</i>	4	B/D PA; MO
<i>prednisolone oral solution 15 mg/5 ml</i>	2	MO
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	MO
<i>prednisolone sodium phosphate oral tablet, disintegrating</i>	2	B/D PA; MO
<i>prednisone intensol</i>	4	B/D PA; MO
<i>prednisone oral solution</i>	2	MO
<i>prednisone oral tablet</i>	2	B/D PA; MO
<i>prednisone oral tablets, dose pack</i>	2	MO
<i>triamcinolone acetonide injection</i>	2	MO
ANTITHYROID AGENTS		
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	MO
<i>propylthiouracil</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
DIABETES THERAPY		
<i>acarbose oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>acarbose oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
<i>acarbose oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
<i>alcohol pads</i>	3	MO
<i>BAQSIMI</i>	3	MO
<i>BYDUREON BCISE</i>	3	PA; MO; QL (4 per 28 days)
<i>BYDUREON SUBCUTANEOUS PEN INJECTOR</i>	3	PA; MO; QL (4 per 28 days)
<i>BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML</i>	3	PA; MO; QL (2.4 per 30 days)
<i>BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML</i>	3	PA; MO; QL (1.2 per 30 days)
<i>CYCLOSET</i>	4	MO; QL (180 per 30 days)
<i>GAUZE PADS 2 X 2</i>	3	MO
<i>glimepiride oral tablet 1 mg</i>	1	MO; QL (240 per 30 days)
<i>glimepiride oral tablet 2 mg</i>	1	MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
glimepiride oral tablet 4 mg	1	MO; QL (60 per 30 days)
glipizide oral tablet 10 mg	1	MO; QL (120 per 30 days)
glipizide oral tablet 5 mg	1	MO; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	2	MO; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg	2	MO; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 5 mg	2	MO; QL (120 per 30 days)
GLUCAGEN HYPOKIT	3	MO
GLUCAGON EMERGENCY KIT (HUMAN)	3	MO
HUMALOG JUNIOR KWIKPEN U-100	3	MO
HUMALOG KWIKPEN INSULIN	3	MO
HUMALOG MIX 50-50 INSULN U-100	3	MO
HUMALOG MIX 50-50 KWIKPEN	3	MO
HUMALOG MIX 75-25 KWIKPEN	3	MO
HUMALOG MIX 75-25(U-100)INSULN	3	MO
HUMALOG U-100 INSULIN	3	MO

Drug Name	Drug Tier	Requirements/Limits
HUMULIN 70/30 U-100 INSULIN	3	MO
HUMULIN 70/30 U-100 KWIKPEN	3	MO
HUMULIN N NPH INSULIN KWIKPEN	3	MO
HUMULIN N NPH U-100 INSULIN	3	MO
HUMULIN R REGULAR U-100 INSULN	3	MO
HUMULIN R U-500 (CONC) INSULIN	3	MO
HUMULIN R U-500 (CONC) KWIKPEN	3	MO
INSULIN PEN NEEDLE 29 GAUGE X 1/2"	3	MO
INSULIN SYRINGE (DISP) U-100 0.3 ML, 1 ML, 1/2 ML	3	MO
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	MO; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	3	MO; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG	3	MO; QL (120 per 30 days)	JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	MO; QL (30 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	MO; QL (90 per 30 days)	LANTUS SOLOSTAR U-100 INSULIN	3	MO
INVOKANA ORAL TABLET 300 MG	3	MO; QL (30 per 30 days)	LANTUS U-100 INSULIN	3	MO
JANUMET	3	MO; QL (60 per 30 days)	<i>metformin oral tablet 1,000 mg</i>	1	MO; QL (75 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	MO; QL (30 per 30 days)	<i>metformin oral tablet 500 mg</i>	1	MO; QL (150 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	MO; QL (60 per 30 days)	<i>metformin oral tablet 850 mg</i>	1	MO; QL (90 per 30 days)
JANUVIA	3	MO; QL (30 per 30 days)	<i>metformin oral tablet extended release 24 hr 500 mg</i>	2	MO; QL (120 per 30 days)
JARDIANCE	3	MO; QL (30 per 30 days)	<i>metformin oral tablet extended release 24 hr 750 mg</i>	2	MO; QL (75 per 30 days)
JENTADUETO	3	MO; QL (60 per 30 days)	<i>miglitol oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	MO; QL (60 per 30 days)	<i>miglitol oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
			<i>miglitol oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
			<i>nateglinide oral tablet 120 mg</i>	2	MO; QL (90 per 30 days)
			<i>nateglinide oral tablet 60 mg</i>	2	MO; QL (180 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
NEEDLES, INSULIN DISP.,SAFETY	3	MO	SYMLINPEN 60	5	PA; MO; QL (6 per 30 days)
OZEMPIC SUBCUTANEOU S PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	PA; MO; QL (1.5 per 28 days)	SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5- 1,000 MG	3	MO; QL (60 per 30 days)
OZEMPIC SUBCUTANEOU S PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML)	3	PA; MO; QL (3 per 28 days)	SYNJARDY ORAL TABLET 5- 500 MG	3	MO; QL (120 per 30 days)
pioglitazone	2	MO; QL (30 per 30 days)	SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 12.5- 1,000 MG, 5-1,000 MG	3	MO; QL (60 per 30 days)
pioglitazone- glimepiride	2	MO; QL (30 per 30 days)	SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 25-1,000 MG	3	MO; QL (30 per 30 days)
pioglitazone- metformin	2	MO; QL (90 per 30 days)	tolazamide oral tablet 250 mg	2	MO; QL (120 per 30 days)
PROGLYCEM	3	MO	tolazamide oral tablet 500 mg	2	MO; QL (60 per 30 days)
repaglinide oral tablet 0.5 mg	2	MO; QL (960 per 30 days)	tolbutamide	2	MO; QL (180 per 30 days)
repaglinide oral tablet 1 mg	2	MO; QL (480 per 30 days)	TOUJEON MAX U- 300 SOLOSTAR	3	MO
repaglinide oral tablet 2 mg	2	MO; QL (240 per 30 days)	TOUJEON SOLOSTAR U-300 INSULIN	3	MO
repaglinide- metformin	2	MO; QL (150 per 30 days)	TRADJENTA	3	MO; QL (30 per 30 days)
RIOMET	3	MO; QL (765 per 30 days)	TRULICITY	4	PA; MO; QL (2 per 28 days)
SYMLINPEN 120	5	PA; MO; QL (10.8 per 30 days)			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
VICTOZA 2-PAK	3	PA; MO; QL (9 per 30 days)	<i>cinacalcet oral</i> <i>tablet 60 mg</i>	5	MO; QL (60 per 30 days)
VICTOZA 3-PAK	3	PA; MO; QL (9 per 30 days)	<i>cinacalcet oral</i> <i>tablet 90 mg</i>	5	MO; QL (120 per 30 days)
MISCELLANEOUS HORMONES					
ALDURAZYME	5	MO	<i>clomiphene citrate</i>	2	PA; MO
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; MO; QL (150 per 30 days)	CRYSVITA	5	PA; MO; LA
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)	3	PA; MO; QL (37.5 per 30 days)	<i>danazol</i>	4	MO
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (40.5 MG/2.5 GRAM)	3	PA; MO; QL (150 per 30 days)	DDAVP NASAL SOLUTION	3	MO
<i>cabergoline</i>	4	MO	<i>desmopressin</i> <i>injection</i>	2	MO
<i>calcitonin (salmon)</i>	4	MO	<i>desmopressin nasal</i> <i>spray with pump</i>	2	MO
<i>calcitriol</i> <i>intravenous solution</i> <i>1 mcg/ml</i>	2	MO	<i>desmopressin nasal</i> <i>spray, non-aerosol</i>	2	MO
<i>calcitriol oral</i>	2	MO	<i>desmopressin oral</i>	2	MO
CERDELGA	5	MO	<i>doxercalciferol</i> <i>intravenous</i>	2	
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	MO	<i>doxercalciferol oral</i>	2	MO
<i>cinacalcet oral</i> <i>tablet 30 mg</i>	2	MO; QL (60 per 30 days)	ELAPRASE	5	MO
			FABRAZYME	5	MO
			KANUMA	5	MO
			KORLYM	5	PA; MO; QL (120 per 30 days)
			KUVAN	5	PA; MO
			LUMIZYME	5	MO
			MEPSEVII	5	MO
			<i>methyltestosterone</i> <i>oral capsule</i>	5	MO
			MIACALCIN INJECTION	4	MO
			<i>miglustat</i>	5	MO; LA
			MYALEPT	5	PA; MO; LA
			NAGLAZYME	5	MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
NATPARA	5	PA; MO; LA; QL (2 per 28 days)	SENSIPAR ORAL TABLET 30 MG	3	MO; QL (60 per 30 days)
<i>oxandrolone oral tablet 10 mg</i>	5	PA; MO; QL (60 per 30 days)	SENSIPAR ORAL TABLET 60 MG	5	MO; QL (60 per 30 days)
<i>oxandrolone oral tablet 2.5 mg</i>	2	PA; MO; QL (120 per 30 days)	SENSIPAR ORAL TABLET 90 MG	5	MO; QL (120 per 30 days)
PALYNZIQ SUBCUTANEOU S SYRINGE 10 MG/0.5 ML	5	PA; MO; LA; QL (15 per 30 days)	SOMAVERT	5	PA; MO; QL (30 per 30 days)
PALYNZIQ SUBCUTANEOU S SYRINGE 2.5 MG/0.5 ML	5	PA; MO; LA; QL (4 per 30 days)	STIMATE	3	MO
PALYNZIQ SUBCUTANEOU S SYRINGE 20 MG/ML	5	PA; MO; LA; QL (60 per 30 days)	STRENSIQ	5	MO; LA
pamidronate	2	MO	SYNAREL	5	MO
paricalcitol <i>intravenous solution</i> 2 mcg/ml	2		<i>testosterone</i> <i>cypionate</i> <i>intramuscular oil</i> 100 mg/ml, 200 mg/ml	2	PA; MO
paricalcitol <i>intravenous solution</i> 5 mcg/ml	2	MO	<i>testosterone</i> <i>enanthate</i>	4	PA; MO
paricalcitol oral capsule 1 mcg, 2 mcg	4	MO; QL (30 per 30 days)	<i>testosterone</i> <i>transdermal gel</i>	2	PA; MO; QL (300 per 30 days)
paricalcitol oral capsule 4 mcg	4	MO; QL (60 per 30 days)	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> 12.5 mg/ 1.25 gram (1 %)	2	PA; MO; QL (300 per 30 days)
SAMSCA ORAL TABLET 15 MG	5	PA; MO; QL (30 per 30 days)	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> 20.25 mg/1.25 gram (1.62 %)	2	PA; MO; QL (150 per 30 days)
SAMSCA ORAL TABLET 30 MG	5	PA; MO; QL (60 per 30 days)	<i>testosterone</i> <i>transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	2	PA; MO; QL (300 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i>	2	PA; MO; QL (37.5 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i>	2	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/app</i>	2	PA; MO; QL (180 per 30 days)
VIMIZIM	5	MO; LA
<i>zoledronic acid intravenous solution</i>	2	B/D PA; MO
<i>zoledronic acid-mannitol-water intravenous piggyback 4 mg/100 ml</i>	2	B/D PA; MO
ZOLEDRONIC AC-MANNITOL-0.9NACL	2	B/D PA; MO
THYROID HORMONES		
<i>levothyroxine intravenous recon soln 200 mcg, 500 mcg</i>	2	MO
<i>levothyroxine oral</i>	2	MO
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	2	MO
<i>liothyronine</i>	2	MO
<i>unithroid</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
GASTROENTEROLOGY		
ANTIDIARRHEALS / ANTISPASMODICS		
<i>atropine injection solution 0.4 mg/ml</i>	2	MO
<i>atropine injection syringe 0.05 mg/ml</i>	2	
<i>atropine injection syringe 0.1 mg/ml</i>	2	MO
<i>dicyclomine intramuscular</i>	2	MO
<i>dicyclomine oral capsule</i>	2	MO
<i>dicyclomine oral solution</i>	2	MO
<i>dicyclomine oral tablet</i>	2	MO
<i>diphenoxylate-atropine</i>	2	MO
<i>glycopyrrolate injection</i>	2	MO
<i>glycopyrrolate oral tablet 1 mg</i>	2	MO
<i>glycopyrrolate oral tablet 1.5 mg</i>	4	
<i>glycopyrrolate oral tablet 2 mg</i>	4	MO
<i>loperamide oral capsule</i>	2	MO
<i>opium tincture</i>	2	MO
<i>paregoric</i>	2	MO
MISCELLANEOUS GASTROINTESTINAL AGENTS		
<i>alosetron</i>	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>aprepitant</i>	2	B/D PA; MO	GATTEX 30-VIAL	5	PA; MO
<i>balsalazide</i>	4	MO	GATTEX ONE-VIAL	5	PA; MO
<i>budesonide oral</i>	5	MO	<i>gavilyte-c</i>	2	MO
CHENODAL	5	PA; MO; LA	<i>gavilyte-g</i>	2	MO
CHOLBAM ORAL CAPSULE 250 MG	5	PA; MO	<i>gavilyte-n</i>	2	MO
CHOLBAM ORAL CAPSULE 50 MG	5	PA; MO; QL (120 per 30 days)	<i>generlac</i>	2	MO
CINVANTI	3	MO	<i>granisetron (pf)</i>	2	MO
<i>cocolort</i>	2	MO	<i>granisetron hcl intravenous</i>	2	MO
<i>compro</i>	4	MO	<i>granisetron hcl oral</i>	2	B/D PA; MO; QL (60 per 30 days)
<i>constulose</i>	2	MO	<i>hydrocortisone rectal</i>	2	MO
CORTIFOAM	3	MO	<i>hydrocortisone topical cream with perineal applicator</i>	2	MO
CREON	3	MO	<i>hydrocortisone- pramoxine rectal cream 1-1 %</i>	2	MO
<i>cromolyn oral</i>	4	MO	<i>lactulose oral solution 10 gram/15 ml</i>	2	MO
CYSTADANE	5	MO	LINZESS	3	MO; QL (30 per 30 days)
<i>dimenhydrinate injection solution</i>	2	MO	<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	MO
DIPENTUM	5	MO	<i>mesalamine oral</i>	2	MO
<i>dronabinol oral capsule 10 mg</i>	5	B/D PA; MO; QL (60 per 30 days)	<i>mesalamine rectal enema</i>	2	MO
<i>dronabinol oral capsule 2.5 mg, 5 mg</i>	4	B/D PA; MO; QL (60 per 30 days)	<i>mesalamine with cleansing wipe</i>	2	MO
<i>droperidol injection solution</i>	2	MO	<i>metoclopramide hcl injection solution</i>	2	MO
EMEND ORAL SUSPENSION FOR RECONSTITUTI ON	3	B/D PA; MO	<i>metoclopramide hcl injection syringe</i>	2	
ENTYVIO	5	PA; MO			
<i>enulose</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>metoclopramide hcl oral</i>	2	MO	PENTASA ORAL CAPSULE, EXTENDED RELEASE 500 MG	5	MO
MOVANTIK	3	MO	<i>polyethylene glycol 3350</i>	2	MO
OCALIVA	5	PA; MO; LA; QL (30 per 30 days)	<i>prochlorperazine</i>	4	MO
<i>ondansetron</i>	2	B/D PA; MO	<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	MO
<i>ondansetron hcl (pf)</i>	2	MO	<i>prochlorperazine maleate oral</i>	2	MO
<i>ondansetron hcl intravenous</i>	2	MO	<i>procto-med hc</i>	2	MO
<i>ondansetron hcl oral solution</i>	2	B/D PA; MO; QL (450 per 30 days)	<i>procto-pak</i>	2	MO
<i>ondansetron hcl oral tablet 24 mg</i>	2	B/D PA	<i>proctosol hc topical</i>	2	MO
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	B/D PA; MO	<i>proctozone-hc</i>	2	MO
<i>palonosetron intravenous solution 0.25 mg/5 ml</i>	2	MO	RECTIV	3	MO
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	MO	RELISTOR SUBCUTANEOUS SOLUTION	5	PA; MO
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i>	2		RELISTOR SUBCUTANEOUS SYRINGE	5	PA; MO
<i>peg-electrolyte</i>	2		REMICADE	5	PA; MO
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	3	MO	<i>scopolamine base</i>	2	MO; QL (10 per 30 days)
			SUCRAID	5	MO
			<i>sulfasalazine</i>	2	MO
			TRANSDERM-SCOP	4	MO; QL (10 per 30 days)
			<i>trilyte with flavor packets</i>	2	MO
			<i>ursodiol</i>	2	MO
			VARUBI ORAL	3	B/D PA; MO
			VIBERZI	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
VIOKACE	3	MO
ULCER THERAPY		
cimetidine	2	MO
cimetidine hcl oral	2	MO
esomeprazole magnesium oral capsule, delayed release (dr/ec) 20 mg	2	MO; QL (30 per 30 days)
esomeprazole magnesium oral capsule, delayed release (dr/ec) 40 mg	2	MO
esomeprazole sodium intravenous recon soln 20 mg	2	
esomeprazole sodium intravenous recon soln 40 mg	2	MO
famotidine (pf)	2	MO
famotidine (pf)-nacl (iso-os)	2	MO
famotidine intravenous solution	2	MO
famotidine oral suspension	4	MO
famotidine oral tablet 20 mg, 40 mg	2	MO
misoprostol	2	MO
nizatidine	2	MO
omeprazole oral capsule, delayed release (dr/ec) 10 mg, 20 mg	2	MO; QL (30 per 30 days)
omeprazole oral capsule, delayed release (dr/ec) 40 mg	2	MO; QL (60 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
pantoprazole intravenous	2	MO
pantoprazole oral tablet, delayed release (dr/ec) 20 mg	2	MO; QL (30 per 30 days)
pantoprazole oral tablet, delayed release (dr/ec) 40 mg	2	MO; QL (60 per 30 days)
ranitidine hcl injection	2	MO
ranitidine hcl oral capsule	2	MO
ranitidine hcl oral syrup	2	MO
ranitidine hcl oral tablet 150 mg, 300 mg	1	MO
sucralfate oral tablet	2	MO
IMMUNOLOGY, VACCINES / BIOTECHNOLOGY		
BIOTECHNOLOGY DRUGS		
ACTIMMUNE	5	B/D PA; MO
ARCALYST	5	PA; MO
AVONEX (WITH ALBUMIN)	5	PA; MO; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
AVONEX INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (4 per 28 days)	PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days)
BETASERON SUBCUTANEOUS KIT	5	PA; MO; QL (15 per 28 days)	PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days)
FULPHILA	5	PA; MO	PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days)
GRANIX	5	PA; MO	PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
ILARIS (PF) SUBCUTANEOUS SOLUTION	5	PA; MO; LA	PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO
INTRON A INJECTION	5	B/D PA; MO	PROLEUKIN	5	B/D PA; MO
LEUKINE INJECTION RECON SOLN	5	MO	REBIF (WITH ALBUMIN)	5	PA; MO; QL (6 per 28 days)
MOZOBIL	5	B/D PA; MO	REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; MO; QL (6 per 28 days)
NEULASTA	5	PA; MO			
NEUPOGEN	5	PA; MO			
OMNITROPE	5	PA; MO			
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	PA; MO; QL (2 per 28 days)			
PEGASYS SUBCUTANEOUS SOLUTION	5	PA; MO; QL (4 per 28 days)			
PEGASYS SUBCUTANEOUS SYRINGE	5	PA; MO; QL (2 per 28 days)			
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	PA; MO; QL (4 per 28 days)			
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days)			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; MO; QL (4.2 per 180 days)	ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE	3	B/D PA; MO
REBIF TITRATION PACK	5	PA; MO; QL (4.2 per 180 days)	<i>fomepizole</i>	2	
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO	GAMASTAN	3	MO
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; MO	GAMASTAN S/D	3	MO
SYLATRON	5	PA; MO	GARDASIL 9 (PF)	3	MO
ZARXIO	5	PA; MO	HAVRIX (PF) INTRAMUSCULAR SUSPENSION	3	MO
VACCINES / MISCELLANEOUS IMMUNOLOGICALS			HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	MO
ACTHIB (PF)	3	MO	HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML		
ADACEL(TDAP ADOLESN/ADULT)(PF)	3	MO	HIBERIX (PF)	3	MO
BCG VACCINE, LIVE (PF)	3	MO	HIZENTRA	5	B/D PA; MO
BEXSERO	3	MO	HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML	3	
BOOSTRIX TDAP	3	MO	HYPERHEP B S/D INTRAMUSCULAR SOLUTION 220 UNIT/ML (5 ML)	3	MO
BOTOX	3	PA; MO	HYPERHEP B S/D INTRAMUSCULAR SYRINGE		
DAPTACEL (DTAP PEDIATRIC) (PF)	3	MO	HYPERHEP B S-D NEONATAL	3	
ENGERIX-B (PF)	3	B/D PA; MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
HYQVIA	5	B/D PA; MO	RECOMBIVAX HB (PF)	3	B/D PA
IMOVAX RABIES VACCINE (PF)	3	MO	INTRAMUSCUL AR SYRINGE 5 MCG/0.5 ML		
INFANRIX (DTAP) (PF)	3	MO	ROTARIX	3	
IPOL	3	MO	ROTATEQ VACCINE	3	MO
IXIARO (PF)	3	MO	SHINGRIX (PF)	3	MO
KINRIX (PF) INTRAMUSCUL AR SUSPENSION	3		STAMARIL (PF)	3	
KINRIX (PF) INTRAMUSCUL AR SYRINGE	3	MO	TDVAX	3	MO
MENACTRA (PF) INTRAMUSCUL AR SOLUTION	3	MO	TENIVAC (PF)	3	MO
MENVEO A-C-Y- W-135-DIP (PF)	3	MO	TETANUS,DIPH THERIA TOX PED(PF)	3	MO
M-M-R II (PF)	3	MO	TICE BCG	3	B/D PA; MO
PEDIARIX (PF)	3	MO	TRUMENBA	3	MO
PEDVAX HIB (PF)	3	MO	TWINRIX (PF) INTRAMUSCUL AR SYRINGE	3	MO
PENTACEL (PF)	3	MO	TYPHIM VI INTRAMUSCUL AR SOLUTION	3	
PRIVIGEN	5	PA; MO	TYPHIM VI INTRAMUSCUL AR SYRINGE	3	MO
PROQUAD (PF)	3	MO	VAQTA (PF)	3	MO
QUADRACEL (PF)	3	MO	VARIVAX (PF)	3	MO
RABAVERT (PF)	3	MO	VARIZIG INTRAMUSCUL AR SOLUTION	3	MO
RAGWITEK	3	MO	YF-VAX (PF)	3	MO
RECOMBIVAX HB (PF) INTRAMUSCUL AR SUSPENSION	3	B/D PA; MO	ZOSTAVAX (PF)	3	MO
RECOMBIVAX HB (PF) INTRAMUSCUL AR SYRINGE 10 MCG/ML	3	B/D PA; MO	MUSCULOSK ELETAL / RHEUMATO LOGY		

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
GOUT THERAPY		
<i>allopurinol</i>	1	MO
<i>allopurinol sodium</i>	2	
<i>aloprim</i>	2	
COLCRYSTALS	4	ST; MO; QL (120 per 30 days)
<i>febuxostat</i>	2	MO
KRYSTEXXA	5	MO
MITIGARE	3	MO
<i>probencid</i>	2	MO
<i>probencid-colchicine</i>	2	MO
ULORIC	3	MO
OSTEOPOROSIS THERAPY		
<i>alendronate oral solution</i>	2	MO; QL (1286 per 30 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	2	MO; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg, 70 mg</i>	2	MO; QL (4 per 28 days)
<i>ibandronate intravenous</i>	2	PA; MO
<i>ibandronate oral</i>	2	MO; QL (1 per 30 days)
PROLIA	3	PA; MO; QL (1 per 30 days)
<i>raloxifene</i>	2	MO; QL (30 per 30 days)
<i>risedronate oral tablet 150 mg</i>	2	MO; QL (1 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	MO; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i>	2	MO; QL (30 per 30 days)
<i>risedronate oral tablet, delayed release (dr/rec)</i>	2	MO; QL (4 per 28 days)
TYMLOS	5	PA; MO; QL (1.56 per 30 days)
OTHER RHEUMATOLOGICALS		
ACTEMRA	5	PA; MO
ACTEMRA ACTPEN	5	PA; MO; QL (4 per 28 days)
BENLYSTA	5	PA; MO
CUPRIMINE	5	MO
DEPEN TITRATABS	5	MO
ENBREL MINI	5	PA; MO; QL (8 per 28 days)
ENBREL SUBCUTANEOUS RECON SOLN	5	PA; MO; QL (16 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE	5	PA; MO; QL (8 per 28 days)
ENBREL SURECLICK	5	PA; MO; QL (8 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (3 per 180 days)	HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; MO; QL (2 per 180 days)
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 PACK)	5	PA; MO; QL (6 per 180 days)	HUMIRA(CF) PEN CROHNS- UC-HS	5	PA; MO; QL (3 per 180 days)
HUMIRA PEN	5	PA; MO; QL (4 per 28 days)	HUMIRA(CF) PEN PSOR-UV- ADOL HS	5	PA; MO; QL (3 per 180 days)
HUMIRA PEN CROHNS-UC-HS START	5	PA; MO; QL (6 per 180 days)	HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days)
HUMIRA PEN PSOR-UVEITS- ADOL HS	5	PA; MO; QL (4 per 180 days)	HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days)	HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days)	<i>leflunomide</i>	2	MO; QL (30 per 30 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML	5	PA; MO; QL (3 per 180 days)	ORENCIA	5	PA; MO
			ORENCIA (WITH MALTOSA)	5	PA; MO
			ORENCIA CLICKJECT	5	PA; MO
			OTEZLA	5	PA; MO
			OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (4)-30 MG (47)	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>penicillamine</i>	5	MO
RIDAURA	5	MO
RINVOQ ER	5	PA; MO; QL (30 per 30 days)
OBSTETRICS / GYNECOLOGY		
ESTROGENS / PROGESTINS		
<i>camila</i>	2	MO
<i>deblitane</i>	2	MO
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	3	MO
<i>dotti</i>	2	PA; MO; QL (8 per 28 days)
<i>errin</i>	2	MO
<i>estradiol oral</i>	4	PA; MO
<i>estradiol transdermal patch semiweekly</i>	2	PA; MO; QL (8 per 28 days)
<i>estradiol transdermal patch weekly</i>	2	PA; MO; QL (4 per 28 days)
<i>estradiol vaginal</i>	2	MO
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	MO
<i>estradiol-norethindrone acet</i>	2	PA; MO
<i>heather</i>	4	MO
<i>hydroxyprogesterone caproate</i>	5	MO
<i>incassia</i>	2	MO
<i>jencycla</i>	4	MO

Drug Name	Drug Tier	Requirements/Limits
<i>lyza</i>	2	MO
<i>medroxyprogesterone</i>	2	MO
MENEST	3	PA; MO
<i>nora-be</i>	2	MO
<i>norethindrone (contraceptive)</i>	2	MO
<i>norethindrone acetate</i>	4	MO
<i>norethindrone aceteth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA; MO
<i>norlyda</i>	4	MO
<i>norlyroc</i>	2	
<i>progesterone</i>	2	MO
<i>progesterone micronized</i>	2	MO
<i>sharobel</i>	2	MO
<i>tulana</i>	4	MO
<i>yuvafem</i>	2	MO
MISCELLANEOUS OB/GYN		
<i>clindamycin phosphate vaginal</i>	2	MO
<i>metronidazole vaginal</i>	2	MO
<i>miconazole-3 vaginal suppository</i>	2	MO
<i>MIRENA</i>	3	MO; LA
<i>NEXPLANON</i>	3	MO
<i>terconazole vaginal cream</i>	2	MO
<i>terconazole vaginal suppository</i>	4	MO
<i>tranexamic acid oral</i>	2	MO
<i>vandazole</i>	2	MO
<i>xulane</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
ORAL CONTRACEPTIVES / RELATED AGENTS					
<i>altavera</i> (28)	2	MO	<i>ethynodiol diac-eth estradiol</i>	4	
<i>alyacen 1/35</i> (28)	4	MO	<i>falmina</i> (28)	2	MO
<i>amethyst</i> (28)	4	MO	<i>fayosim</i>	4	MO
<i>apri</i>	2	MO	<i>femynor</i>	4	MO
<i>aranelle</i> (28)	2	MO	<i>gianvi</i> (28)	2	MO
<i>aubra</i>	4	MO	<i>introvale</i>	2	MO
<i>aubra eq</i>	4	MO	<i>isibloom</i>	4	MO
<i>aviane</i>	2	MO	<i>jasmiel</i> (28)	2	MO
<i>azurette</i> (28)	4	MO	<i>jolessa</i>	4	MO
<i>bekyree</i> (28)	4	MO	<i>juleber</i>	4	MO
<i>caziant</i> (28)	4	MO	<i>kariva</i> (28)	2	MO
<i>chateal</i> (28)	4		<i>kelnor 1/35</i> (28)	2	MO
<i>cryselle</i> (28)	2	MO	<i>kelnor 1-50</i>	4	MO
<i>cyclafem 1/35</i> (28)	2	MO	<i>kurvelo</i> (28)	2	MO
<i>cyclafem 7/7/7</i> (28)	2	MO	<i>l norgestrel.estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	MO
<i>cyred</i>	4	MO	<i>l norgestrel.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7)</i>	4	MO
<i>cyred eq</i>	4	MO	<i>larin 1.5/30</i> (21)	2	MO
<i>delyla</i> (28)	4		<i>larin 1/20</i> (21)	2	MO
<i>desog-e.estradiolle.estradiol</i>	2	MO	<i>larin fe 1.5/30</i> (28)	2	MO
<i>desogestrel-ethinyl estradiol</i>	2	MO	<i>larin fe 1/20</i> (28)	2	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	2	MO	<i>larissa</i>	4	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	4	MO	<i>lessina</i>	2	MO
<i>elinest</i>	4	MO	<i>levonest</i> (28)	2	MO
<i>emoquette</i>	4	MO			
<i>enpresse</i>	2	MO			
<i>enskyce</i>	2	MO			
<i>estarylla</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg, 90-20 mcg (28)	4	MO
levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg	2	MO
levonorgestrel-ethinyl estradiol oral tablets, dose pack, 3 month	4	MO
levonorg-eth estrad triphasic	4	MO
levora-28	2	MO
lillow (28)	4	MO
loryna (28)	2	MO
low-ogestrel (28)	4	MO
lutera (28)	2	MO
marlissa (28)	2	MO
microgestin 1.5/30 (21)	4	MO
microgestin 1/20 (21)	4	MO
microgestin fe 1.5/30 (28)	4	MO
microgestin fe 1/20 (28)	4	MO
nikki (28)	2	MO
norethindrone aceth estradiol oral tablet 1.5-30 mg-mcg	4	
norethindrone aceth estradiol oral tablet 1-20 mg-mcg	4	MO
norgestimate-ethinyl estradiol	4	MO
nortrel 0.5/35 (28)	2	MO
nortrel 1/35 (21)	2	MO

Drug Name	Drug Tier	Requirements/Limits
nortrel 1/35 (28)	2	MO
nortrel 7/7/7 (28)	2	MO
ogestrel (28)	4	MO
orsythia	2	MO
pimtrea (28)	2	MO
pirmella oral tablet 1-35 mg-mcg	2	MO
portia 28	2	MO
previfem	4	MO
reclipsen (28)	2	MO
setlakin	4	MO
sprintec (28)	4	MO
sronyx	2	MO
syeda	4	MO
tarina 24 fe	2	
tarina fe 1/20 (28)	2	MO
tarina fe 1-20 eq (28)	2	MO
tri-estarrylla	4	MO
tri-legest fe	2	MO
tri-lo-estarrylla	2	MO
tri-lo-sprintec	4	MO
tri-mili	4	MO
tri-previfem (28)	4	MO
tri-sprintec (28)	4	MO
trivora (28)	2	MO
tri-vylibra	4	MO
tri-vylibra lo	4	MO
velivet triphasic regimen (28)	2	MO
vienna	4	MO
viorele (28)	4	MO
vylibra	4	MO
zarah	4	MO
zovia 1/35e (28)	2	MO
OXYTOCICS		
methergine	2	

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>methylergonovine injection</i>	2	
<i>methylergonovine oral</i>	2	MO
<i>oxytocin injection solution</i>	2	MO
OPHTHALMOLOGY		
ANTIBIOTICS		
<i>ak-poly-bac</i>	2	MO
<i>bacitracin ophthalmic (eye)</i>	4	MO
<i>bacitracin-polymyxin b ophthalmic (eye)</i>	2	MO
<i>ciprofloxacin hcl ophthalmic (eye)</i>	2	MO
<i>erythromycin ophthalmic (eye)</i>	2	MO
<i>gatifloxacin</i>	2	MO
<i>gentak ophthalmic (eye) ointment</i>	2	MO
<i>gentamicin ophthalmic (eye) drops</i>	2	MO
<i>levofloxacin ophthalmic (eye)</i>	2	MO
<i>moxifloxacin ophthalmic (eye)</i>	2	MO
NATACYN	3	MO
<i>neomycin-bacitracin-polymyxin</i>	4	MO
<i>neomycin-polymyxin-gramicidin</i>	2	MO
<i>neo-polycin</i>	4	MO
<i>ofloxacin ophthalmic (eye)</i>	2	MO

Drug Name	Drug Tier	Requirements/Limits
<i>polycin</i>	2	MO
<i>polymyxin b sulf-trimethoprim</i>	2	MO
<i>tobramycin</i>	2	MO
ANTIVIRALS		
<i>trifluridine</i>	2	MO
ZIRGAN	4	MO
BETA-BLOCKERS		
<i>carteolol</i>	2	MO
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	MO
<i>timolol maleate ophthalmic (eye) drops</i>	1	MO
<i>timolol maleate ophthalmic (eye) drops, once daily</i>	2	MO
<i>timolol maleate ophthalmic (eye) gel forming solution</i>	2	MO
MISCELLANEOUS OPHTHALMOL OGICS		
<i>atropine ophthalmic (eye) drops</i>	2	MO
<i>azelastine ophthalmic (eye)</i>	4	MO
<i>balanced salt</i>	2	
BLEPHAMIDE	4	MO
BLEPHAMIDE S.O.P.	4	MO
<i>bss</i>	2	MO
<i>cromolyn ophthalmic (eye)</i>	2	MO
CYSTARAN	5	PA; MO
<i>epinastine</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
EYLEA	5	MO
JETREA (PF) INTRAVITREAL SOLUTION 0.125 MG/0.1 ML (1.25 MG/ML)	5	MO; LA
LUCENTIS	5	MO
<i>olopatadine</i> <i>ophthalmic (eye)</i>	2	MO
OXERVATE	5	PA; MO
PHOSPHOLINE IODIDE	4	MO
<i>pilocarpine hcl</i> <i>ophthalmic (eye)</i> <i>drops 1 %, 2 %, 4 %</i>	2	MO
<i>sulfacetamide</i> <i>sodium ophthalmic</i> <i>(eye) drops</i>	2	MO
<i>sulfacetamide</i> <i>sodium ophthalmic</i> <i>(eye) ointment</i>	4	MO
<i>sulfacetamide-</i> <i>prednisolone</i>	2	MO
XIIDRA	3	MO; QL (60 per 30 days)
NON- STEROIDAL ANTI- INFLAMMATO RY AGENTS		
<i>bromfenac</i>	2	MO
<i>diclofenac sodium</i> <i>ophthalmic (eye)</i>	2	MO
<i>flurbiprofen sodium</i>	2	MO
<i>ketorolac</i> <i>ophthalmic (eye)</i>	2	MO
ORAL DRUGS FOR GLAUCOMA		

Drug Name	Drug Tier	Requirements/Limits
<i>acetazolamide</i>	2	MO
<i>acetazolamide</i> <i>sodium</i>	2	MO
<i>methazolamide</i>	4	MO
OTHER GLAUCOMA DRUGS		
<i>bimatoprost</i> <i>ophthalmic (eye)</i>	2	MO
<i>dorzolamide</i>	2	MO
<i>dorzolamide-timolol</i>	4	MO
<i>dorzolamide-timolol</i> (pf) <i>ophthalmic</i> <i>(eye) dropperette</i>	4	MO
<i>latanoprost</i>	2	MO
<i>miostat</i>	2	
STEROID- ANTIBIOTIC COMBINATION S		
<i>neomycin-</i> <i>bacitracin-poly-hc</i>	4	MO
<i>neomycin-</i> <i>polymyxin b-</i> <i>dexameth</i>	2	MO
<i>neomycin-</i> <i>polymyxin-hc</i> <i>ophthalmic (eye)</i>	4	MO
<i>neo-polycin hc</i>	2	MO
<i>tobramycin-</i> <i>dexamethasone</i>	2	MO
STEROIDS		
<i>dexamethasone</i> <i>sodium phosphate</i> <i>ophthalmic (eye)</i>	2	MO
<i>fluorometholone</i>	4	MO
<i>OZURDEX</i>	5	MO
<i>prednisolone acetate</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone sodium phosphate ophthalmic (eye)</i>	4	MO
SYMPATHOMIMETICS		
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	MO
<i>apraclonidine</i>	4	MO
<i>brimonidine ophthalmic (eye) drops 0.15 %</i>	4	MO
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	MO
RESPIRATOR Y AND ALLERGY		
ANTIALLERGIC AGENTS		
<i>adrenalin injection</i>	2	MO
<i>cetirizine oral solution 1 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection syringe</i>	2	MO
EPINEPHRINE INJECTION AUTO-Injector 0.15 MG/0.15 ML, 0.3 MG/0.3 ML	2	MO; QL (4 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i>	2	MO; QL (4 per 30 days)
EPIPEN	3	MO; QL (4 per 30 days)
EPIPEN 2-PAK	3	MO; QL (4 per 30 days)
EPIPEN JR	3	MO; QL (4 per 30 days)
EPIPEN JR 2-PAK	3	MO; QL (4 per 30 days)
<i>hydroxyzine hcl oral tablet</i>	2	PA; MO
<i>levocetirizine oral solution</i>	4	MO
<i>levocetirizine oral tablet</i>	2	MO; QL (30 per 30 days)
SYMJEPI	4	MO
PULMONARY AGENTS		
<i>acetylcysteine</i>	2	B/D PA; MO
ADEMPAS	5	PA; MO; LA; QL (90 per 30 days)
ADVAIR DISKUS	3	MO; QL (60 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization</i>	2	B/D PA; MO
<i>albuterol sulfate oral syrup</i>	2	MO
<i>albuterol sulfate oral tablet</i>	4	MO
<i>albuterol sulfate oral tablet extended release 12 hr</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
alyq	5	PA; MO; QL (60 per 30 days)	ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14)	3	
ambrisentan	5	PA; MO; LA; QL (30 per 30 days)	ATROVENT HFA	3	MO; QL (25.8 per 30 days)
aminophylline intravenous solution 500 mg/20 ml	2		bosentan	5	PA; MO; LA
ARCAPTA NEOHALER	3	MO; QL (30 per 30 days)	budesonide <i>inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	2	B/D PA; MO
ASMANEX HFA	3	MO; QL (13 per 30 days)	budesonide <i>inhalation suspension for nebulization 1 mg/2 ml</i>	4	B/D PA; MO
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	3	MO; QL (1 per 30 days)	CINRYZE	5	PA; MO; QL (20 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120)	3	MO; QL (2 per 30 days)	COMBIVENT RESPIMAT	3	MO; QL (8 per 30 days)
			cromolyn inhalation	2	B/D PA; MO
			DALIRESP ORAL TABLET 250 MCG	4	PA; MO
			DALIRESP ORAL TABLET 500 MCG	4	PA; MO; QL (30 per 30 days)
			DULERA	3	MO; QL (13 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
ESBRIET ORAL CAPSULE	5	PA; MO; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; MO; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; MO; QL (90 per 30 days)
FASENRA	5	PA; MO
FIRAZYR	5	PA; MO; QL (270 per 30 days)
<i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>	2	MO; QL (50 per 30 days)
<i>fluticasone propionate nasal</i>	2	MO; QL (16 per 30 days)
HAEGARDA	5	PA; MO; LA
<i>icatibant</i>	5	PA; MO; QL (270 per 30 days)
INCRUSE ELLIPTA	3	MO; QL (30 per 30 days)
<i>ipratropium bromide inhalation</i>	2	B/D PA; MO
<i>ipratropium-albuterol</i>	2	B/D PA; MO
KALYDECO ORAL GRANULES IN PACKET 25 MG	5	PA; MO
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	5	PA; MO; QL (56 per 28 days)

Drug Name	Drug Tier	Requirements/Limits
KALYDECO ORAL TABLET	5	PA; MO; QL (60 per 30 days)
LETAIRIS	5	PA; MO; LA; QL (30 per 30 days)
<i>levalbuterol hcl</i>	2	B/D PA; MO
<i>metaproterenol oral syrup</i>	2	MO
<i>mometasone nasal</i>	2	MO; QL (34 per 30 days)
<i>montelukast</i>	2	MO; QL (30 per 30 days)
OFEV	5	PA; MO; QL (60 per 30 days)
OPSUMIT	5	PA; MO; LA
ORKAMBI ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days)
ORKAMBI ORAL TABLET	5	PA; MO; QL (112 per 28 days)
PERFOROMIST	3	B/D PA; MO; QL (120 per 30 days)
PROAIR HFA	3	MO; QL (17 per 30 days)
PROAIR RESPICLICK	3	MO; QL (2 per 30 days)
PULMOZYME	5	B/D PA; MO; QL (150 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATOR N	3	MO; QL (10.6 per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATOR N	3	MO; QL (21.2 per 30 days)
SEREVENT DISKUS	3	MO; QL (60 per 30 days)
<i>sildenafil</i> (pulmonary arterial hypertension) intravenous solution 10 mg/12.5 ml	5	PA
<i>sildenafil</i> (pulmonary arterial hypertension) oral suspension for reconstitution 10 mg/ml	5	PA; MO; QL (224 per 30 days)
<i>sildenafil</i> (pulmonary arterial hypertension) oral tablet 20 mg	2	PA; MO; QL (90 per 30 days)
SPIRIVA RESPIMAT	3	MO; QL (4 per 30 days)
SPIRIVA WITH HANDIHALER	3	MO; QL (90 per 90 days)
STIOLTO RESPIMAT	3	MO; QL (4 per 30 days)
STRIVERDI RESPIMAT	3	MO; QL (4 per 30 days)

Drug Name	Drug Tier	Requirements/Limits
SYMBICORT	3	MO; QL (10.2 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N)	5	PA; MO; QL (56 per 28 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 50- 75 MG (D)/ 75 MG (N)	5	PA; MO
<i>tadalafil (pulm. hypertension)</i>	5	PA; MO; QL (60 per 30 days)
<i>terbutaline oral</i>	4	MO
<i>terbutaline subcutaneous</i>	2	MO
THEO-24	3	MO
<i>theophylline in dextrose 5 % intravenous parenteral solution 400 mg/500 ml</i>	2	
<i>theophylline oral elixir</i>	2	
<i>theophylline oral solution</i>	2	MO
<i>theophylline oral tablet extended release 12 hr</i>	2	MO
<i>theophylline oral tablet extended release 24 hr</i>	2	MO
TRACLEER ORAL TABLET	5	PA; MO; LA
TYVASO	5	B/D PA; MO
TYVASO INSTITUTIONAL START KIT	5	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
TYVASO REFILL KIT	5	B/D PA; MO
TYVASO STARTER KIT	5	B/D PA; MO
XOLAIR SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (6 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; LA; QL (6 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; MO; LA; QL (5 per 28 days)
zafirlukast	2	MO; QL (60 per 30 days)
UROLOGICALS		
ANTICHOLINE RGICS / ANTISPASMOD ICS		
flavoxate	2	MO
MYRBETRIQ	3	MO
oxybutynin chloride oral syrup	2	MO
oxybutynin chloride oral tablet	2	MO
oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg	2	MO; QL (30 per 30 days)
oxybutynin chloride oral tablet extended release 24hr 15 mg	2	MO; QL (60 per 30 days)
tolterodine oral capsule,extended release 24hr	2	MO

Drug Name	Drug Tier	Requirements/Limits
<i>tolterodine oral tablet</i>	4	MO
<i>trospium</i>	2	MO
BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY		
<i>alfuzosin</i>	2	MO
<i>finasteride oral tablet 5 mg</i>	2	MO; QL (30 per 30 days)
<i>tamsulosin</i>	2	MO; QL (60 per 30 days)
MISCELLANEOUS UROLOGICALS		
<i>alprostadil</i>	2	MO
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 50 mg</i>	4	MO
<i>bethanechol chloride oral tablet 5 mg</i>	2	MO
CYSTAGON	3	MO; LA
ELMIRON	3	MO
<i>glycine urologic</i>	2	
<i>glycine urologic solution</i>	2	
K-PHOS NO 2	3	MO
K-PHOS ORIGINAL	3	MO
<i>potassium citrate</i>	4	MO
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
VITAMINS, HEMATINICS / ELECTROLY- TES			<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	2	MO
BLOOD DERIVATIVES			<i>klor-con/ef</i>	2	MO
<i>albumin, human 25 %</i>	2		<i>k-tab oral tablet extended release 8 meq</i>	2	MO
<i>alburx (human) 25 %</i>	2	MO	<i>lactated ringers intravenous</i>	2	MO
<i>alburx (human) 5 %</i>	2		<i>magnesium chloride injection</i>	2	MO
<i>albutein 25 %</i>	2		MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	3	
<i>albutein 5 %</i>	2		<i>magnesium sulfate in water intravenous parenteral solution</i>	2	
<i>buminate 5 %</i>	2		<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/50 ml (8 %)</i>	2	MO
<i>plasbumin 25 %</i>	2	MO	<i>magnesium sulfate in water intravenous piggyback 4 gram/100 ml (4 %)</i>	2	MO
<i>plasbumin 5 %</i>	2		<i>magnesium sulfate injection solution</i>	2	MO
ELECTROLYTE S			<i>magnesium sulfate injection syringe</i>	2	
<i>calcium acetate oral capsule</i>	2	MO	<i>NORMOSOL-R</i>	3	MO
<i>calcium acetate oral tablet 667 mg</i>	2	MO	<i>NORMOSOL-R IN 5 % DEXTROSE</i>	3	
<i>calcium chloride</i>	2		<i>potassium acetate intravenous solution 2 meq/ml</i>	2	
<i>calcium gluconate intravenous</i>	2	MO			
<i>effer-k oral tablet, effervescent 25 meq</i>	2	MO			
<i>klor-con</i>	2	MO			
<i>klor-con 10</i>	2	MO			
<i>klor-con 8</i>	2	MO			
<i>klor-con m10</i>	2	MO			
<i>klor-con m15</i>	2	MO			
<i>klor-con m20</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	2		<i>potassium chloride-0.45 % nacl</i>	2	
<i>potassium chloride-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	2	MO	<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride</i>	2	MO	<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2		<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	2		<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	2	MO	<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>	2	
<i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i>	2		<i>potassium phosphate m-l-d-basic ringer's intravenous</i>	2	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml</i>	2	MO	<i>sodium acetate</i>	2	
<i>potassium chloride in water intravenous piggyback 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2		<i>sodium bicarbonate intravenous solution 1 meq/ml (8.4 %)</i>	2	MO
			<i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %), 7.5 % (0.9 meq/ml)</i>	2	MO
			<i>sodium bicarbonate intravenous syringe 8.4 % (1 meq/ml)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits	Drug Name	Drug Tier	Requirements/Limits
sodium chloride 0.45 % intravenous parenteral solution	4	MO	AMINOSYN-PF 7 % (SULFITE-FREE)	3	B/D PA
sodium chloride 0.45 % intravenous piggyback	4		AMINOSYN-RF 5.2 %	3	B/D PA
sodium chloride 3 %	4	MO	CLINIMIX 5%/D15W SULFITE FREE	3	B/D PA
sodium chloride 5 %	4	MO	CLINIMIX 5%/D25W SULFITE-FREE	3	B/D PA
sodium chloride intravenous	4	MO	CLINIMIX 4.25%/D10W SULF FREE	3	B/D PA
sodium lactate intravenous	2		CLINIMIX 4.25%-D25W SULF-FREE	3	B/D PA
sodium phosphate	2	MO	CLINIMIX 5%-D20W(SULFITE-FREE)	3	B/D PA
MISCELLANEOUS NUTRITION PRODUCTS			cysteine (<i>l</i> -cysteine) intravenous solution	2	B/D PA
AMINOSYN 10 %	3	B/D PA	electrolyte-48 in d5w	2	
AMINOSYN 7 % WITH ELECTROLYTES	3	B/D PA	freamine iii 10 %	2	B/D PA
AMINOSYN 8.5 %	3	B/D PA	HEPATAMINE 8%	3	B/D PA
AMINOSYN 8.5 %- ELECTROLYTES	3	B/D PA	intralipid intravenous emulsion 20 %	4	B/D PA
AMINOSYN II 10 %	3	B/D PA	IONOSOL-MB IN D5W	3	
AMINOSYN II 15 %	3	B/D PA	ISOLYTE S PH 7.4	3	
AMINOSYN II 8.5 %	3	B/D PA	ISOLYTE-P IN 5 % DEXTROSE	3	
AMINOSYN II 8.5 %- ELECTROLYTES	3	B/D PA	ISOLYTE-S	3	
AMINOSYN M 3.5 %	3	B/D PA	NEPHRAMINE 5.4 %	3	B/D PA
AMINOSYN-HBC 7%	3	B/D PA	NORMOSOL-R PH 7.4	3	
AMINOSYN-PF 10 %	3	B/D PA			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements/Limits
PLASMA-LYTE 148	3	
PLASMA-LYTE A	3	
<i>plasmanate</i>	2	
<i>plenamine</i>	2	B/D PA
<i>premasol 10 %</i>	2	B/D PA; MO
PREMASOL 6 %	3	B/D PA
<i>travasol 10 %</i>	4	B/D PA; MO
TROPHAMINE 10 %	3	B/D PA; MO
TROPHAMINE 6%	3	B/D PA
VITAMINS / HEMATINICS		
<i>fluoride (sodium) oral tablet</i>	2	MO
<i>fluoride (sodium) oral tablet, chewable 1 mg (2.2 mg sod. fluoride)</i>	2	MO
<i>prenatal vitamin oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Index

<i>abacavir</i>	1	<i>alclometasone</i>	51	<i>amitriptyline</i>	34
<i>abacavir-lamivudine</i>	1	<i>alcohol pads</i>	56	<i>amlodipine</i>	41
<i>abacavir-lamivudine-zidovudine</i>	1	<i>ALDURAZYME</i>	60	<i>ammonium lactate</i>	48
<i>ABELCET</i>	1	<i>ALECENSA</i>	14	<i>amnesteem</i>	50
<i>ABILITY MAINTENA</i>	34	<i>alendronate</i>	53, 69	<i>amoxapine</i>	34
<i>abiraterone</i>	13	<i>alfuzosin</i>	80	<i>amoxicillin</i>	10
<i>ABRAXANE</i>	13	<i>ALIMTA</i>	14	<i>amoxicillin-pot clavulanate</i>	10, 11
<i>acamprosate</i>	53	<i>ALINIA</i>	8	<i>amphotericin b</i>	1
<i>acarbose</i>	56	<i>ALIQOPA</i>	14	<i>ampicillin</i>	11
<i>acebutolol</i>	41	<i>aliskiren</i>	41	<i>ampicillin sodium</i>	11
<i>acetaminophen-caff-dihydrocod</i>	29	<i>allopurinol</i>	68	<i>ampicillin-sulbactam</i>	11
<i>acetaminophen-codeine</i>	29	<i>allopurinol sodium</i>	69	<i>AMPYRA</i>	28
<i>acetazolamide</i>	75	<i>aloprim</i>	69	<i>anagrelide</i>	53
<i>acetazolamide sodium</i>	75	<i>alosetron</i>	62	<i>anastrozole</i>	14
<i>acetic acid</i>	53, 55	<i>ALPHAGAN P</i>	76	<i>ANDROGEL</i>	60
<i>acetylcysteine</i>	52, 76	<i>alprostadiol</i>	80	<i>APOKYN</i>	27
<i>acitretin</i>	48	<i>altavera (28)</i>	72	<i>apraclonidine</i>	76
<i>ACTEMRA</i>	69	<i>ALUNBRIG</i>	14	<i>aprepitant</i>	63
<i>ACTEMRA ACTPEN</i>	69	<i>alyacen 1/35 (28)</i>	72	<i>apri</i>	72
<i>ACTHIB (PF)</i>	67	<i>alyq</i>	77	<i>APTIOM</i>	24
<i>ACTIMMUNE</i>	65	<i>amantadine hcl</i>	2	<i>APTIVUS</i>	2
<i>acyclovir</i>	1, 51	<i>AMBISOME</i>	1	<i>ARALAST NP</i>	53
<i>acyclovir sodium</i>	1	<i>ambrisentan</i>	77	<i>aranelle (28)</i>	72
<i>ADACEL(TDAP</i>		<i>amethyst (28)</i>	72	<i>ARCALYST</i>	65
<i>ADOLESN/ADULT)(PF)</i>	67	<i>AMICAR</i>	44	<i>ARCAPTA NEOHALER</i>	77
<i>ADASUVE</i>	34	<i>amikacin</i>	8	<i>ARIKAYCE</i>	8
<i>adefovir</i>	2	<i>amiloride</i>	41	<i>ariPIPrazole</i>	34
<i>ADEMPAS</i>	76	<i>amiloride-hydrochlorothiazide</i>	41	<i>ARISTADA</i>	34
<i>adenosine</i>	40	<i>aminocaproic acid</i>	44	<i>ARISTADA INITIO</i>	34
<i>adrenalin</i>	76	<i>aminophylline</i>	77	<i>armodafinil</i>	34
<i>adriamycin</i>	13, 14	<i>AMINOSYN 10 %</i>	83	<i>ARRANON</i>	14
<i>ADRIAMYCIN</i>	13	<i>AMINOSYN 7 % WITH ELECTROLYTES</i>	83	<i>ARSENIC TRIOXIDE</i>	14
<i>adrucil</i>	14	<i>AMINOSYN 8.5 %</i>	83	<i>ARZERRA</i>	14
<i>ADVAIR DISKUS</i>	76	<i>AMINOSYN 8.5 %-ELECTROLYTES</i>	83	<i>ASMANEX HFA</i>	77
<i>AFINITOR</i>	14	<i>AMINOSYN II 10 %</i>	83	<i>ASMANEX</i>	
<i>AFINITOR DISPERZ</i>	14	<i>AMINOSYN II 15 %</i>	83	<i>TWISTHALER</i>	77
<i>ak-poly-bac</i>	74	<i>AMINOSYN II 8.5 %</i>	83	<i>atazanavir</i>	2
<i>ala-cort</i>	51	<i>AMINOSYN II 8.5 %-ELECTROLYTES</i>	83	<i>atenolol</i>	41
<i>albendazole</i>	8	<i>AMINOSYN M 3.5 %</i>	83	<i>atomoxetine</i>	34
<i>ALBENZA</i>	8	<i>AMINOSYN-HBC 7%</i>	83	<i>atorvastatin</i>	45
<i>albumin, human 25 %</i>	81	<i>AMINOSYN-PF 10 %</i>	83	<i>atovaquone</i>	8
<i>alburx (human) 25 %</i>	81	<i>AMINOSYN-PF 7 % (SULFITE-FREE)</i>	83	<i>atovaquone-proguanil</i>	8
<i>alburx (human) 5 %</i>	81	<i>AMINOSYN-RF 5.2 %</i>	83	<i>ATRIPLA</i>	2
<i>albutein 25 %</i>	81	<i>amiodarone</i>	40	<i>atropine</i>	62, 74
<i>albutein 5 %</i>	81			<i>ATROVENT HFA</i>	77
<i>albuterol sulfate</i>	76			<i>aubra</i>	72
				<i>aubra eq</i>	72
				<i>AUGMENTIN</i>	11

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

AVASTIN	14	bisoprolol-		CARBAGLU	53
aviane	72	hydrochlorothiazide	41	carbamazepine	24
AVONEX	65, 66	bleomycin	14	carbidopa	27
AVONEX (WITH ALBUMIN)	65	BLEPHAMIDE	74	carbidopa-levodopa	27
azacitidine	14	BLEPHAMIDE S.O.P.	74	carbocaine (pf)	48
azathioprine	14	BLINCYTO	14	carboplatin	15
azathioprine sodium	14	BOOSTRIX TDAP	67	cardioplegic soln	46
azelastine	55, 74	BORTEZOMIB	14	carmustine	15
azithromycin	7	bosentan	77	carteolol	74
aztreonam	8	BOSULIF	15	cartia xt	41
azurette (28)	72	BOTOX	67	carvedilol	41
bacitracin	8, 74	BRAFTOVI	15	carvedilol phosphate	41
bacitracin-polymyxin b	74	BRILINTA	44	caspofungin	1
baclofen	29	brimonidine	76	CAYSTON	8
balanced salt	74	BRIVIACT	24	caziant (28)	72
balsalazide	63	bromfenac	75	cefaclor	5, 6
BALVERSA	14	bromocriptine	27	cefadroxil	6
BANZEL	24	bss	74	cefazolin	6
BAQSIMI	56	budesonide	63, 77	cefazolin in dextrose (iso-os)	6
BARACLUDE	2	bumetanide	41	cefdinir	6
BAVENCIO	14	buminate 5 %	81	cefepime	6
BCG VACCINE, LIVE (PF)	67	buprenorphine	30	CEFEPIME IN	
bekyree (28)	72	buprenorphine hcl	29	DEXTROSE 5 %	6
BELEODAQ	14	buprenorphine-naloxone	32	cefepime in dextrose, iso-osm	6
benazepril	41	bupropion hcl	34	cefixime	6
BENDEKA	14	bupropion hcl (smoking		cefotaxime	6
BENLYSTA	69	deter)	54	cefotetan	6
BENZNIDAZOLE	8	buspirone	34	CEFOTETAN IN	
benztropine	27	busulfan	15	DEXTROSE, ISO-OSM	6
BESPONSA	14	butorphanol tartrate	32, 33	cefoxitin	6
betamethasone acet,sod phos..	55	BYDUREON	56	cefoxitin in dextrose, iso-osm	6
betamethasone dipropionate	51	BYDUREON BCISE	56	cefpodoxime	6
betamethasone valerate	51	BYETTA	56	ceprozil	6
betamethasone, augmented	51	cabergoline	60	ceftazidime	6
BETASERON	66	CABLIVI	44	CEFTAZIDIME IN D5W	6
bethanechol chloride	80	CABOMETYX	15	ceftriaxone	6, 7
BETHKIS	8	caffeine citrate	53	CEFTRIAXONE	7
bexarotene	14	calcipotriene	48	ceftriaxone in dextrose, iso-os	6
BEXZERO	67	calcipotriene-betamethasone	48	cefuroxime axetil	7
bicalutamide	14	calcitonin (salmon)	60	cefuroxime sodium	7
BICILLIN C-R	11	calcitriol	48, 60	celecoxib	33
BICILLIN L-A	11	calcium acetate	81	CELONTIN	24
BICNU	14	calcium chloride	81	cephalexin	7
BIKTARVY	2	calcium gluconate	81	CEPROTIN (BLUE BAR)	44
BILTRICIDE	8	CALQUENCE	15	CEPROTIN (GREEN BAR)	44
bimatoprost	75	camila	71	CERDELGA	60
bisoprolol fumarate	41	candesartan	41	CEREZYME	60
		CAPASTAT	8	cetirizine	76
		CAPRELSA	15	cevimeline	53

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

CHANTIX	54	CLINIMIX 5%/D25W	83	cyclobenzaprine	29
CHANTIX CONTINUING		SULFITE-FREE	83	cyclophosphamide	15
MONTH BOX	54	CLINIMIX 4.25%/D10W		CYCLOSET	56
CHANTIX STARTING		SULF FREE	83	cyclosporine	15
MONTH BOX	54	CLINIMIX 4.25%/D5W		cyclosporine modified	15
<i>chateal</i> (28)	72	SULFIT FREE	53	CYRAMZA	15
CHEMET	53	CLINIMIX 4.25%-D25W		cyred	72
CHENODAL	63	SULF-FREE	83	cyred eq	72
<i>chloramphenicol sod succinate</i>	8	CLINIMIX 5%-		CYSTADANE	63
<i>chlorhexidine gluconate</i>	55	D20W(SULFITE-FREE)	83	CYSTAGON	80
<i>chlorprocaine (pf)</i>	48	clobazam	24	CYSTARAN	74
<i>chloroquine phosphate</i>	8	clobetasol-emollient	51	cysteine (<i>l-cysteine</i>)	83
<i>chlorothiazide</i>	41	clofarabine	15	cytarabine	15
<i>chlorothiazide sodium</i>	41	clomiphene citrate	60	cytarabine (pf)	15, 16
<i>chlorpromazine</i>	34	clomipramine	35	<i>d10 %-0.45 % sodium chloride</i>	53
<i>chlorthalidone</i>	41	clonazepam	24	<i>d2.5 %-0.45 % sodium</i>	
CHOLBAM	63	clonidine	41	chloride	53
<i>cholestyramine (with sugar)</i>	45	clonidine (pf)	33, 41	<i>d5 % and 0.9 % sodium</i>	
<i>cholestyramine light</i>	45	clonidine hcl	35, 41	chloride	53
ciclodan	50	clopidogrel	44	<i>d5 %-0.45 % sodium chloride</i>	53
ciclopirox	50	clorazepate dipotassium	35	dacarbazine	16
cidofovir	2	clotrimazole	1, 51	dactinomycin	16
cilostazol	44	clozapine	35	dalfampridine	28
CIMDUO	2	COARTEM	8	DALIRESP	77
cimetidine	65	COLCRYS	69	danazol	60
cimetidine hcl	65	colesevelam	45	dantrolene	29
cinacalcet	60	colestipol	45	dapsone	8, 50
CINRYZE	77	colistin (<i>colistimethate na</i>)	8	DAPTACEL (DTAP	
CINVANTI	63	colocort	63	PEDIATRIC) (PF)	67
CIPRODEX	55	COMBIVENT RESPIMAT	77	DAPTOMYCIN	9
ciprofloxacin	12	COMETRIQ	15	<i>daptomycin</i>	9
ciprofloxacin hcl	12, 55, 74	COMPLERA	2	DARAPRIM	9
ciprofloxacin in 5 % dextrose	12	compro	63	DARZALEX	16
cisplatin	15	constulose	63	daunorubicin	16
citalopram	34	COPIKTRA	15	DAURISMO	16
cladribine	15	CORLANOR	46, 47	DDAVP	60
claravis	50	CORTIFOAM	63	<i>deblitane</i>	71
clarithromycin	7	cortisone	55	<i>decadron</i>	55
clindamycin hcl	8	COSMEGEN	15	<i>decitabine</i>	16
CLINDAMYCIN IN 0.9 %		COTELLIC	15	<i>deferasirox</i>	53
SOD CHLOR	8	CREON	63	<i>deferoxamine</i>	53
clindamycin in 5 % dextrose	8	CRESEMBA	1	DELSTRIGO	2
clindamycin palmitate hcl	8	CRIXIVAN	2	<i>delyla</i> (28)	72
clindamycin pediatric	8	cromolyn	63, 74, 77	<i>demeocycline</i>	12
clindamycin phosphate	8, 50, 71	cryselle (28)	72	DEM SER	41
CLINDAMYCIN		CRYSVITA	60	DENAVIR	51
PHOSPHATE	50	CUPRIMINE	69	<i>denta 5000 plus</i>	55
CLINIMIX 5%/D15W		<i>cyclafem 1/35</i> (28)	72	<i>dentagel</i>	55
SULFITE FREE	83	<i>cyclafem 7/7/7</i> (28)	72	DEPEN TITRATABS	69

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

DEPO-PROVERA	71	didanosine	2	DUPIXENT	49
DESCOVY	2	disflunisal	33	duramorph (pf)	30
desipramine	35	digitek	47	e.e.s. 400	7
desmopressin	60	digox	47	ec-naproxen	33
desog-e.estradiol/e.estriadiol	72	digoxin	47	econazole	51
desogestrel-ethinyl estradiol	72	dihydroergotamine	27	EDURANT	2
desonide	52	DILANTIN 30 MG	25	efavirenz	2
desvenlafaxine succinate	35	diltiazem hcl	41, 42	effer-k	81
dexamethasone	55	dilt-xr	42	ELAPRASE	60
dexamethasone intensol	55	dimenhydrinate	63	electrolyte-48 in d5w	83
dexamethasone sodium phos (pf)	55	DIPENTUM	63	eletriptan	27
dexamethasone sodium phosphate	55, 75	diphenhydramine hcl	76	elinest	72
dexrazoxane hcl	13	diphenoxylate-atropine	62	ELIQUIS	44
dextroamphetamine	35	dipyridamole	44	ELITEK	13
dextroamphetamine- amphetamine	35	disulfiram	53	ELMIRON	80
dextrose 10 % and 0.2 % nacl ..	53	divalproex	25	EMCYT	16
dextrose 10 % in water (d10w)	53	dobutamine	47	EMEND	63
dextrose 20 % in water (d20w)	53	dobutamine in d5w	47	emoquette	72
dextrose 25 % in water (d25w)	53	docetaxel	16	EMPLICITI	16
dextrose 30 % in water (d30w)	53	DOCETAXEL	16	EMSAM	35
dextrose 40 % in water (d40w)	53	dofetilide	40	EMTRIVA	2
dextrose 5 % in water (d5w) ..	53	donepezil	28	EMVERM	9
dextrose 5 %-lactated ringers ..	53	dopamine	47	enalapril maleate	42
dextrose 5%-0.2 % sod chloride	53	dopamine in 5 % dextrose	47	enalaprilat	42
dextrose 5%-0.3 % sod.chloride	53	DOPTELET (10 TAB PACK)	44	enalapril-hydrochlorothiazide ..	42
dextrose 50 % in water (d50w)	53	DOPTELET (15 TAB PACK)	44	ENBREL	69
dextrose 70 % in water (d70w)	53	DOPTELET (30 TAB PACK)	44	ENBREL MINI	69
dextrose with sodium chloride ..	53	dorzolamide	75	ENBREL SURECLICK	69
DIASTAT	24	dorzolamide-timolol	75	endocet	30
DIASTAT ACUDIAL	24	dorzolamide-timolol (pf)	75	ENGERIX-B (PF)	67
diazepam	24, 35	dotti	71	ENGERIX-B PEDIATRIC (PF)	67
diazepam intensol	35	DOVATO	2	enoxaparin	44
diclofenac potassium	33	doxazosin	42	enpresso	72
diclofenac sodium	33, 49, 75	doxepin	35, 49	enskyce	72
diclofenac-misoprostol	33	doxercalciferol	60	entacapone	27
dicloxacillin	11	doxorubicin	16	entecavir	2
dicyclomine	62	doxorubicin, peg-liposomal	16	ENTRESTO	47
		doxy-100	12	ENTYVIO	63
		doxycycline hyclate	12	enulose	63
		doxycycline monohydrate	12	EPCLUSIA	2
		dronabinol	63	EPIDIOLEX	25
		droperidol	63	epinastine	74
		drospirenone-ethinyl estradiol ..	72	EPINEPHRINE	76
		DROXIA	16	epinephrine	76
		DULERA	77	EPIPEN	76
		duloxetine	35	EPIPEN 2-PAK	76
				EPIPEN JR	76
				EPIPEN JR 2-PAK	76

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<i>epirubicin</i>	16	<i>famotidine (pf)</i>	65	<i>fluorouracil</i>	17, 49
<i>epitol</i>	25	<i>famotidine (pf)-nacl (iso-os)</i>	65	<i>fluoxetine</i>	36
EPIVIR HBV	2	FANAPT	35, 36	<i>fluphenazine decanoate</i>	36
<i>eplerenone</i>	42	FARESTON	16	<i>fluphenazine hcl</i>	36
<i>epoprostenol (glycine)</i>	42	FARYDAK	16	<i>flurbiprofen</i>	33
<i>eprosartan</i>	42	FASENRA	78	<i>flurbiprofen sodium</i>	75
ERBITUX	16	FASLODEX	16	<i>flutamide</i>	17
<i>ergoloid</i>	35	<i>fayosim</i>	72	<i>fluticasone propionate</i>	78
<i>ergotamine-caffeine</i>	27	FAZACLO	36	<i>fluvoxamine</i>	36
ERIVEDGE	16	<i>febuxostat</i>	69	FOLOTYN	17
ERLEADA	16	<i>felbamate</i>	25	<i>fomepizole</i>	67
<i>erlotinib</i>	16	<i>felodipine</i>	42	<i>fondaparinux</i>	44
<i>errin</i>	71	<i>femynor</i>	72	<i>fosamprenavir</i>	3
<i>ertapenem</i>	9	<i>fenofibrate</i>	46	<i>fosinopril-hydrochlorothiazide</i>	42
ERWINAZE	16	<i>fenofibrate micronized</i>	46	<i>fosphenytoin</i>	25
<i>ery-tab</i>	7	<i>fenofibrate nanocrystallized</i>	46	<i>freamine iii 10 %</i>	83
ERY-TAB	7	<i>fenofibric acid</i>	46	FULPHILA	66
ERYTHROCIN	8	<i>fenofibric acid (choline)</i>	46	<i>furosemide</i>	42
<i>erythrocin (as stearate)</i>	7	<i>fenoprofen</i>	33	FUZEON	3
<i>erythromycin</i>	8, 74	<i>fentanyl</i>	30	FYCOMPA	25
<i>erythromycin ethylsuccinate</i>	8	<i>fentanyl citrate</i>	30	<i>gabapentin</i>	25
<i>erythromycin with ethanol</i>	50	<i>fentanyl citrate (pf)</i>	30	<i>galantamine</i>	28
ESBRIET	78	FENTANYL CITRATE (PF)	30	GAMASTAN	67
<i>escitalopram oxalate</i>	35	FERRIPROX	53	GAMASTAN S/D	67
<i>esmolol</i>	42	FETZIMA	36	<i>ganciclovir sodium</i>	3
<i>esomeprazole magnesium</i>	65	<i>finasteride</i>	80	GARDASIL 9 (PF)	67
<i>esomeprazole sodium</i>	65	FIRAZYR	78	<i>gatifloxacin</i>	74
<i>estarrylla</i>	72	FIRDAPSE	28	GATTEX 30-VIAL	63
<i>estradiol</i>	71	FIRMAGON KIT W		GATTEX ONE-VIAL	63
<i>estradiol valerate</i>	71	DILUENT SYRINGE	16	GAUZE PAD	56
<i>estradiol-norethindrone acet</i>	71	<i>flavoxate</i>	80	<i>gavilyte-c</i>	63
<i>eszopiclone</i>	35	<i>flecainide</i>	40	<i>gavilyte-g</i>	63
<i>ethacrynat e sodium</i>	42	<i>flouxuridine</i>	17	<i>gavilyte-n</i>	63
<i>ethacrylic acid</i>	42	<i>fluconazole</i>	1	GAZYVA	17
<i>ethambutol</i>	9	<i>fluconazole in nacl (iso-osm)</i>	1	<i>gemcitabine</i>	17
<i>ethosuximide</i>	25	<i>flucytosine</i>	1	GEMCITABINE	17
<i>ethynodiol diac-eth estradiol</i>	72	<i>fludarabine</i>	17	<i>gemfibrozil</i>	46
<i>etidronate disodium</i>	53	<i>fludrocortisone</i>	55	<i>generlac</i>	63
ETOPOPHOS	16	<i>flumazenil</i>	36	<i>gengraf</i>	17
<i>etoposide</i>	16	<i>flunisolide</i>	78	<i>gentak</i>	74
EVOTAZ	2	<i>fluocinolone</i>	52	<i>gentamicin</i>	9, 50, 74
<i>exemestane</i>	16	<i>fluocinolone acetonide oil</i>	55	<i>gentamicin in nacl (iso-osm)</i>	9
EYLEA	75	<i>fluocinolone and shower cap</i>	52	<i>gentamicin sulfate (ped) (pf)</i>	9
<i>ezetimibe</i>	46	<i>fluocinonide</i>	52	GENVOYA	3
<i>ezetimibe-simvastatin</i>	46	<i>fluocinonide-e</i>	52	GEODON	36
FABRAZYME	60	<i>fluocinonide-emollient</i>	52	<i>gianvi (28)</i>	72
<i>falmina (28)</i>	72	<i>fluoride (sodium)</i>	84	GILENYA	28
<i>famciclovir</i>	3	<i>fluorometholone</i>	75	GILOTrif	17
<i>famotidine</i>	65			<i>glatiramer</i>	28

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<i>glatopa</i>	28	HUMALOG MIX	75-25	<i>hydroxyurea</i>	17
GLEOSTINE	17	KWIKPEN	57	<i>hydroxyzine hcl</i>	76
<i>glimepiride</i>	56, 57	HUMALOG MIX 75-25(U-100)INSULN	57	HYPERHEP B S/D	67
<i>glipizide</i>	57	HUMALOG U-100		HYPERHEP B S-D	
GLUCAGEN HYPOKIT	57	INSULIN	57	NEONATAL	67
GLUCAGON		HUMIRA	70	HYQVIA	68
EMERGENCY KIT (HUMAN)	57	HUMIRA PEDIATRIC		<i>ibandronate</i>	69
<i>glycine urologic</i>	80	CROHNS START	70	IBRANCE	17
<i>glycine urologic solution</i>	80	HUMIRA PEN	70	<i>ibu</i>	33
<i>glycopyrrolate</i>	62	HUMIRA PEN CROHNS-UC-HS START	70	<i>ibuprofen</i>	33
<i>glydo</i>	49	HUMIRA PEN PSOR-UVETS-ADOL HS	70	<i>ibuprofen-oxycodone</i>	31
<i>granisetron (pf)</i>	63	HUMIRA(CF)	70	<i>ibutilide fumarate</i>	40
<i>granisetron hcl</i>	63	HUMIRA(CF) PEDI		<i>icatibant</i>	78
GRANIX	66	CROHNS STARTER	70	ICLUSIG	17
<i>griseofulvin microsize</i>	1	HUMIRA(CF) PEN	70	<i>idarubicin</i>	17
<i>griseofulvin ultramicrosize</i>	1	HUMIRA(CF) PEN		IDHIFA	17
<i>guanidine</i>	36	CROHNS-UC-HS	70	<i>ifosfamide</i>	17
HAEGARDA	78	HUMIRA(CF) PEN PSOR-UV-ADOL HS	70	ILARIS (PF)	66
HALAVEN	17	HUMULIN 70/30 U-100		<i>imatinib</i>	17
<i>halobetasol propionate</i>	52	INSULIN	57	IMBRUICA	17, 18
<i>haloperidol</i>	36	HUMULIN 70/30 U-100		IMFINZI	18
<i>haloperidol decanoate</i>	36	KWIKPEN	57	<i>imipenem-cilastatin</i>	9
<i>haloperidol lactate</i>	36	HUMULIN N NPH		<i>imipramine hcl</i>	36
HARVONI	3	INSULIN KWIKPEN	57	<i>imipramine pamoate</i>	36
HAVRIX (PF)	67	HUMULIN N NPH U-100		<i>imiquimod</i>	49
<i>heather</i>	71	INSULIN	57	IMOVA RABIES	
<i>heparin (porcine)</i>	45	HUMULIN R REGULAR		VACCINE (PF)	68
<i>heparin (porcine) in 5 % dex..</i>	45	U-100 INSULN	57	IMPAVIDO	9
<i>heparin (porcine) in nacl (pf)</i>	45	HUMULIN R U-500		<i>incassia</i>	71
HEPARIN(PORCINE) IN 0.45% NACL	45	(CONC) INSULIN	57	INCRELEX	53
<i>heparin(porcine) in 0.45% nacl</i>	45	HUMULIN R U-500		INCRUSE ELLIPTA	78
<i>heparin, porcine (pf)</i>	45	(CONC) KWIKPEN	57	<i>indapamide</i>	42
HEPATAMINE 8%	83	hydralazine	42	INFANRIX (DTAP) (PF)	68
HERCEPTIN	17	hydrochlorothiazide	42	INFUGEM	18
HERCEPTIN HYLECTA	17	hydrocodone-acetaminophen	30	INLYTA	18
HETLIOZ	36	hydrocodone-ibuprofen	30	INREBIC	18
HIBERIX (PF)	67	hydrocortisone	52, 55, 63	INSULIN PEN NEEDLE	57
HIZENTRA	67	hydrocortisone butyrate	52	INSULIN SYRINGE	
HUMALOG JUNIOR		hydrocortisone-acetic acid	55	(DISP) U-100	57
KWIKPEN U-100	57	hydrocortisone-pramoxine	63	INTELENCE	3
HUMALOG KWIKPEN		hydromorphone	30, 31	<i>intralipid</i>	83
INSULIN	57	hydromorphone (pf)	30	INTRON A	66
HUMALOG MIX 50-50		hydroxychloroquine	9	<i>introvale</i>	72
INSULN U-100	57	hydroxyprogesterone		INVANZ	9
HUMALOG MIX 50-50		caproate	71	INVEGA SUSTENNA	36, 37
KWIKPEN	57			INVEGA TRINZA	37
				INVIRASE	3
				INVOKAMET	57
				INVOKAMET XR	57, 58

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

INVOKANA	58	KEPIVANCE	13	LENVIMA	19
IONOSOL-MB IN D5W	83	<i>ketoconazole</i>	1, 51	<i>lessina</i>	72
IPOL	68	<i>ketoprofen</i>	33	LETAIRIS	78
<i>ipratropium bromide</i>	55, 78	<i>ketorolac</i>	75	<i>letrozole</i>	19
<i>ipratropium-albuterol</i>	78	KEYTRUDA	18	<i>leucovorin calcium</i>	13
IRESSA	18	KHAPZORY	13	LEUKERAN	19
<i>irinotecan</i>	18	KHEDEZLA	37	LEUKINE	66
ISENTRESS	3	KINRIX (PF)	68	<i>leuprolide</i>	19
ISENTRESS HD	3	<i>kionex (with sorbitol)</i>	53	<i>levalbuterol hcl</i>	78
<i>isibloom</i>	72	KISQALI	18	<i>levetiracetam</i>	25, 26
ISOLYTE S PH 7.4	83	KISQALI FEMARA CO- PACK	18	<i>levetiracetam in nacl (iso-os)</i>	25
ISOLYTE-P IN 5 %		<i>klor-con</i>	81	<i>levobunolol</i>	74
DEXTROSE	83	<i>klor-con 10</i>	81	<i>levocarnitine</i>	53
ISOLYTE-S	83	<i>klor-con 8</i>	81	<i>levocarnitine (with sugar)</i>	53
<i>isoniazid</i>	9	<i>klor-con m10</i>	81	<i>levocetirizine</i>	76
<i>isosorbide dinitrate</i>	48	<i>klor-con m15</i>	81	<i>levofloxacin</i>	12, 74
<i>isosorbide mononitrate</i>	48	<i>klor-con m20</i>	81	<i>levofloxacin in d5w</i>	12
<i>isotretinooin</i>	50	<i>klor-con sprinkle</i>	81	<i>levoleucovorin calcium</i>	13
<i>isradipine</i>	42	<i>klor-con/ef</i>	81	<i>levonest (28)</i>	72
ISTODAX	18	KORLYM	60	<i>levonorgestrel-ethinyl estrad</i>	73
<i>itraconazole</i>	1	K-PHOS NO 2	80	<i>levonorg-eth estrad triphasic</i>	73
<i>ivermectin</i>	9	K-PHOS ORIGINAL	80	<i>levorphanol tartrate</i>	31
IXEMPRA	18	KRYSTEXXA	69	<i>levothyroxine</i>	62
IXIARO (PF)	68	<i>k-tab</i>	81	<i>levoxyl</i>	62
JADENU	53	<i>kurvelo (28)</i>	72	LEXIVA	3
JADENU SPRINKLE	53	KUVAN	60	LIBTAYO	19
JAKAFI	18	KYPROLIS	18	<i>lidocaine</i>	49
<i>jantoven</i>	45	<i>l norgestrel-estradiol-e.estrad</i>	72	<i>lidocaine (pf) in d7.5w</i>	40
JANUMET	58	<i>labetalol</i>	42	<i>lidocaine (pf)</i>	40, 49
JANUMET XR	58	<i>lactated ringers</i>	52, 81	<i>lidocaine hcl</i>	49
JANUVIA	58	<i>lactulose</i>	63	<i>lidocaine in 5 % dextrose (pf)</i>	40
JARDIANCE	58	<i>lamivudine</i>	3	<i>lidocaine viscous</i>	49
<i>jasmiel (28)</i>	72	<i>lamivudine-zidovudine</i>	3	<i>lidocaine-epinephrine</i>	49
<i>jencycla</i>	71	<i>lamotrigine</i>	25	<i>lidocaine-prilocaine</i>	49
JENTADUETO	58	LANOXIN	47	<i>lillow (28)</i>	73
JENTADUETO XR	58	<i>lanthanum</i>	53	<i>lincomycin</i>	9
JETREA (PF)	75	LANTUS SOLOSTAR U- 100 INSULIN	58	<i>lindane</i>	52
JEVTANA	18	LANTUS U-100 INSULIN	58	<i>linezolid</i>	9
<i>jolessa</i>	72	<i>larin 1.5/30 (21)</i>	72	<i>linezolid in dextrose 5%</i>	9
<i>juleber</i>	72	<i>larin 1/20 (21)</i>	72	<i>linezolid-0.9% sodium</i>	
JULUCA	3	<i>larin fe 1.5/30 (28)</i>	72	<i>chloride</i>	9
JUXTAPID	46	<i>larin fe 1/20 (28)</i>	72	LINZESS	63
KADCYLA	18	<i>larissia</i>	72	LIORESAL	29
KALETRA	3	<i>latanoprost</i>	75	<i>liothyronine</i>	62
KALYDECO	78	LATUDA	37	<i>lisinopril</i>	42
KANUMA	60	<i>leflunomide</i>	70	<i>lisinopril-hydrochlorothiazide</i>	42
<i>kariva (28)</i>	72	LEMTRADA	28	<i>lithium carbonate</i>	37
<i>kelnor 1/35 (28)</i>	72			<i>lithium citrate</i>	37
<i>kelnor 1-50</i>	72				

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

LOKELMA	53	meclofenamate	33	metoclopramide hcl	63, 64
LONSURF	19	medroxyprogesterone	71	metolazone	42
loperamide	62	mefenamic acid	33	metoprolol succinate	42
lopinavir-ritonavir	3	mefloquine	9	metoprolol ta-	
lorazepam	37	megestrol	19	hydrochlorothiaz	42
lorazepam intensol	37	MEKINIST	19	metoprolol tartrate	42
LORBRENA	19	MEKTOVI	19	metro i.v.	9
loracet (hydrocodone)	31	meloxicam	33	metronidazole	9, 50, 71
loracet hd	31	melphalan	19	metronidazole in nacl (iso-os)	9
loracet plus	31	melphalan hcl	19	mexiletine	40
loryna (28)	73	memantine	28	MIACALCIN	60
losartan	42	MENACTRA (PF)	68	miconazole-3	71
losartan-hydrochlorothiazide	42	MENEST	71	microgestin 1.5/30 (21)	73
low-ogestrel (28)	73	MENVEO A-C-Y-W-135-		microgestin 1/20 (21)	73
loxapine succinate	37	DIP (PF)	68	microgestin fe 1.5/30 (28)	73
LUCENTIS	75	MEPSEVII	60	microgestin fe 1/20 (28)	73
LUMIZYME	60	mercaptopurine	19	midodrine	53, 54
LUMOXITI	19	meropenem	9	migergot	27
LUPRON DEPOT	19	MEROPENEM-0.9%		miglitol	58
LUPRON DEPOT (3 MONTH)	19	SODIUM CHLORIDE	9	miglustat	60
LUPRON DEPOT (4 MONTH)	19	mesalamine	63	millipred	56
LUPRON DEPOT (6 MONTH)	19	mesalamine with cleansing		millipred dp	56
LUPRON DEPOT-PED	19	wipe	63	milrinone	47
LUPRON DEPOT-PED (3 MONTH)	19	mesna	13	milrinone in 5 % dextrose	47
lutera (28)	73	MESNEX	13	minocycline	12
LYNPARZA	19	MESTINON	29	minoxidil	42
LYRICA	26	metadate er	37	miostat	75
LYSODREN	19	metaproterenol	78	MIRENA	71
lyza	71	metformin	58	mirtazapine	38
mafenide acetate	50	methadone	31	misoprostol	65
magnesium chloride	81	methadone intensol	31	MITIGARE	69
magnesium sulfate	81	methadose	31	mitomycin	20
MAGNESIUM SULFATE IN D5W	81	methazolamide	75	mitoxantrone	20
magnesium sulfate in water	81	methenamine hippurate	13	M-M-R II (PF)	68
malathion	52	methenamine mandelate	13	modafinil	38
mannitol 20 %	42	methergine	73	molindone	38
mannitol 25 %	42	methimazole	56	mometasone	52, 78
maprotiline	37	methotrexate sodium	19	mondoxyne nl	13
marlissa (28)	73	methotrexate sodium (pf)	19	montelukast	78
MARPLAN	37	methoxsalen	49	morgidox	13
MARQIBO	19	methyclothiazide	42	morphine	31, 32
MATULANE	19	methyldopa	42	morphine (pf)	31
matzim la	42	methylergonovine	74	morphine concentrate	31
meclizine	63	methylphenidate hcl	38	MOVANTIK	64
		methylprednisolone	55	moxifloxacin	12, 74
		methylprednisolone acetate	55	MOXIFLOXACIN-SOD.ACE,SUL-WATER	12
		methylprednisolone sodium		moxifloxacin-	
		succ	56	sod.chloride(iso)	12
		methyltestosterone	60		

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

MOZOBIL	66	NEUPRO	27	nyamyc	51
MULPLETA	45	<i>nevirapine</i>	3, 4	nystatin	1, 51
<i>mupirocin</i>	50	NEXAVAR	20	nystatin-triamcinolone	51
<i>mupirocin calcium</i>	50	NEXPLANON	71	<i>nystop</i>	51
MYALEPT	60	<i>niacin</i>	46	OCALIVA	64
MYCAMEINE	1	<i>nicardipine</i>	43	OCREVUS	29
<i>mycophenolate mofetil</i>	20	NICOTROL	55	<i>octreotide acetate</i>	20
<i>mycophenolate mofetil hcl</i>	20	NICOTROL NS	55	ODEFSEY	4
<i>mycophenolate sodium</i>	20	<i>nifedipine</i>	43	ODOMZO	20
MYLOTARG	20	<i>nikki (28)</i>	73	OFEV	78
<i>myorisan</i>	50	<i>nilutamide</i>	20	<i>ofloxacin</i>	12, 55, 74
MYRBETRIQ	80	<i>nimodipine</i>	43	<i>ogestrel (28)</i>	73
<i>nabumetone</i>	33	NINLARO	20	<i>okebo</i>	13
<i>nadolol</i>	43	<i>nisoldipine</i>	43	<i>olanzapine</i>	38
<i>nadolol-bendroflumethiazide</i>	43	<i>nitro-bid</i>	48	<i>olanzapine-fluoxetine</i>	38
<i>nafcillin</i>	11	<i>nitrofurantoin</i>	13	<i>olopatadine</i>	55, 75
<i>nafcillin in dextrose iso-osm</i>	11	<i>nitrofurantoin macrocrystal</i>	13	<i>omeprazole</i>	65
NAGLAZYME	60	<i>nitrofurantoin monohydm-cryst</i>	13	OMNITROPE	66
<i>nalbuphine</i>	33	<i>nitroglycerin</i>	48	ONCASPAR	20
<i>naloxone</i>	33	<i>nitroglycerin in 5 % dextrose</i>	48	<i>ondansetron</i>	64
<i>naltrexone</i>	33	<i>nizatidine</i>	65	<i>ondansetron hcl</i>	64
NAMZARIC	28	<i>nolix</i>	52	<i>ondansetron hcl (pf)</i>	64
<i>naproxen</i>	33	<i>nora-be</i>	71	ONFI	26
<i>naratriptan</i>	27	<i>norepinephrine bitartrate</i>	47	ONIVYDE	20
NARCAN	33	<i>norethindrone (contraceptive)</i>	71	OPDIVO	20
NATACYN	74	<i>norethindrone acetate</i>	71	<i>opium tincture</i>	62
<i>nateglinide</i>	58	<i>norethindrone ac-eth estradiol</i>	71, 73	OPSUMIT	78
NATPARA	61	<i>norgestimate-ethinyl estradiol</i>	73	<i>oralone</i>	55
NEBUPENT	9	<i>norlyda</i>	71	ORENCIA	70
NEEDLES, INSULIN		<i>norlyroc</i>	71	ORENCIA (WITH MALTOSE)	70
DISP.,SAFETY	59	NORMOSOL-R	81	ORENCIA CLICKJECT	70
<i>nefazodone</i>	38	NORMOSOL-R IN 5 %		ORFADIN	54
<i>neomycin</i>	9	DEXTROSE	81	ORKAMBI	78
<i>neomycin-bacitracin-poly-hc</i>	75	NORMOSOL-R PH 7.4	83	<i>orsythia</i>	73
<i>neomycin-bacitracin-</i>		NORTHERA	54	<i>oseltamivir</i>	4
<i>polymyxin</i>	74	<i>nortrel 0.5/35 (28)</i>	73	<i>osmitrol 15 %</i>	43
<i>neomycin-polymyxin b gu</i>	53	<i>nortrel 1/35 (21)</i>	73	<i>osmitrol 20 %</i>	43
<i>neomycin-polymyxin b-</i>		<i>nortrel 1/35 (28)</i>	73	OTEZLA	70
<i>dexameth</i>	75	<i>nortrel 7/7/7 (28)</i>	73	OTEZLA STARTER	70
<i>neomycin-polymyxin-</i>		<i>nortriptyline</i>	38	<i>oxacillin</i>	11
<i>gramicidin</i>	74	NORVIR	4	<i>oxacillin in dextrose(iso-osm)</i>	11
<i>neomycin-polymyxin-hc</i>	55, 75	NOXAFILE	1	<i>oxaliplatin</i>	20
<i>neo-polycin</i>	74	NPLATE	45	<i>oxandrolone</i>	61
<i>neo-polycin hc</i>	75	NUBEQA	20	<i>oxaprozin</i>	33
<i>neostigmine methylsulfate</i>	29	NUEDEXTA	29	<i>oxcarbazepine</i>	26
NEPHRAMINE 5.4 %	83	NULOJIX	20	OXERVATE	75
NERLYNX	20	NUPLAZID	38	<i>oxiconazole</i>	51
NEULASTA	66			<i>oxybutynin chloride</i>	80
NEUPOGEN	66				

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<i>oxycodone</i>	32	<i>phenelzine</i>	38	<i>potassium chloride in 0.9%nacl</i>	82
<i>oxycodone-acetaminophen</i>	32	<i>phenobarbital</i>	26	<i>potassium chloride in 5 % dex</i>	82
<i>oxycodone-aspirin</i>	32	<i>phenobarbital sodium</i>	26	<i>potassium chloride in lr-d5</i>	82
<i>oxymorphone</i>	32	<i>phenoxybenzamine</i>	43	<i>potassium chloride in water</i>	82
<i>oxytocin</i>	74	<i>phentolamine</i>	43	<i>potassium chloride-0.45 % nacl</i>	82
<i>OZEMPIK</i>	59	<i>phenytoin</i>	26	<i>potassium chloride-d5-0.2%nacl</i>	82
<i>OZURDEX</i>	75	<i>phenytoin sodium</i>	26	<i>potassium chloride-d5-0.3%nacl</i>	82
<i>pacerone</i>	41	<i>phenytoin sodium extended</i>	26	<i>potassium chloride-d5-0.9%nacl</i>	82
<i>paclitaxel</i>	20	PHOSPHOLINE IODIDE	75	<i>potassium citrate</i>	80
<i>paliperidone</i>	38	PIFELTRO	4	<i>potassium phosphate m-l-basic</i>	82
<i>palonosetron</i>	64	<i>pilocarpine hcl</i>	54, 75	POTELIGEO	21
PALYNZIQ	61	<i>pimecrolimus</i>	49	PRADAXA	45
<i>pamidronate</i>	61	<i>pimozide</i>	38	PRALUENT PEN	46
PANRETIN	49	<i>pimtrea (28)</i>	73	<i>pramipexole</i>	27
<i>pantoprazole</i>	65	<i>pindolol</i>	43	<i>prasugrel</i>	45
<i>paregoric</i>	62	<i>pioglitazone</i>	59	<i>pravastatin</i>	46
<i>paricalcitol</i>	61	<i>pioglitazone-glimepiride</i>	59	<i>praziquantel</i>	10
<i>paroex oral rinse</i>	55	<i>pioglitazone-metformin</i>	59	<i>prazosin</i>	43
<i>paromomycin</i>	9	PIPERACILLIN-TAZOBACTAM	11	<i>prednicarbate</i>	52
<i>paroxetine hcl</i>	38	<i>piperacillin-tazobactam</i>	12	<i>prednisolone</i>	56
<i>paroxetine mesylate(menop.sym)</i>	38	PIQRAY	20	<i>prednisolone acetate</i>	75
PASER	9	<i>pirmella</i>	73	<i>prednisolone sodium phosphate</i>	56, 76
PAXIL	38	<i>piroxicam</i>	33	<i>prednisone</i>	56
PEDIARIX (PF)	68	<i>plasbumin 25 %</i>	81	<i>prednisone intensol</i>	56
PEDVAX HIB (PF)	68	<i>plasbumin 5 %</i>	81	<i>pregabalin</i>	26
<i>peg 3350-electrolytes</i>	64	PLASMA-LYTE 148	84	<i>premasol 10 %</i>	84
PEGANONE	26	PLASMA-LYTE A	84	PREMASOL 6 %	84
PEGASYS	66	<i>plasmanate</i>	84	<i>prenatal vitamin oral tablet</i>	84
PEGASYS PROCLICK	66	PLEGRIDY	66	<i>prevalite</i>	46
<i>peg-electrolyte</i>	64	<i>plenamine</i>	84	<i>previfem</i>	73
PEGINTRON	66	<i>podofilox</i>	49	PREVYMIS	4
<i>penicillamine</i>	71	POLIVY	20	PREZCOBIX	4
<i>penicillin g potassium</i>	11	<i>polocaine</i>	49	PREZISTA	4
<i>penicillin g procaine</i>	11	<i>polocaine-mpf</i>	49	PRIFTIN	10
<i>penicillin g sodium</i>	11	<i>polycin</i>	74	<i>primaquine</i>	10
<i>penicillin v potassium</i>	11	<i>polyethylene glycol 3350</i>	64	<i>primidone</i>	26
PENTACEL (PF)	68	<i>polymyxin b sulfate</i>	10	PRIVIGEN	68
PENTAM	9	<i>polymyxin b sulf-</i>		PROAIR HFA	78
<i>pentamidine</i>	10	<i>trimethoprim</i>	74	PROAIR RESPICLICK	78
PENTASA	64	POMALYST	21	<i>probenecid</i>	69
<i>pentoxifylline</i>	45	<i>portia 28</i>	73	<i>probenecid-colchicine</i>	69
PERFOROMIST	78	PORTRAZZA	21	<i>procainamide</i>	41
<i>periogard</i>	55	<i>posaconazole</i>	1		
PERJETA	20	<i>potassium acetate</i>	81		
<i>permethrin</i>	52	<i>potassium chlorid-d5-0.45%nacl</i>	82		
<i>perphenazine</i>	38	<i>potassium chloride</i>	82		
PERSERIS	38				
<i>pfizerpen-g</i>	11				

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<i>procentra</i>	38	REBIF REBIDOSE	66, 67	<i>rosuvastatin</i>	46
<i>prochlorperazine</i>	64	REBIF TITRATION PACK	67	ROTARIX	68
<i>prochlorperazine edisylate</i>	64	<i>reclipsen</i> (28)	73	ROTATEQ VACCINE	68
<i>prochlorperazine maleate oral</i>	64	RECOMBIVAX HB (PF)	68	<i>roweepra</i>	26
PROCIT	66	RECTIV	64	<i>roweepra xr</i>	26
<i>procto-med hc</i>	64	<i>regionol</i>	29	ROZEREM	39
<i>procto-pak</i>	64	REGRANEX	49	ROZLYTREK	21
<i>proctosol hc</i>	64	RELENZA DISKHALER	4	RUBRACA	21
<i>protozoone-hc</i>	64	RELISTOR	64	RYDAPT	21
<i>progesterone</i>	71	REMICADE	64	SABRIL	26
<i>progesterone micronized</i>	71	REMODULIN	43	<i>salsalate</i>	33
PROGLYCEM	59	RENACIDIN	80	SAMSCA	61
PROGRAF	21	<i>repaglinide</i>	59	SANDIMMUNE	21
PROLASTIN-C	54	<i>repaglinide-metformin</i>	59	SANDOSTATIN LAR	
PROLEUKIN	66	REPATHA	46	DEPOT	21
PROLIA	69	REPATHA		SANTYL	49
PROMACTA	45	PUSHTRONEX	46	SAPHRIS	39
<i>propafenone</i>	41	REPATHA SURECLICK	46	<i>scopolamine base</i>	64
<i>propranolol</i>	43	SCRIPTOR	4	<i>selegiline hcl</i>	27
<i>propranolol-</i>		RETACRIT	67	<i>selenium sulfide</i>	48
<i>hydrochlorothiazid</i>	43	RETROVIR	4	SELZENTRY	4, 5
<i>propylthiouracil</i>	56	REVCovi	54	SENSIPAR	61
PROQUAD (PF)	68	REVLIMID	21	SEREVENT DISKUS	79
<i>protamine</i>	45	<i>revonto</i>	29	<i>sertraline</i>	39
<i>protriptyline</i>	38	REXULTI	39	<i>setlakin</i>	73
<i>prudoxin</i>	49	REYATAZ	4	<i>sevelamer carbonate</i>	54
PULMOZYME	78	<i>ribasphere</i>	4	<i>sf</i>	55
PURIXAN	21	<i>ribasphere ribapak</i>	4	<i>sf 5000 plus</i>	55
<i>pyrazinamide</i>	10	<i>ribavirin</i>	4	<i>sharobel</i>	71
<i>pyridostigmine bromide</i>	29	RIDAURA	71	SHINGRIX (PF)	68
QUADRACEL (PF)	68	<i>rifabutin</i>	10	SIGNIFOR	21
<i>quetiapine</i>	38, 39	<i>rifampin</i>	10	SIKLOS	21
<i>quinapril-hydrochlorothiazide</i>	43	<i>riluzole</i>	54	<i>sildenafil (pulmonary arterial</i>	
<i>quinidine gluconate</i>	41	<i>rimantadine</i>	4	<i>hypertension)</i>	79
<i>quinidine sulfate</i>	41	<i>ringer's</i>	53, 82	<i>silver sulfadiazine</i>	49
<i>quinine sulfate</i>	10	RINVOQ ER	71	SIMULECT	21
QVAR REDIHALER	79	RIOMET	59	<i>simvastatin</i>	46
RABAVERT (PF)	68	<i>risedronate</i>	54, 69	<i>sirolimus</i>	21
RADICAVA	29	RISPERDAL CONSTA	39	SIRTURO	10
RAGWITEK	68	<i>risperidone</i>	39	SKYRIZI	48
<i>raloxifene</i>	69	<i>ritonavir</i>	4	<i>sodium acetate</i>	82
<i>ramelteon</i>	39	RITUXAN	21	<i>sodium benzoate-sod</i>	
RANEXA	47	RITUXAN HYCELA	21	<i>phenylacet</i>	54
<i>ranitidine hcl</i>	65	<i>rivastigmine</i>	29	<i>sodium bicarbonate</i>	82
<i>ranolazine</i>	48	<i>rivastigmine tartrate</i>	29	<i>sodium chloride</i>	54, 83
RAPAMUNE	21	<i>rizatriptan</i>	27	<i>sodium chloride 0.45 %</i>	83
<i>rasagiline</i>	27	ROMIDEPSIN	21	<i>sodium chloride 0.9 %</i>	54
RAVICTI	54	<i>ropinirole</i>	27	<i>sodium chloride 3 %</i>	83
REBIF (WITH ALBUMIN)	66	<i>rosadan</i>	50	<i>sodium chloride 5 %</i>	83

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

sodium lactate intravenous	83	sulfamethoxazole-trimethoprim	12	TECFIDERA	29
sodium nitroprusside	48	SULFAMYLYON	50	TEFLARO	7
sodium phenylbutyrate	54	sulfasalazine	64	TEKTURNA	43
sodium phosphate	83	sulfatrim	12	TEKTURNA HCT	43
sodium polystyrene sulfonate	54	sulindac	33	telmisartan	43
SODIUM POLYSTYRENE SULFONATE	54	sumatriptan	27	telmisartan-amlodipine	43
SOLIRIS	54	sumatriptan succinate	27, 28	telmisartan-hydrochlorothiazid	43
SOLTAMOX	21	sumatriptan-naproxen	28	TEMODAR	22
SOMATULINE DEPOT	21	SUPRAX	7	temsirolimus	22
SOMAVERT	61	SUTENT	21	TENIVAC (PF)	68
sorine	41	syeda	73	tenofovir disoproxil fumarate	5
sotalol	41	SYLATRON	67	terazosin	43
sotalol af	41	SYLVANT	22	terbinafine hcl	1
SOTYLIZE	41	SYMBICORT	79	terbutaline	79
SPIRIVA RESPIMAT	79	SYMDEKO	79	terconazole	71
SPIRIVA WITH HANDIHALER	79	SYMFI	5	testosterone	61, 62
spironolactone	43	SYMFI LO	5	testosterone cypionate	61
spironolacton-hydrochlorothiaz	43	SYMJEPI	76	testosterone enanthate	61
SPORANOX	1	SYMLINPEN 120	59	TETANUS,DIPHTHERIA	
sprintec (28)	73	SYMLINPEN 60	59	TOX PED(PF)	68
SPRITAM	26	SYMPAZAN	26	tetrabenazine	29
SPRYCEL	21	SYMTUZA	5	tetracycline	13
sps (with sorbitol)	54	SYNAGIS	5	THALOMID	22
sronyx	73	SYNAREL	61	THEO-24	79
ssd	49	SYNERCID	10	theophylline	79
STAMARIL (PF)	68	SYNJARDY	59	theophylline in dextrose 5 %	79
stavudine	5	SYNJARDY XR	59	THIOLA	54
STIMATE	61	SYNRIBO	22	THIOLA EC	54
STIOLTO RESPIMAT	79	TABLOID	22	thioridazine	39
STIVARGA	21	tacrolimus	22, 49	thiotepa	22
STRENSIQ	61	tadalafil (pulm. hypertension)	79	thiothixene	39
STREPTOMYCIN	10	TAFINLAR	22	tiagabine	26
STRIBILD	5	TAGRISSO	22	TIBSOVO	22
STRIVERDI RESPIMAT	79	TALZENNA	22	TICE BCG	68
SUBOXONE	33	tamoxifen	22	tigecycline	10
subvenite	26	tamsulosin	80	timolol maleate	43, 74
subvenite starter (blue) kit	26	TARCEVA	22	tinidazole	10
subvenite starter (green) kit	26	TARGETIN	22	TIVICAY	5
subvenite starter (orange) kit	26	tarina 24 fe	73	tizanidine	29
SUCRAID	64	tarina fe 1/20 (28)	73	tobramycin	74
sucralfate	65	tarina fe 1-20 eq (28)	73	tobramycin in 0.225 % nacl	10
sulfacetamide sodium	75	TASIGNA	22	tobramycin sulfate	10
sulfacetamide sodium (acne)	50	tazarotene	50	tobramycin-dexamethasone	75
sulfacetamide-prednisolone	75	tazicef	7	tolazamide	59
sulfadiazine	12	TAZORAC	50	tolbutamide	59
		taztia xt	43	tolcapone	27
		TDVAX	68	tolmetin	33
		TECENTRIQ	22	tolterodine	80

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<i>topiramate</i>	26, 27	<i>trivora</i> (28)	73	VECAMYL	48
<i>toposar</i>	22	<i>tri-vylitra</i>	73	VECTIBIX	23
<i>topotecan</i>	22	<i>tri-vylitra lo</i>	73	VELCADE	23
<i>toremifene</i>	22	TROGARZO	5	<i>veletri</i>	44
TORISEL	22	TROPHAMINE 10 %	84	<i>velivet triphasic regimen</i> (28)	73
<i>torsemide</i>	43	TROPHAMINE 6%	84	VELTASSA	54
TOUJEO MAX U-300		<i>trospium</i>	80	VEMLIDY	5
SOLOSTAR	59	TRULICITY	59	VENCLEXTA	23
TOUJEO SOLOSTAR U-300 INSULIN	59	TRUMENBA	68	VENCLEXTA STARTING PACK	23
TRACLEER	79	TRUVADA	5	<i>venlafaxine</i>	39
TRADJENTA	59	<i>tulana</i>	71	<i>verapamil</i>	44
<i>tramadol</i>	33	TWINRIX (PF)	68	VERSACLOZ	39
<i>tramadol-acetaminophen</i>	34	TYKERB	22	VERZENIO	23
<i>trandolapril-verapamil</i>	43	TYMLOS	69	VIBERZI	64
<i>tranexamic acid</i>	71	TYPHIM VI	68	<i>vicodin es</i>	32
TRANSDERM-SCOP	64	TYSABRI	29	<i>vicodin hp</i>	32
<i>tranylcypromine</i>	39	TYVASO	79	VICTOZA 2-PAK	60
<i>travasol 10 %</i>	84	TYVASO		VICTOZA 3-PAK	60
<i>trazodone</i>	39	INSTITUTIONAL START KIT	79	VIDEX 2 GRAM PEDIATRIC	5
TREANDA	22	TYVASO REFILL KIT	80	VIDEX EC	5
TRECATOR	10	TYVASO STARTER KIT	80	<i>vienna</i>	73
TRELSTAR	22	ULORIC	69	<i>vigabatrin</i>	27
<i>treprostinil sodium</i>	43	<i>unithroid</i>	62	<i>vigadron</i>	27
<i>tretinoin (chemotherapy)</i>	22	UNITUXIN	22	VIIBRYD	39, 40
<i>tretinoin topical</i>	50	UPTRAVI	43	VIMIZIM	62
<i>triamicinolone acetonide</i>		<i>ursodiol</i>	64	VIMPAT	27
	52, 55, 56	UVADEX	49	<i>vinblastine</i>	23
<i>triamterene</i>	43	<i>valacyclovir</i>	5	<i>vincristine</i>	23
<i>triamicinolone acetonide</i>		VALCHLOR	49	<i>vinorelbine</i>	23
<i>hydrochlorothiazid</i>	43	<i>valganciclovir</i>	5	VIOKACE	65
<i>trianex</i>	52	<i>valproate sodium</i>	27	<i>viorele</i> (28)	73
<i>triderm</i>	52	<i>valproic acid</i>	27	VIRACEPT	5
<i>trientine</i>	54	<i>valproic acid (as sodium salt)</i>	27	VIRAMUNE	5
<i>tri-estarrylla</i>	73	<i>valrubicin</i>	22	VIREAD	5
<i>trifluoperazine</i>	39	<i>valsartan</i>	43	VISTOGARD	13
<i>trifluridine</i>	74	<i>valsartan-hydrochlorothiazide</i>	44	VITRAKVI	23
<i>tri-legest fe</i>	73	VALSTAR	22	VIVITROL	34
<i>tri-lo-estarrylla</i>	73	VANCOMYCIN	10	VIZIMPRO	23
<i>tri-lo-sprintec</i>	73	<i>vancomycin</i>	10	<i>voriconazole</i>	1
<i>trilyte with flavor packets</i>	64	VANCOMYCIN IN 0.9 % SODIUM CHL	10	VOTRIENT	23
<i>trimethoprim</i>	13	<i>vandazole</i>	71	VRAYLAR	40
<i>tri-mili</i>	73	VANTAS	22	<i>vylitra</i>	73
<i>trimipramine</i>	39	VAQTA (PF)	68	VYNDAQEL	48
TRINTELLIX	39	VARIVAX (PF)	68	VYXEOS	23
<i>tri-previfem</i> (28)	73	VARIZIG	68	<i>warfarin</i>	45
TRISENOX	22	VARUBI	64	<i>water for irrigation, sterile</i>	54
<i>tri-sprintec</i> (28)	73	VASCEPA	46	XALKORI	23
TRIUMEQ	5				

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

XARELTO	45
XATMEP	23
XERMELO	23
XGEVA	13
XIAFLEX	54
XIFAXAN	10
XiIDRA	75
XOFLUZA	5
XOLAIR	80
XOSPATA	23
XPOVIO	23
XTANDI	23
<i>xulane</i>	71
XURIDEN	54
XYREM	40
YEROVY	23
YF-VAX (PF)	68
YONDELIS	23
YONSA	23
<i>yuvafem</i>	71
<i>zafirlukast</i>	80
<i>zaleplon</i>	40
ZALTRAP	23
ZANOSAR	23
<i>zarah</i>	73
ZARXIO	67
ZEJULA	23
ZELBORAF	23
<i>zenatane</i>	50
<i>zidovudine</i>	5
<i>ziprasidone hcl</i>	40
ZIRGAN	74
ZOLADEX	23
<i>zoledronic acid</i>	62
<i>zoledronic acid-mannitol-water</i>	54, 62
ZOLEDRONIC AC-MANNITOL-0.9NACL	62
ZOLINZA	23
<i>zolmitriptan</i>	28
<i>zonisamide</i>	27
ZORTRESS	23, 24
ZOSTAVAX (PF)	68
<i>zovia 1/35e (28)</i>	73
ZOVIRAX	51
ZYDELIG	24
ZYKADIA	24
ZYPREXA RELPREVV	40
ZYTIGA	24

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

This formulary was updated on 11/26/2019. For more recent information or other questions, please contact Mutual of Omaha Rx Customer Service at **1.855.864.6797** or, for TTY users, **1.800.716.3231**, 24 hours a day, 7 days a week, or visit **MutualofOmahaRx.com**.

Express Scripts is the pharmacy benefit manager for Mutual of Omaha Rx and will be providing some services on behalf of Mutual of Omaha Rx.

Mutual of Omaha Rx (PDP) is a prescription drug plan with a Medicare contract. Enrollment in the Mutual of Omaha Rx plan depends on contract renewal.

F00OMP9BW5