

#### | Mutual of Omaha Rx Plus Plan |

# Drugs That Require Step Therapy (ST)

In some cases, **Mutual of Omaha Rx**<sup>SM</sup> (PDP) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Step 1 and Step 2 drugs both treat your medical condition, we may not cover the Step 2 drug unless you try the Step 1 drug first. If the Step 1 drug does not work for you, we will then cover the Step 2 drug.

You will need authorization from Mutual of Omaha Rx before filling prescriptions for the Step 2 drugs shown in the following charts. Mutual of Omaha Rx will only provide coverage after it determines that the drug is being prescribed according to the criteria specified in the chart.

Express Scripts, a pharmacy benefit manager, administers the review process for Mutual of Omaha Rx. To request a review, please have your physician visit their online portal at **esrx.com/PA**. You, your appointed representative or your prescriber can also request a review by calling Express Scripts toll free at **1.844.374.7377**, 24 hours a day, 7 days a week. Customer Service is available in English and other languages. TTY users should call **1.800.716.3231**.

Mutual of Omaha Rx (PDP) is a prescription drug plan with a Medicare contract. Enrollment in the Mutual of Omaha Rx plan depends on contract renewal.

# **COLCHICINE-PST**

# **Products Affected**

# Step 2:

• Colcrys 0.6 mg tablet

### **Details**

~ · ·	
Criteria	If the patient has tried one Step 1 product, authorization for a Step 2
	product may be given. Exceptions can be made for a step 2 drug
	(without a trial of a step 1 drug) for the treatment of Familial
	Mediterranean Fever and for the treatment of gout flares (i.e,
	prophylaxis of gout flares requires a trial of a step 1 drug).

# **DUZALLO/ULORIC**

# **Products Affected**

### Step 2:

- Uloric 40 mg tablet Uloric 80 mg tablet

### **Details**

Criteria	If the patient has tried a Step 1 drug then authorization for a Step 2 drug may be given. Authorization may be given for Uloric if the patient has renal insufficiency or decreased renal function.  Authorization may be given for Uloric if the patient is receiving concomitant medications that have significant drug-drug interactions with allopurinol, which are not noted with Uloric (eg, cyclosporine, chlorpropamide).
----------	---

# HIGH RISK MEDICATIONS - SEDATIVE HYPNOTICS


#### **Products Affected**

#### Step 2:

- eszopiclone 1 mg tablet
- eszopiclone 2 mg tablet
- eszopiclone 3 mg tablet
- zaleplon 10 mg capsule
- zaleplon 5 mg capsule

#### **Details**

Criteria	If the patient has tried a Step 1 drug, then authorization for a Step 2
	drug may be given. This step therapy program applies to patients greater than 64 years of age only. Authorization for a step 2 drug may be given in patients aged less than 65 years.
	be given in patients aged less than 65 years.



#### Index

Colcrys 0.6 mg tablet	1
eszopiclone 1 mg tablet	3
eszopiclone 2 mg tablet	3
eszopiclone 3 mg tablet	
Uloric 40 mg tablet	
Uloric 80 mg tablet	
zaleplon 10 mg capsule	
zaleplon 5 mg capsule	